

FAN



F A R O
BARCELONA

**For a sustainable
future of forests.**



Edition

A2025FAN

Art direction and design

Faro Art

All Rights Reserved

Reproduction without written permission from
the publisher is strictly prohibited.



Fan Collection


XXL	22
XL	36
L	50
M	122
S	162
Accessories	210




XXL
over ø200 CM




Rotterdam 30
23



Rotterdam 25
25



Manhattan
27



Bigwood
29



Kauai
31




Attos
33




Andros
35

XL
over ø165 CM



Bigwood
37




Rotterdam
39



Just Fan
41



Lantau
43



Century
45



Cruiser
47


L
ø132-164CM




Alo
51




Morea
53




Outwood
55




Klim
59



Malvinas
63



Indus
65



Cocos
67




Barth
97




Milos
99




Gotland
101



Poros
103



Lantau
105



Nuu
107



Ice
109


M
ø107-131 CM




Punt
123



Punt Tub
125



Typhoon
127



Palma
129



Cooper
133



Mini Eterfan
135



Eterfan
137



Marine
157



Fraser
159



Eco indus
161

S
ø106 CM or less



Mini Lantau
163



Mini Mallorca
165



Rudder
167




Cruiser
171




Hvar
175



Klim
177




Chicago
181



Palao
203



Klover
205




Vedra
207




Keiki
209

IP 44



Outwood
55



Typhoon
127



Palma
129



Winche
149



Marine
157



Hydra
69



Rudder L 4
71



Rudder L 3
75



Cruiser
79



Heywood
83



Heywood Tub
85



Amelia
107



Saint
95



Polea
111



Luzon
113



Polaris
115



Pemba
117



Mallorca
119



Cuba
121



Just Fan
139



Deco Fan
141




Mini Tube
143



Tube
145



Nassau
147



Winche
149



Klim
151



Sfera
155



Sfera
183



Mini Punt
185



Mini Punt Tub
187



Hey
189



Hey Tub
191



Heywood
195



Heywood Tub
197



Just Fan
201

Collections

Amelia
Héctor Serrano



Amelia
P. 89



Amelia Cone
P. 91




Amelia Ball
P. 93

Bigwood
Faro Lab



Bigwood 24
P. 29



Bigwood 20
P. 37

Cruiser
Faro Lab



Cruiser XL
P. 47



Cruiser L
P. 79



Cruiser S
P. 171

Sfera
Faro Lab



Sfera M
P. 155



Sfera S
P. 183

Hey
Faro Lab



Hey
P. 189



Hey Tub
P. 191

Heywood
Faro Lab



Heywood L
P. 83



Heywood Tub L
P. 85



Heywood S
P. 195




Heywood Tub S
P. 197

Just Fan
Conillas



Just Fan XL
P. 41



Just Fan M
P. 139




Just Fan S
P. 201


Klim
Faro Lab



Klim L
P. 59




Klim M
P. 151




Klim S
P. 177


Lantau



Lantau XL
P. 43



Lantau L
P. 105



Mini Lantau S
P. 163

Punt
Faro Lab




Punt M
P. 123



Punt Tub M
P. 125



Mini Punt S
P. 185



Mini Punt Tub S
P. 187


Rotterdam



Rotterdam 30
P. 23



Rotterdam 25
P. 25



Rotterdam 20
P. 39


Rudder
Faro Lab



Rudder L 4
P. 71



Rudder L 3
P. 75



Rudder S
P. 167



BRAND WITH SOUL

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design.

Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en un diseño honesto, accesible y cercano.



TURN OFF THE LIGHT

Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.

Nuestro camino hacia la sostenibilidad se centra en reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.



Find out more
Descubre más





YOUR IDEA, OUR EXPERTISE



We adjust fan speeds
to suit your needs



Control your fan the
way you want



Our fans operate
worldwide



We customize your
fan's settings

The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.

La experiencia y el conocimiento de nuestros profesionales se ponen al servicio de tus ideas para crear espacios únicos y funcionales.

Parametrical Lab

Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber
IK Tests
Endurance Test Room
Thermal Test Room

Environmental Testing Lab

Water IP Tests
Powder IP Tests
Salt Spray Chamber

Technical Assistance Service (TAS)

Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts

Quality inspections Lab

Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Ceiling Fan Lab

Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room



QUALITY COMMITMENT

Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing.

Nuestro compromiso con la calidad está presente en todo lo que diseñamos. Controlamos rigurosamente la calidad de nuestros productos y servicios desde la concepción hasta los ensayos de funcionalidad y fiabilidad.

Quality management system based on ISO9001.

Compliance with electrical safety regulations under EN60598 and energy efficiency ERP.

Sistema de gestión de calidad basado en la ISO9001.


Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 y la normativa de eficiencia energética ERP.



BEST CHOICE



15-year warranty
on the engine



High performance



Wide range.
Over 80 designs



FSC Certified
wooden blades

With over 40 years of experience, we are your best choice.
Con más de 40 años de experiencia, somos su mejor opción.



SMART OPTION

CONTROL YOUR FAN, ANYTIME

Download app




Control the fan from your mobile and select the app that matches its smart system.

Controla el ventilador desde tu móvil y selecciona la aplicación compatible con su sistema inteligente.



Find out more
Descubre más



FAN INTEGRATION

Compatible with



and other control systems with 0 10/1 10V



All WP fans
are compatible
see page 228



Ref. 34162
Gateway 0 10/1 10V



Ref. 34160
Adjustable universal
receiver for adaptations
of programming

Fan Integration in automation systems for Faro WP fans by 0-10/1 10V speed and light control. Manage up to 128 fans per gateway.

Integración de ventiladores en sistemas de automatización para ventiladores Faro WP mediante control de velocidad y luz 0-10/1 10V. Gestiona hasta 128 ventiladores por pasarela.




Find out more
Descubre más



Suitable for high ceilings




2 downrods included
127 / 305mm



Programmable 1-4-8h
Memory function page 211

Rotterdam 30



34210
Body Matt White
Blades Matt White



34211
Body Matt Black
Blades Matt Black




with light

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes
Material Diff PMMA


34210-130
Body Matt White
Blades Matt White

34211-130
Body Matt Black
Blades Matt Black

Material	Body Steel
	Blades Aluminium
Programmer	1-4-8hr
W	16-27-45-67-85-100
RPM	46-55-65-75-79-84
Airflow	302 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	127-305 mm
Opt. downrod	Page 214




A	A1
475/18.7"	425/16.73"
B	C
160/6.3"	300/11.81"
D	E
65/2.6"	200/7.87"
F	G
ø3000/118.1"	1350/53.15"
Downrod L	Downrod ø
127-305/5"	26/1.02"





Suitable for high ceilings



2 downrods included
127 / 305mm



Programmable 1-4-8h
Memory function page 211



34206
Body Matt White
Blades Matt White



34207
Body Matt Black
Blades Matt Black




with light

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes
Material Diff PMMA

34206-130
Body Matt White
Blades Matt White

34207-130
Body Matt Black
Blades Matt Black

Material	Body Steel Blades Aluminium
Programmer	1-4-8hr
W	16-28-44-67-85-101
RPM	60-73-87-99-106-110
Airflow	457 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	127-305 mm
Opt. downrod	Page 214




A	A1
475/18.7"	425/16.73"
B	C
160/6.3"	300/11.81"
D	E
65/2.6"	200/7.87"
F	G
Ø2500/98.4"	1100/43.31"
Downrod L	Downrod Ø
127-305/5"	26/1.02"



Suitable for high ceilings



Adjustable color temperature



High airflow

Manhattan



XXL
Ø244 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR


SUMMER
WINTER

SLOPED
CEILING



33496
Body Satin Nickel
Blades Satin Stainless

Material	Body Steel	Power	17W
	Blades Aluminium	Lumen Output	1400 lm
W	15-20-25-30-35-56	Light Source	SMD LED
RPM	50-55-60-65-70-78	Dimmable K	2700 - 3300 - 4600K
Airflow	269 m3 min	CRI	≥90
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Opt. downrod	Page 214	Material Diff	PC



A	A1
360/14.17"	325/12.8"
B	C
200/7.87"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø2440/96.1"	1160/45.67"
Downrod L	Downrod ø
150/5.91"	21/0.83"




Suitable for high ceilings



Programmable 1-4-8h
Memory function page 211



FSC Certified
wooden blades



Smart option

Bigwood 24
Faro Lab



XXL
ø240 CM

> 28 M2
> 300 SQ.FT


DC
MOTOR

SUMMER
WINTER



34192
34192WT Tuya Smart
Body Matt Black
Blades Dark Walnut

Material	Body Steel
	Blades Pine Wood
Programmer	1-4-8hr
W	7-11-18-26-38-57
RPM	32-46-60-73-80-93
Airflow	460 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	200 mm
Opt. downrod	Page 214




A	A1
350/13.78"	310/12.2"
B	C
40/1.57"	190/7.48"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1130/44.49"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Natural wood



2 downrods included
125 / 250mm



Programmable 1-4-8h
Memory function page 211



Smart option

Kauai



XXL
ø240 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER



34200A
34200AWT NEW
34200AWW NEW
Body Dark Brown
Blades Pine


Tuya Smart
Wiz Smart



34201A
34201AWT NEW
34201AWW NEW
Body Matt White
Blades Pine

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	13-17-20-35-54
RPM	79-86-93-110-126
Airflow	254 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	125-250 mm
Opt. downrod	Page 214




A	A1
480/18.9"	430/16.93"
B	C
170/6.69"	210/8.27"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1000/39.37"
Downrod L	Downrod ø
125-250/4.92"	26/1.02"



Suitable for high ceilings



Adjustable color temperature



Smart option

Attos



XXL
ø213 CM



> 28 M2
> 300 SQ.FT

DC
MOTOR



DIM



SUMMER
WINTER



SLOPED
CEILING




33494
33494WW **NEW** Wiz Smart
Body Matt White
Blades Matt White




33495
33495WW **NEW** Wiz Smart
Body Dark Brown
Blades Dark Brown


Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1200 lm
W	5-7-12-18-28-44	Light Source	SMD LED
RPM	30-44-58-72-86-103	Dimmable K	2700-3300- 4600K
Airflow	155 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
		Material Diff	PC



A	A1
340/13.39"	210/8.27"
B	C
120/4.72"	130/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø2130/83.9"	1020/40.16"
Downrod L	Downrod ø
230/9.06"	21/0.83"



Optional downrods not incl.
600 / 900 / 1200mm



Suitable for high ceilings

Andros



XXL
Ø213 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33461A
Body White
Blades White



33462A
Body Brown
Blades Brown




33465A
Body Satin Nickel
Blades Satin Nickel



33414A
Body Matt Black
Blades Matt Black

Material	Body Steel Blades Aluminium
W	4-6-10-15-22-35
RPM	30-41-53-64-74-88
Airflow	406 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 214



A	A1
460/18.11"	425/16.73"
B	C
220/8.66"	240/9.45"
D	E
50/2"	150/5.91"
F	G
Ø2130/83.9"	950/37.4"
Downrod L	Downrod Ø
230/9.06"	26/1.02"




Suitable for high ceilings



Programmable 1-4-8h
Memory function page 211



FSC Certified
wooden blades



Smart option

Bigwood 20

Faro Lab




34190
34190WT Tuya Smart
Body Matt Black
Blades Dark Walnut



34191
34191WT Tuya Smart
Body Matt White
Blades Pine

Material	Body Steel
	Blades Pine Wood
Programmer	1-4-8hr
W	7-11-18-27-38-57
RPM	43-63-79-94-110-127
Airflow	413 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
350/13.78"	310/12.2"
B	C
40/1.57"	190/7.48"
D	E
65/2.6"	150/5.91"
F	G
ø2000/78.7"	930/36.61"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Suitable for high ceilings




2 downrods included
127 / 305mm



Programmable 1-4-8h
Memory function page 211

Rotterdam 20



34202
Body Matt White
Blades Matt White



34203
Body Matt Black
Blades Matt Black




with light

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes
Material Diff PMMA

34202-130
Body Matt White
Blades Matt White

34203-130
Body Matt Black
Blades Matt Black

Material	Body Steel
	Blades Aluminium
Programmer	1-4-8hr
W	6-9-16-26-41-61
RPM	48-58-71-84-95-105
Airflow	348 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	127-305 mm
Opt. downrod	Page 214



A	A1
455/17.91"	395/15.55"
B	C
140/5.51"	300/11.81"
D	E
65/2.6"	200/7.87"
F	G
ø2000/78.7"	850/33.46"
Downrod L	Downrod ø
127-305/5"	26/1.02"



3 downrods included
101 / 203 / 457mm



Smart option

Just Fan XL

Conillas



XL
 ø178 CM

> 28 M2
 > 300 SQ.FT

DC
 MOTOR

SUMMER
 WINTER

SLOPED
 CEILING



33430
 33430WW **NEW**
 Body Matt Black
 Blades Dark Walnut


Wiz Smart




33432
 33432WW **NEW**
 Body Matt Black
 Blades Black

Wiz Smart

Material	Body Steel
	Blades ABS
W	4-6-9-12-17-31
RPM	48-64-82-98-114-145
Airflow	175 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 214




A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø1780/70.1"	890/35.04"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"



High airflow



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Lantau XL



XL
ø168 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33464DC
33464DCWT **NEW**
33464DCWW **NEW**
Body Satin Nickel
Blades Walnut

Tuya Smart
Wiz Smart



33504DC
33504DCWT **NEW**
33504DCWW **NEW**
Body Matt Nickel
Blades Pine

Tuya Smart
Wiz Smart



with light

SMD LED 15W 3000K 900 lm CRI >80 Driver incl. Yes


33463DC
33463DCWT **NEW**
33463DCWW **NEW**
Body Matt Nickel
Blades Walnut

Tuya Smart
Wiz Smart

33505DC
33505DCWT **NEW**
33505DCWW **NEW**
Body Matt Nickel
Blades Pine

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
W	6-9-11-17-24-35
RPM	75-89-98-115-129-146
Airflow	261 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
410/16.14"	335/13.19"
B	C
180/7.09"	
D	E
70/2.8"	150/5.91"
F	G
ø1680/66.1"	840/33.07"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Smart option

Century



XL
ø165 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER


SLOPED
CEILING




33553A
33553AWW **NEW**
Body Matt White
Blades Matt White

Wiz Smart


Material	Body Steel Blades Plywood	Power	15W
W	5-8-12-17-25-35	Lumen Output	1200 lm
RPM	60-80-95-110-125-140	Light Source	SMD LED 3000K
Airflow	233 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
		Material Diff	PMMA



A	A1
330/12.99"	250/9.84"
B	C
170/6.69"	150/5.91"
D	E
50/2"	130/5.12"
F	G
ø1650/65"	750/29.53"
Downrod L	Downrod ø
152/5.98"	21/0.83"



Striped anodized
aluminium



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser XL

Faro Lab



XL
ø160 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34287
34287WT **NEW**
34287WW **NEW**
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart



34292
34292WT **NEW**
34292WW **NEW**
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart




34293
34293WT **NEW**
34293WW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Aluminium
Programmer	1-4-8hr
W	4-6-10-16-23-34
RPM	63-83-100-120-133-149
Airflow	216 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1600/63"	770/30.31"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Striped anodized
aluminium



Programmable 1-4-8h
Memory function page 211



Adjustable color
temperature



Smart option

Cruiser XL

Faro Lab

XL
 ø160 CM

> 28 M2
 > 300 SQ.FT

DC
 MOTOR

DIM

SUMMER
 WINTER

SLOPED
 CEILING



34287-1TW
 34287WT-1TW **NEW**
 34287WW-1TW **NEW**
 Body Matt Black
 Blades Aluminium

Tuya Smart
 Wiz Smart



34292-1TW
 34292WT-1TW **NEW**
 34292WW-1TW **NEW**
 Body Matt White
 Blades Matt White


Tuya Smart
 Wiz Smart



34293-1TW
 34293WT-1TW **NEW**
 34293WW-1TW **NEW**
 Body Matt Black
 Blades Matt Black

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	20W
	Blades Aluminium	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-16-23-34	Dimmable K	2700 - 4000 - 6500K
RPM	63-83-100-120-133-149	CRI	85
Airflow	216 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☼	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1600/63"	776/30.55"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Thanks to Beti Guasch & Estudi Nou Arquitectes | Photo by Sara Adroer



FSC Certified
wooden blades



Adjustable color
temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Alo



L
ø152 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33718DC
33718DCWT NEW
33718DCWW NEW
Body Matt Black
Blades Maple

Tuya Smart
Wiz Smart



33728DC
33728DCWT NEW
33728DCWW NEW
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart



with light

SMD LED 20W 831 lm CRI 85 Driver incl. Yes
Material Diff PP


33727DC
33727DCWT NEW
33727DCWW NEW
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart

33719DC
33719DCWT NEW
33719DCWW NEW
Body Matt Black
Blades Maple

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	6-10-13-19-26-35
RPM	97-120-136-158-179-196
Airflow	220 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
320/12.6"	285/11.22"
B	C
160/6.3"	180/7.09"
D	E
60/2.4"	150/5.91"
F	G
ø1520/59.8"	685/26.97"
Downrod L	Downrod ø
153/6.02"	26/1.02"



Thanks to Studio Srta Rottenmeier



Programmable 1-4-8h
Memory function page 211



Smart option

Morea



L
ø152 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33511
33511WT NEW
33511WW NEW
Body Dark Brown
Blades Dark Walnut


Tuya Smart
Wiz Smart



33519
33519WT NEW
33519WW NEW
Body Dark Brown
Blades Maple

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	3-7-12-17-38
RPM	58-105-131-148-195
Airflow	211 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/2"	148/5.83"
F	G
ø1520/59.8"	750/29.53"
Downrod L	Downrod ø
152/5.98"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Realistic wood-finish
Abs blades



Smart option



L

ø150 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

DIM

IP

44

SUMMER
WINTER



34360
34360WT Tuya Smart
34360WW Wiz Smart
Body Dark Brown
Blades Oak



34361
34361WT Tuya Smart
34361WW Wiz Smart
Body Matt White
Blades Oak




34362
34362WT Tuya Smart
34362WW Wiz Smart
Body Dark Brown
Blades Dark Walnut



34363
34363WT Tuya Smart
34363WW Wiz Smart
Body Matt White
Blades Matt White

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	5-8-12-18-25-35
RPM	73-92-108-127-141-152
Airflow	187 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
265/10.43"	220/8.66"
B	C
154/6.06"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	687/27.05"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser




Programmable 1-4-8h
Memory function page 211



Realistic wood-finish
Abs blades



Smart option



34360-11L
34360WT-11L
34360WW-11L
Body Dark Brown
Blades Oak

Tuya Smart
Wiz Smart



34361-11L
34361WT-11L
34361WW-11L
Body Matt White
Blades Oak

Tuya Smart
Wiz Smart



34362-11L
34362WT-11L
34362WW-11L
Body Dark Brown
Blades Dark Walnut

Tuya Smart
Wiz Smart




34363-11L
34363WT-11L
34363WW-11L
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	5-8-12-18-25-35
RPM	73-92-108-127-141-152
Airflow	187 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Opt. downrod	Page 214

Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Material Diff	Glass




A	A1
430/16.93"	220/8.66"
B	C
320/12.6"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	687/27.05"
Downrod L	Downrod ø
100/3.94"	26/1.02"



FSC Certified
wooden blades



Optional Light kit
page 212



Programmable 1-4-8h
Memory function page 211



Smart option

Klim L

Faro Lab



L

ø150 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



34276
34276WT **NEW**
34276WW **NEW**
Body Matt Black
Blades Dark Walnut

Tuya Smart
Wiz Smart



34279
34279WT **NEW**
34279WW **NEW**
Body Matt White
Blades Oak


Tuya Smart
Wiz Smart



34282
34282WT **NEW**
34282WW **NEW**
Body Matt Black
Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	5-7-11-17-24-35
RPM	67-88-106-122-140-159
Airflow	168 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
336/13.23"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	745/29.33"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Klim L

Faro Lab



L
ø150 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34276-11L
34276WT-11L NEW
34276WW-11L NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart
Wiz Smart



34279-11L
34279WT-11L NEW
34279WW-11L NEW
Body Matt White
Blades Oak


Tuya Smart
Wiz Smart



34282-11L
34282WT-11L NEW
34282WW-11L NEW
Body Matt Black
Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	5-7-11-17-24-35	Material Diff	Glass
RPM	67-88-106-122-140-159		
Airflow	168 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
408/16.06"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	745/29.33"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades

Malvinas



L

ø140 CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER


WALL
CONTROL

SLOPED
CEILING



33111
Body Brown
Blades Mahogany + Reddish Mahogany

Material	Body Steel
	Blades MDF
W	24-37-48-57-80
RPM	111-145-170-187-229
Airflow	176 m3 min
V/Hz	220V-240V/50Hz
Opt. downrod	Page 214



A	A1
600/23.62"	500/19.69"
B	C
160/6.3"	200/7.87"
D	E
60/2.4"	130/5.12"
F	G
ø1400/55.1"	590/23.23"
Downrod L	Downrod ø
510/20.08"	21/0.83"



Indus



L

ø140 CM



> 17,6-28 M2
190-300 SQ.FT




WALL
CONTROL



33001
Body White
Blades White

Material	Body Steel
	Blades Steel
W	16-21-26-32-48
RPM	113-142-173-203-260
Airflow	155 m3 min
V/Hz	220V-240V/50Hz



A	A1
483/19.02"	440/17.32"
B	C
160/6.3"	180/7.09"
D	E
120/4.7"	145/5.71"
F	G
ø1400/55.1"	555/21.85"
Downrod L	Downrod ø
273/10.75"	21/0.83"



Smart option

Cocos



L

Ø137 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER


SLOPED
CEILING



33548
33548WW **NEW**
Body Matt White
Blades Matt White

Wiz Smart

Material	Body Steel Blades ABS	Power	20W
W	7-10-13-17-24-29	Lumen Output	1281 lm
RPM	66-88-104-115-138-146	Light Source	SMD LED 3000K
Airflow	234 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
		Material Diff	PC



A	A1
260/10.24"	200/7.87"
B	C
90/3.54"	200/7.87"
D	E
55/2.2"	140/5.51"
F	G
Ø1370/53.9"	585/23.03"
Downrod L	Downrod Ø
114/4.49"	21/0.83"



Programmable 1-4-8h

Hydra



L

Ø133 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING




33725
Body Matt Black
Blades Dark Walnut



33726
Body Matt White
Blades Matt White

Material	Body Steel	Power	21W
	Blades Plywood	Lumen Output	1563 lm
Programmer	1-4-8hr	Light Source	SMD LED 3000K
W	5-7-10-13-18-25	CRI	>80
RPM	99-116-134-154-172-193	Driver incl.	Yes
Airflow	175 m3 min	Material Diff	ABS
V/Hz	220V-240V/50Hz		
Accessories	33974 DC Wall Control		
Incl. downrod	153-255 mm		




A	A1
340/13.39"	300/11.81"
B	C
130/5.12"	250/9.84"
D	E
70/2.8"	130/5.12"
F	G
ø1330/52.4"	540/21.26"
Downrod L	Downrod ø
153/6.02"	21/0.83"




Reversible blades



FSC Certified
plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 4

Faro Lab



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING




34355 **NEW**
 34355WT **NEW** Tuya Smart
 34355WW **NEW** Wiz Smart
 Body Matt White
 Blades Matt White + Ash Wood



34356 **NEW**
 34356WT **NEW** Tuya Smart
 34356WW **NEW** Wiz Smart
 Body Matt Black
 Blades Matt Black + Dark Walnut

Material	Body Aluminium Blades Plywood
Programmer	1-4-8hr
W	5-7-11-17-24-35
RPM	83-110-136-158-180-200
Airflow	174 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
232/9.13"	178/7.01"
B	C
116/4.57"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	585/23.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 4

Faro Lab

NEW



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

SUMMER
WINTER

SLOPED
CEILING



34355-1TW NEW
34355WT-1TW NEW
34355WW-1TW NEW
Body Matt White
Blades Matt White + Ash Wood


Tuya Smart
Wiz Smart



34356-1TW NEW
34356WT-1TW NEW
34356WW-1TW NEW
Body Matt Black
Blades Matt Black + Dark Walnut

Tuya Smart
Wiz Smart

Material	Body Aluminium	Power	20W
	Blades Plywood	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	5-7-11-17-24-35	Dimmable K	2700 - 4000 - 6000K
RPM	83-110-136-158-180-200	CRI	85
Airflow	174 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC
Accessories	33974 DC Wall Control		
Opt. downrod	Page 214		



A	A1
257/10.12"	178/7.01"
B	C
142/5.59"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	585/23.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades



FSC Certified
plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 3

Faro Lab



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING




34297
 34297WT **NEW** Tuya Smart
 34297WW **NEW** Wiz Smart
 Body Matt White
 Blades Ash Wood + Matt White



34298
 34298WT **NEW** Tuya Smart
 34298WW **NEW** Wiz Smart
 Body Matt Black
 Blades Walnut + Matt Black

Material	Body Steel
	Blades Plywood
Programmer	1-4-8hr
W	4-6-10-17-24-35
RPM	85-109-134-159-180-203
Airflow	174 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
232/9.13"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 3

Faro Lab



L

ø132 CM



> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR



DIM



SUMMER
WINTER



SLOPED
CEILING



34297-1TW
34297WT-1TW **NEW**
34297WW-1TW **NEW**
Body Matt White
Blades Ash Wood + Matt White


Tuya Smart
Wiz Smart




34298-1TW
34298WT-1TW **NEW**
34298WW-1TW **NEW**
Body Matt Black
Blades Walnut + Matt Black

Tuya Smart
Wiz Smart

Material	Body Steel	Power	20W
	Blades Plywood	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-17-24-35	Dimmable K	2700 - 4000 - 6500K
RPM	85-109-134-159-180-203	CRI	85
Airflow	174 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☼	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Striped anodized
aluminium



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser L

Faro Lab



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34286
34286WT **NEW**
34286WW **NEW**
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart



34290
34290WT **NEW**
34290WW **NEW**
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart




34291
34291WT **NEW**
34291WW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Aluminium
Programmer	1-4-8hr
W	4-6-10-17-24-35
RPM	86-110-140-164-185-210
Airflow	174 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Striped anodized
aluminium



Adjustable color
temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser L

Faro Lab



L

ø132 CM



> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR



DIM



SUMMER
WINTER



SLOPED
CEILING



34286-1TW
34286WT-1TW **NEW**
34286WW-1TW **NEW**
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart



34290-1TW
34290WT-1TW **NEW**
34290WW-1TW **NEW**
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart



34291-1TW
34291WT-1TW **NEW**
34291WW-1TW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

Material	Body Steel	Power	20W
	Blades Aluminium	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-17-24-35	Dimmable K	2700 - 4000 - 6500K
RPM	86-110-140-164-185-210	CRI	85
Airflow	174 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"




FSC Certified
wooden blades



Adjustable color
temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood L

Faro Lab



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



33809

33809WT **NEW**

Body Matt Black

Blades Dark Oak

Tuya Smart



33810

33810WT **NEW**

Body Matt White

Blades Maple

Tuya Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass

33809-1TW

33809WT-1TW **NEW**

Body Matt Black

Blades Dark Oak

Tuya Smart

33810-1TW


33810WT-1TW **NEW**

Body Matt White

Blades Maple

Tuya Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	4-5-7-13-22-32
RPM	58-75-94-124-152-173
Airflow	174 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☒	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
243/9.57"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø1320/52"	592/23.31"
Downrod L	Downrod ø
101/3.98"	26/1.02"




Suitable for low ceilings



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub L

Faro Lab

NEW



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

DIRECT
CEILING
MOUNTING



33838 NEW
33838WT NEW
Body Matt White
Blades Pine

Tuya Smart



33839 NEW
33839WT NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material Body Aluminium
Blades Pine Wood

Programmer 1-4-8hr


W 4-5-8-13-23-32

RPM 58-75-94-124-152-173

Airflow 175 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control



A	A1
190/7.48"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	582/22.91"
Downrod L	Downrod ø



Adjustable color temperature



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub L

Faro Lab

NEW



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

SUMMER
WINTER

DIRECT
CEILING
MOUNTING



33838-1TW NEW
33838WT-1TW NEW
Body Matt White
Blades Pine


Tuya Smart



33839-1TW NEW
33839WT-1TW NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material	Body Aluminium	Power	10W
	Blades Pine Wood	Lumen Output	480 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-5-8-13-23-32	Dimmable K	2700 - 4000 - 6000K
RPM	58-75-94-124-152-173	CRI	>80
Airflow	175 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories ☒	33974 DC Wall Control		



A	A1
232/9.13"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	582/22.91"
Downrod L	Downrod ø



Programmable 1-4-8h
Memory function page 211



Smart option

Amelia

Héctor Serrano



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



33760
33760WT **NEW**
33760WW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33761
33761WT **NEW**
33761WW **NEW**
Body Matt Black
Blades Matt Black


Tuya Smart
Wiz Smart



33762
33762WT **NEW**
33762WW **NEW**
Body Grey
Blades Grey

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	5-7-10-15-19-28
RPM	69-99-123-143-162-189
Airflow	153 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☼	33974 DC Wall Control
Incl. downrod	100-200 mm
Opt. downrod	Page 214



A	A1
320/12.6"	270/10.63"
B	C
100/3.94"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"



Color temperature adjustable



Programmable 1-4-8h
Memory function page 211



Smart option

Amelia Cone

Héctor Serrano



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

DIM

SUMMER
WINTER

SLOPED
CEILING



33760-22
 33760WT-22 **NEW**
 33760WW-22 **NEW**
 Body Matt White
 Blades Matt White

Tuya Smart
 Wiz Smart



33761-23
 33761WT-23 **NEW**
 33761WW-23 **NEW**
 Body Matt Black
 Blades Matt Black


Tuya Smart
 Wiz Smart



33762-24
 33762WT-24 **NEW**
 33762WW-24 **NEW**
 Body Grey
 Blades Grey

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	20W
	Blades ABS	Lumen Output	965 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	5-7-10-15-19-28	Dimmable K	2700-3500-5000K
RPM	69-99-123-143-162-189	CRI	>80
Airflow	153 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC
Accessories ☒	33974 DC Wall Control		
Incl. downrod	100-200 mm		
Opt. downrod	Page 214		



A	A1
430/16.93"	270/10.63"
B	C
219/8.62"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option

Amelia Ball

Héctor Serrano



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



33760-25
 33760WT-25 **NEW**
 33760WW-25 **NEW**
 Body Matt White
 Blades Matt White

Tuya Smart
 Wiz Smart



33761-26
 33761WT-26 **NEW**
 33761WW-26 **NEW**
 Body Matt Black
 Blades Matt Black


Tuya Smart
 Wiz Smart



33762-27
 33762WT-27 **NEW**
 33762WW-27 **NEW**
 Body Grey
 Blades Grey

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	20W
	Blades ABS	Lumen Output	1056 lm
Programmer	1-4-8hr	Light Source	SMD LED 2700K
W	5-7-10-15-19-28	CRI	>80
RPM	69-99-123-143-162-189	Driver incl.	Yes
Airflow	153 m3 min	Material Diff	Glass
V/Hz	220V-240V/50-60Hz		
Accessories ☼	33974 DC Wall Control		
Incl. downrod	100-200 mm		
Opt. downrod	Page 214		




A	A1
510/20.08"	270/10.63"
B	C
297/11.69"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211

Saint



L

ø132 CM



> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR



DIM



SUMMER
WINTER




SLOPED
CEILING



34265
Body Matt White
Blades Matt White

Material	Body Steel	Power	24W
	Blades Plywood	Lumen Output	1300 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-17-21-31	Dimmable K	2700 - 4350 - 6000K
RPM	102-124-147-172-204-231	CRI	>80
Airflow	161 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PMMA
Accessories ☒	33974 DC Wall Control		
Incl. downrod	152 mm		
Opt. downrod	Page 214		



A	A1
290/11.42"	220/8.66"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Adjustable color temperature



FSC Certified plywood blades

Barth



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

SUMMER
WINTER

SLOPED
CEILING




34260
Body Matt White
Blades Matt White



34261
Body Matt Black
Blades Matt Black

Material	Body Steel Blades Plywood	Power	24W
Programmer	1-4-8hr	Lumen Output	1300 lm
W	4-6-8-13-20-30	Light Source	SMD LED
RPM	94-125-147-180-208-236	Dimmable K	2700 - 4350 - 6000K
Airflow	194 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accessories ☼	33974 DC Wall Control	Material Diff	PP
Incl. downrod	152 mm		
Opt. downrod	Page 214		



A	A1
291/11.46"	220/8.66"
B	C
136/5.35"	
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Small and aesthetic motor



Smart option

Milos



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



34100


34100WW **NEW**

Body Matt Black

Blades Matt Black

Wiz Smart

Material	Body Steel
	Blades Plywood
W	4-6-10-16-28-34
RPM	50-73-96-118-143-188
Airflow	116.1 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
270/10.63"	260/10.24"
B	C
120/4.72"	70/2.76"
D	E
60/2.4"	140/5.51"
F	G
ø1320/52"	600/23.62"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option

Gotland



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33446
33446WT NEW
33446WW NEW
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart



33447
33447WT NEW
33447WW NEW
Body Black
Blades Walnut

Tuya Smart
Wiz Smart

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	4-6-10-17-23-30
RPM	95-121-148-177-198-214
Airflow	218 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
250/9.84"	250/9.84"
B	C
130/5.12"	170/6.69"
D	E
55/2.2"	130/5.12"
F	G
ø1320/52"	580/22.83"
Downrod L	Downrod ø
128/5.04"	21/0.83"



Adjustable intensity



FSC Certified
wooden blades



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option

Poros



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

DIM

SUMMER
WINTER

SLOPED
CEILING



33524
33524WT **NEW**
33524WW **NEW**
Body Matt White
Blades Pine


Tuya Smart
Wiz Smart



33527 **NEW**
33527WT **NEW**
33527WW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart

Material	Body Steel	Power	19W
	Blades Pine Wood	Lumen Output	900 lm
Programmer	1-4-8hr	Light Source	SMD LED 2700K
W	7-9-12-15-20-26	CRI	>80
RPM	120-132-145-160-174-185	Driver incl.	Yes
Airflow	240 m3 min	Material Diff	Glass
V/Hz	220V-240V/50-60Hz		
Accessories	33974 DC Wall Control		
Incl. downrod	153 mm		
Opt. downrod	Page 214		



A	A1
370/14.57"	280/11.02"
B	C
160/6.3"	180/7.09"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	560/22.05"
Downrod L	Downrod ø
153/6.02"	21/0.83"




FSC Certified
wooden blades



Glass diffuser





Smart option



Programmable 1-4-8h
Memory function page 211

Lantau L



33370DC
33370DCWT **NEW**
33370DCWW **NEW**
Body Satin Nickel
Blades Walnut

Tuya Smart
Wiz Smart



33373DC
33373DCWT **NEW**
33373DCWW **NEW**
Body Satin Nickel
Blades Pine

Tuya Smart
Wiz Smart



33516DC
33516DCWT **NEW**
33516DCWW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart



33561DC
33561DCWT **NEW**
33561DCWW **NEW**
Body Matt White
Blades Pawlonia

Tuya Smart
Wiz Smart



33562DC
33562DCWT **NEW**
33562DCWW **NEW**
Body Brown
Blades Pawlonia

Tuya Smart
Wiz Smart



with light

SMD LED 15W 3000K 900 lm CRI >80 Driver incl. Yes
Material Diff Glass


33518DC
33518DCWT **NEW**
33518DCWW **NEW**
Body Satin Nickel
Blades Walnut

Tuya Smart
Wiz Smart

33560DC
33560DCWT **NEW**
33560DCWW **NEW**
Body Satin Nickel
Blades Pine

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
W	5-8-12-17-27-35
RPM	82-102-125-145-170-188
Airflow	147 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
330/12.99"	320/12.6"
B	C
165/6.5"	160/6.3"
D	E
70/2.8"	160/6.3"
F	G
1320/52"	660/25.98"
Downrod L	Downrod Ø
153/6.02"	21/0.83"



Minimal design



Programmable 1-4-8h
Memory function page 211



Smart option

Nuu

Estudi Ribaudi



L
Ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER


SLOPED
CEILING



33722
33722WW **NEW**
Body Matt White
Blades Matt White

Wiz Smart

Material	Body Steel	Power	15W
	Blades ABS	Lumen Output	700 lm
Programmer	1-4-8hr	Light Source	SMD LED 3000K
W	5-8-11-14-21-35	CRI	>80
RPM	106-126-147-165-186-212	Driver incl.	Yes
Airflow	104 m3 min	Material Diff	PC
V/Hz	220V-240V/50-60Hz		



A	A1
330/12.99"	290/11.42"
B	C
110/4.33"	110/4.33"
D	E
55/2.2"	130/5.12"
F	G
Ø1320/52"	600/23.62"
Downrod L	Downrod Ø
152/5.98"	21/0.83"



Reversible blades



Audio speaker



Aesthetic light kit

Ice

Estudi Ribaudi



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT


SUMMER
WINTER

SLOPED
CEILING



33460
 Body White
 Blades White + Maple

Material	Body Steel	Power	15W
	Blades MDF	Lumen Output	543 lm
W	13-25-55	Light Source	SMD LED 3000K
RPM	75-135-180	CRI	>80
Airflow	157 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50Hz	Material Diff	Glass




A	A1
385/15.16"	270/10.63"
B	C
210/8.27"	230/9.06"
D	E
65/2.6"	150/5.91"
F	G
ø1320/52"	555/21.85"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Reversible blades



Programmable 1-4-8h



Smart option

Polea
Conillas



L
Ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33724
33724WW **NEW** Wiz Smart
Body Brown
Blades Walnut + Black

Material **Body** Steel
 Blades Plywood

Programmer 1-4-8hr


W 5-7-10-14-20-33

RPM 86-102-119-131-151-167


Airflow 111 m3 min

V/Hz 220V-240V/50-60Hz

Opt. downrod Page 214



A	A1
372/14.65"	254/10"
B	C
118/4.65"	228/8.98"
D	E
56/2.2"	130/5.12"
F	G
Ø1320/52"	547/21.54"
Downrod L	Downrod Ø
152/5.98"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR


SLOPED
CEILING



33750DC
33750DCWT **NEW**
33750DCWW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	7-9-11-13-17-23
RPM	90-105-115-125-135-152
Airflow	215 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	100-152 mm
Opt. downrod	Page 214



A	A1
285/11.22"	235/9.25"
B	C
180/7.09"	
D	E
60/2.4"	140/5.51"
F	G
ø1320/52"	590/23.23"
Downrod L	Downrod ø
100-152/3.94"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option

Polaris



L

ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

SUMMER
WINTER


SLOPED
CEILING



33346
33346WT **NEW**
33346WW **NEW**
Body White
Blades White

Tuya Smart
Wiz Smart

Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1034 lm
Programmer	1-4-8hr	Light Source	SMD LED 3000K
W	4-6-9-15-19-30	CRI	>80
RPM	53-80-100-120-130-150	Driver incl.	Yes
Airflow	163 m3 min	Material Diff	PC
V/Hz	220V-240V/50-60Hz		
Accessories ☒	33974 DC Wall Control		



A	A1
350/13.78"	275/10.83"
B	C
180/7.09"	170/6.69"
D	E
50/2"	130/5.12"
F	G
ø1320/52"	555/21.85"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Suitable for low ceilings



Direct to the ceiling

Pemba



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER



33471N
Body Gloss White
Blades Gloss White




with light

SMD LED 15W 3000K 800 lm CRI >95 Driver incl. Yes
Material Diff PC

33471N-3
Body Gloss White
Blades Gloss White

Material	Body Steel + ABS Blades ABS
W	3-5-9-14-21-32
RPM	50-76-102-127-157-180
Airflow	191 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
215/8.46"	190/7.48"
B	C
250/9.84"	180/7.09"
D	E
	170/6.69"
F	G
ø1320/52"	570/22.44"
Downrod L	Downrod ø



Reversible blades



Programmable 1-4-8h
Memory function page 211



Smart option

Mallorca L



L
Ø132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR


SUMMER
WINTER

SLOPED
CEILING



33350DC
33350DCWT **NEW** Tuya Smart
33350DCWW **NEW** Wiz Smart
Body Matt White
Blades Matt White + Maple

Material Body Steel
Blades Plywood
Programmer 1-4-8hr
W 7-9-13-17-26-40
RPM 78-100-127-139-158-197
Airflow 155 m3 min
V/Hz 220V-240V/50-60Hz
Accessories ⓘ 33974 DC Wall Control
Opt. downrod Page 214



A	A1
310/12.2"	246/9.69"
B	C
80/3.15"	248/9.76"
D	E
60/2.4"	150/5.91"
F	G
Ø1320/52"	540/21.26"
Downrod L	Downrod Ø
152/5.98"	26/1.02"



Cuba



L
ø132 CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

SLOPED
CEILING

CONTROLLED
BY CHAINS




33352
Body Dark Brown
Blades Dark Brown



33352B
Body Old Gold
Blades Brown

Material	Body Steel Blades ABS
W	20-34-65
RPM	73-99-145
Airflow	127 m3 min
V/Hz	220V-240V/50Hz
Accessories	33928 Wall Control 3 speeds 33929 Remote control kit dimer/on-off 33937 Remote control kit programmer
Opt. downrod	Page 214




A	A1
510/20.08"	450/17.72"
B	C
350/13.78"	370/14.57"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	600/23.62"
Downrod L	Downrod ø
152/5.98"	21/0.83"




Glass diffuser



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Punt M

Faro Lab



M

ø130 CM

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

DIM

SUMMER
WINTER

SLOPED
CEILING



33814

33814WT **NEW**

Tuya Smart

Body Matt White

Blades Matt White



33815

33815WT **NEW**

Tuya Smart

Body Matt Black

Blades Matt Black



33816

33816WT **NEW**

Tuya Smart

Body Matt White

Blades Maple



33817

33817WT **NEW**

Tuya Smart

Body Matt Black

Blades Walnut



with light

SMD LED 18W 678 lm CRI >80 Driver incl. Yes
Material Diff Glass

33814-20

33814WT-20 **NEW**

Tuya Smart

Body Matt White

Blades Matt White

33816-20

33816WT-20 **NEW**

Tuya Smart

Body Matt White

Blades Maple

33815-21

33815WT-21 **NEW**

Tuya Smart

Body Matt Black

Blades Matt Black

33817-21


33817WT-21 **NEW**

Tuya Smart


Body Matt Black

Blades Walnut

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	5-7-9-13-19-28
RPM	90-115-135-158-185-210
Airflow	177 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☒	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
254/10"	190/7.48"
B	C
93/3.66"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1300/51.2"	510/20.08"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Adjustable color temperature



Suitable for low ceilings



Programmable 1-4-8h
Memory function page 211



Smart option

Punt Tub M

Faro Lab



M
ø130 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

SUMMER
WINTER

EASY
INSTALL



33828
33828WT **NEW**
Body Matt White
Blades Matt White

Tuya Smart



33829
33829WT **NEW**
Body Matt White
Blades Maple

Tuya Smart



33830
33830WT **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart



33831
33831WT **NEW**
Body Matt Black
Blades Walnut

Tuya Smart



with light

SMD LED 18W 678 lm CRI >80 Driver incl. Yes
Material Diff Glass

33828-1TW
33828WT-1TW **NEW**
Body Matt White
Blades Matt White

Tuya Smart

33829-1TW
33829WT-1TW **NEW**
Body Matt White
Blades Maple

Tuya Smart


33830-1TW
33830WT-1TW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart

33831-1TW
33831WT-1TW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	5-7-9-13-19-28
RPM	90-115-135-158-185-210
Airflow	177 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☒	33974 DC Wall Control



A	A1
207/8.15"	145/5.71"
B	C
145/5.71"	156/6.14"
D	E
145/5.7"	120/4.72"
F	G
ø1300/51.2"	640/25.2"
Downrod L	Downrod ø



Wooden finish



Smart option

Typhoon

Jordi Busquets



M

ø130 CM



13-17 M2
 140-190 SQ.FT

DC

MOTOR

IP44




SUMMER
WINTER



SLOPED
CEILING



33480
33480WW NEW
 Body Matt White
 Blades Matt White

Wiz Smart



33490
33490WW NEW
 Body Dark Brown
 Blades Dark Brown

Wiz Smart



34105
34105WW NEW
 Body Matt White
 Blades Maple

Wiz Smart



34106
34106WW NEW
 Body Brown
 Blades Maple

Wiz Smart




with light

SMD LED 19W 3000K 900 lm CRI >80 Driver incl. Yes
Material Diff ABS

33480-14 33480WW-14 NEW Body Matt White Blades Matt White	Wiz Smart	34106-130 34106WW-130 NEW Body Brown Blades Maple	Wiz Smart
34105-130 34105WW-130 NEW Body Matt White Blades Maple	Wiz Smart	33490-16 33490WW-16 NEW Body Dark Brown Blades Dark Brown	Wiz Smart

Material	Body Steel
	Blades ABS
W	3-5-8-12-21-31
RPM	50-71-93-115-138-162
Airflow	183 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 214



A	A1
390/15.35"	370/14.57"
B	C
200/7.87"	200/7.87"
D	E
55/2.2"	130/5.12"
F	G
ø1300/51.2"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Textured blade



Programmable 1-4-8h
Memory function page 211



Smart option

Palma
Faro Lab



M
ø129 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

IP44

SUMMER
WINTER


SLOPED
CEILING



34301
34301WT NEW
34301WW NEW
Body Dark Brown
Blades Dark Brown

Tuya Smart
Wiz Smart


Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	4-5-9-15-24-35
RPM	69-100-136-170-200-230
Airflow	179 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
280/11.02"	173/6.81"
B	C
83/3.27"	128/5.04"
D	E
60/2.4"	130/5.12"
F	G
ø1290/50.8"	625/24.61"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Textured blade



Programmable 1-4-8h
Memory function page 211



Smart option

Palma

Faro Lab

M
 ø129 CM

13-17 M2
 140-190 SQ.FT

DC
 MOTOR

IP44

SUMMER
 WINTER

SLOPED
 CEILING



34301-11L
 34301WT-11L **NEW**
 34301WW-11L **NEW**
Body Dark Brown
Blades Dark Brown

Tuya Smart
 Wiz Smart

Material	Body Steel	Light Source	1 E27 max. 15W
	Blades ABS	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	4-5-9-15-24-35	Material Diff	Glass
RPM	69-100-136-170-200-230		
Airflow	179 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories ☒	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		

A	A1
412/16.22"	173/6.81"
B	C
83/3.27"	128/5.04"
D	E
60/2.4"	130/5.12"
F	G
ø1290/50.8"	625/24.61"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Tramo SA (Hotel Casa Sagnier)



Aesthetic motor



3 downrods included
100 / 200 / 460mm



Smart option

Copper Fan

Conillas



M
ø128 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER


SLOPED
CEILING



33451
33451WW **NEW**
Body Matt Black
Blades Walnut

Wiz Smart

Material	Body Steel
	Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 214



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"



Smart option

Mini Eterfan

Conillas



33382
33382WW NEW
 Body Chrome
 Blades Transparent



32020
32020WW NEW
 Body Gloss White
 Blades Transparent



32025
32025WW NEW
 Body Matt White
 Blades Transparent



32026
32026WW NEW
 Body Gloss Black
 Blades Transparent



32027
32027WW NEW
 Body Matt Black
 Blades Transparent



32028
32028WW NEW
 Body Matt Black
 Blades Walnut



32029
32029WW NEW
 Body Gloss Red
 Blades Transparent




32030
32030WW NEW
 Body Matt Black
 Blades Matt Black



with light		SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes		Material Diff Glass	
33382-9 33382WW-9 NEW Body Chrome Blades Transparent	Wiz Smart	32020-9 32020WW-9 NEW Body Gloss White Blades Transparent	Wiz Smart	32025-9 32025WW-9 NEW Body Matt White Blades Transparent	Wiz Smart
32026-10 32026WW-10 NEW Body Gloss Black Blades Transparent	Wiz Smart	32027-10 32027WW-10 NEW Body Matt Black Blades Transparent	Wiz Smart	32028-10 32028WW-10 NEW Body Matt Black Blades Walnut	Wiz Smart
32029-9 32029WW-9 NEW Body Gloss Red Blades Transparent	Wiz Smart	32030-10 32030WW-10 NEW Body Matt Black Blades Matt Black	Wiz Smart		

Material	Body Steel + Glass
	Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Smart option

Eterfan
Conillas



M
ø128 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER



33381
33381WW **NEW**
Body Chrome
Blades Transparent
Wiz Smart



32000
32000WW **NEW**
Body Gloss White
Blades Transparent
Wiz Smart



32001
32001WW **NEW**
Body Matt White
Blades Transparent
Wiz Smart



32002
32002WW **NEW**
Body Gloss Black
Blades Transparent
Wiz Smart



32003
32003WW **NEW**
Body Matt Black
Blades Transparent
Wiz Smart



32004
32004WW **NEW**
Body Matt Black
Blades Walnut
Wiz Smart



32005
32005WW **NEW**
Body Gloss Red
Blades Transparent
Wiz Smart



32006
32006WW **NEW**
Body Matt Black
Blades Matt Black
Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33381-9
33381WW-9 **NEW**
Body Chrome
Blades Transparent

Wiz Smart

32000-9
32000WW-9 **NEW**
Body Gloss White
Blades Transparent

Wiz Smart

32001-9
32001WW-9 **NEW**
Body Matt White
Blades Transparent

Wiz Smart

32002-10
32002WW-10 **NEW**
Body Gloss Black
Blades Transparent

Wiz Smart

32003-10
32003WW-10 **NEW**
Body Matt Black
Blades Transparent

Wiz Smart

32004-10
32004WW-10 **NEW**
Body Matt Black
Blades Walnut

Wiz Smart


32005-9
32005WW-9 **NEW**
Body Gloss Red
Blades Transparent

Wiz Smart

32006-10
32006WW-10 **NEW**
Body Matt Black
Blades Matt Black

Wiz Smart

Material	Body Steel + Glass
	Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
640/25.2"	760/29.92"
B	C
630/24.8"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
460/18.11"	26/1.02"




3 downrods included
100 / 200 / 460mm



Smart option

Just Fan M

Conillas



33394
33394WW NEW
Body Chrome
Blades Transparent

Wiz Smart



33395
33395WW NEW
Body Matt Black
Blades Walnut

Wiz Smart



33398
33398WW NEW
Body Old Gold
Blades Walnut

Wiz Smart



33399
33399WW NEW
Body Copper
Blades Walnut

Wiz Smart



32100
32100WW NEW
Body Matt Black
Blades Matt Black

Wiz Smart



33417
33417WW NEW
Body Old Gold
Blades Matt Black

Wiz Smart



33418
33418WW NEW
Body Copper
Blades Matt Black

Wiz Smart



32110
32110WW NEW
Body Matt White
Blades Maple

Wiz Smart



32101
32101WW NEW
Body Matt White
Blades Matt White

Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33394-9
33394WW-9 NEW
Body Chrome
Blades Transparent

Wiz Smart

33418-10
33418WW-10 NEW
Body Copper
Blades Matt Black

Wiz Smart

33417-10
33417WW-10 NEW
Body Old Gold
Blades Matt Black

Wiz Smart

33399-10
33399WW-10 NEW
Body Copper
Blades Walnut

Wiz Smart

33398-10
33398WW-10 NEW
Body Old Gold
Blades Walnut

Wiz Smart


33395-10
33395WW-10 NEW
Body Matt Black
Blades Walnut

Wiz Smart

32100-10
32100WW-10 NEW
Body Matt Black
Blades Matt Black

Wiz Smart

Material	Body Steel
	Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 214



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"



Aesthetic glass



Smart option

Deco Fan

Conillas



M

ø128 CM

13-17 M2
140-190 SQ.FT

DC

MOTOR

SUMMER
WINTER



33394D
33394DWW **NEW**
Body Chrome
Blades Transparent

Wiz Smart



33395D
33395DWW **NEW**
Body Matt Black
Blades Walnut

Wiz Smart



33398D
33398DWW **NEW**
Body Old Gold
Blades Walnut

Wiz Smart



33399D
33399DWW **NEW**
Body Copper
Blades Walnut

Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33394D-9
33394DWW-9 **NEW**
Body Chrome
Blades Transparent

Wiz Smart

33395D-10
33395DWW-10 **NEW**
Body Matt Black
Blades Walnut

Wiz Smart


33398D-10
33398DWW-10 **NEW**
Body Old Gold
Blades Walnut

Wiz Smart

33399D-10
33399DWW-10 **NEW**
Body Copper
Blades Walnut

Wiz Smart

Material	Body Steel
	Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 214



A	A1
450/17.72"	420/16.54"
B	C
	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"



Smart option

Mini Tube Fan

Conillas



33393
33393WW NEW
Body Chrome
Blades Transparent

Wiz Smart



32038
32038WW NEW
Body Gloss White
Blades Transparent

Wiz Smart



32039
32039WW NEW
Body Matt White
Blades Transparent

Wiz Smart



32040
32040WW NEW
Body Gloss Black
Blades Transparent

Wiz Smart



32041
32041WW NEW
Body Matt Black
Blades Transparent

Wiz Smart



32042
32042WW NEW
Body Matt Black
Blades Walnut

Wiz Smart



32043
32043WW NEW
Body Matt Black
Blades Matt Black

Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33393-9
33393WW-9 NEW
Body Chrome
Blades Transparent

Wiz Smart

32038-9
32038WW-9 NEW
Body Gloss White
Blades Transparent

Wiz Smart

32039-9
32039WW-9 NEW
Body Matt White
Blades Transparent

Wiz Smart

32040-10
32040WW-10 NEW
Body Gloss Black
Blades Transparent

Wiz Smart

32041-10
32041WW-10 NEW
Body Matt Black
Blades Transparent

Wiz Smart


32042-10
32042WW-10 NEW
Body Matt Black
Blades Walnut

Wiz Smart

32043-10
32043WW-10 NEW
Body Matt Black
Blades Matt Black

Wiz Smart

Material	Body Steel + Glass
	Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
290/11.42"	250/9.84"
B	C
250/9.84"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Smart option

Tube Fan

Conillas



M

ø128 CM



13-17 M2
140-190 SQ.FT

DC

MOTOR



SUMMER
WINTER



33374
33374WW **NEW**
Body Chrome
Blades Transparent

Wiz Smart



32033
32033WW **NEW**
Body Gloss White
Blades Transparent

Wiz Smart



32034
32034WW **NEW**
Body Matt White
Blades Transparent

Wiz Smart



32035
32035WW **NEW**
Body Gloss Black
Blades Transparent

Wiz Smart



32036
32036WW **NEW**
Body Matt Black
Blades Transparent

Wiz Smart



32037
32037WW **NEW**
Body Matt Black
Blades Walnut

Wiz Smart



32060
32060WW **NEW**
Body Matt Black
Blades Matt Black

Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33374-9
33374WW-9 **NEW**
Body Chrome
Blades Transparent

32035-10
32035WW-10 **NEW**
Body Gloss Black
Blades Transparent

32060-10
32060WW-10 **NEW**
Body Matt Black
Blades Matt Black

Wiz Smart

Wiz Smart

Wiz Smart

32033-9
32033WW-9 **NEW**
Body Gloss White
Blades Transparent

32036-10
32036WW-10 **NEW**
Body Matt Black
Blades Transparent

Wiz Smart

Wiz Smart


32034-9
32034WW-9 **NEW**
Body Matt White
Blades Transparent

32037-10
32037WW-10 **NEW**
Body Matt Black
Blades Walnut


Wiz Smart

Wiz Smart

Material	Body Steel + Glass
	Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"
Downrod L	Downrod ø
460/18.11"	26/1.02"



High airflow



Smart option

Nassau



M
ø128 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33478
33478WW NEW
Body Dark Brown
Blades Dark Brown


Wiz Smart



33487
33487WW NEW
Body Matt White
Blades Matt White

Wiz Smart

Material	Body Steel
	Blades Plywood
W	4-6-10-16-24-37
RPM	50-87-125-162-199-237
Airflow	222 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 214



A	A1
400/15.75"	370/14.57"
B	C
170/6.69"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	575/22.64"
Downrod L	Downrod ø
225/8.86"	21/0.83"



Smart option

Winche
Conillas



M
ø127 CM

13-17 M2
140-190 SQ.FT

IP44

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33481
33481WW **NEW**
Body Matt Black
Blades Dark Brown

Wiz Smart




with light

SMD LED 15W 3000K 800 lm CRI >80 Driver incl. Yes
Material Diff ABS

33481-7
33481WW-7 **NEW**
Body Matt Black
Blades Dark Walnut

Wiz Smart

Material	Body Steel
	Blades ABS
W	3-5-8-12-21-35
RPM	50-71-93-115-138-162
Airflow	183 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 214



A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	190/7.48"
D	E
55/2.2"	130/5.12"
F	G
ø1270/50"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"



FSC Certified
wooden blades



Optional Light kit
page 212



Programmable 1-4-8h
Memory function page 211



Smart option

Klim M

Faro Lab



M
ø125 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34277
34277WT NEW
34277WW NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart
Wiz Smart



34280
34280WT NEW
34280WW NEW
Body Matt White
Blades Oak

Tuya Smart
Wiz Smart



34283
34283WT NEW
34283WW NEW
Body Matt Black
Blades Oak

Tuya Smart
Wiz Smart

Material **Body** Steel
 Blades Wood

Programmer 1-4-8hr

W 5-7-11-17-24-35

RPM 90-119-144-170-192-220


Airflow 166 m3 min

V/Hz 220V-240V/50-60Hz


Accessories ⓘ 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214




A	A1
336/13.23"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	620/24.41"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Klim M

Faro Lab



M
ø125 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34277-11L
34277WT-11L NEW
34277WW-11L NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart
Wiz Smart



34280-11L
34280WT-11L NEW
34280WW-11L NEW
Body Matt White
Blades Oak

Tuya Smart
Wiz Smart




34283-11L
34283WT-11L NEW
34283WW-11L NEW
Body Matt Black
Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	5-7-11-17-24-35
RPM	90-119-144-170-192-220
Airflow	166 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214

Light Source	1 E27 max.
Bulb incl.	No
Recom. Bulb	17485
Material Diff	Glass



A	A1
408/16.06"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	620/24.41"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Programmable 1-4-8h
Memory function page 211



Smart option

Sfera M

Faro Lab



M
ø125 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34272
34272WT **NEW**
Body Matt White
Blades Matt White


Tuya Smart



34273
34273WT **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	6-9-12-17-25-34
RPM	100-122-138-159-180-197
Airflow	176 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
248/9.76"	171/6.73"
B	C
132/5.2"	132/5.2"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	615/24.21"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Programmable 1-4-8h
Memory function page 211



Smart option

Marine

Faro Lab



M
ø125 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

IP44

SUMMER
WINTER

SLOPED
CEILING



34274
34274WT **NEW**
34274WW **NEW**
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart



34275
34275WT **NEW**
34275WW **NEW**
Body Dark Brown
Blades Dark Brown

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	4-6-9-14-20-27
RPM	86-121-146-175-198-222
Airflow	174 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
245/9.65"	221/8.7"
B	C
122/4.8"	125/4.92"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	489/19.25"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option

Fraser



M
ø120 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR


SUMMER
WINTER




33756
33756WT NEW
33756WW NEW
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart

Material	Body Steel Blades ABS	Power	16W
W	5-8-11-16-22-32	Lumen Output	727 lm
RPM	126-145-166-182-209	Light Source	SMD LED 3000K
Airflow	212 m3 min	CRI	≥80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accessories	33974 DC Wall Control	Material Diff	Glass



A	A1
310/12.2"	230/9.06"
B	C
190/7.48"	155/6.1"
D	E
	150/5.91"
F	G
ø1200/47.2"	530/20.87"



Eco indus M



M

ø120 CM

13-17 M2
140-190 SQ.FT

WALL
CONTROL


SLOPED
CEILING

EASY
INSTALL



33005
Body Matt White
Blades White

Material	Body Steel
	Blades Steel
W	16-26-68
RPM	150-225-322
Airflow	189 m3 min
V/Hz	220V-240V/50Hz
Accessories	33928 Wall Control 3 speeds
	33937 Remote control kit programmer
	33929 Remote control kit dimer/on-off




A	A1
320/12.6"	270/10.63"
B	C
160/6.3"	190/7.48"
D	E
60/2.4"	130/5.12"
F	G
ø1200/47.2"	485/19.09"
Downrod L	Downrod ø
152/5.98"	21/0.83"



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Mini Lantau S



S
ø107 CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



33508DC
33508DCWT NEW
33508DCWW NEW
Body Matt Nickel
Blades Walnut

Tuya Smart
Wiz Smart



33509DC
33509DCWT NEW
33509DCWW NEW
Body Matt Nickel
Blades Pine


Tuya Smart
Wiz Smart



33517DC
33517DCWT NEW
33517DCWW NEW
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
W	3-5-7-10-15-21
RPM	72-104-131-164-193-224
Airflow	143 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Incl. downrod	153 mm
Opt. downrod	Page 214



A	A1
340/13.39"	300/11.81"
B	C
110/4.33"	
D	E
65/2.6"	150/5.91"
F	G
ø1070/42.1"	460/18.11"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Reversible blades



Programmable 1-4-8h
Memory function page 211



Smart option

Mini Mallorca S



S
ø106 CM

< 13 M2
< 140 SQ.FT

DC
MOTOR


SLOPED
CEILING



33603DC
33603DCWT **NEW**
33603DCWW **NEW**
Body Matt White
Blades Matt White + Maple

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Plywood
Programmer	1-4-8hr
W	6-7-10-13-18-23
RPM	126-156-186-218-240-270
Airflow	70 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
310/12.2"	246/9.69"
B	C
80/3.15"	248/9.76"
D	E
60/2.4"	150/5.91"
F	G
ø1060/41.7"	410/16.14"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Reversible blades



FSC Certified
plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder S

Faro Lab



S
ø106 CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING




34295
34295WT NEW Tuya Smart
34295WW NEW Wiz Smart
Body Matt White
Blades Ash Wood + Matt White



34296
34296WT NEW Tuya Smart
34296WW NEW Wiz Smart
Body Matt Black
Blades Walnut + Matt Black

Material	Body Steel
	Blades Plywood
Programmer	1-4-8hr
W	3-5-9-14-21-29
RPM	97-148-188-227-262-290
Airflow	124 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
232/9.13"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder S

Faro Lab



S

ø106 CM



< 13 M2
< 140 SQ.FT

DC

MOTOR



DIM



SUMMER
WINTER



SLOPED
CEILING



34295-1TW
34295WT-1TW **NEW**
34295WW-1TW **NEW**
Body Matt White
Blades Ash Wood + Matt White


Tuya Smart
Wiz Smart



34296-1TW
34296WT-1TW **NEW**
34296WW-1TW **NEW**
Body Matt Black
Blades Walnut + Matt Black

Tuya Smart
Wiz Smart


Material	Body Steel	Power	20W
	Blades Plywood	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	3-5-9-14-21-29	Dimmable K	2700 - 4000 - 6500K
RPM	97-148-188-227-262-290	CRI	85
Airflow	124 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☼	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Programmable 1-4-8h
Memory function page 211



Striped anodized
aluminium



Smart option

Cruiser S

Faro Lab



S

ø106 CM

< 13 M2
< 140 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



34288
34288WT **NEW**
34288WW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



34289
34289WT **NEW**
34289WW **NEW**
Body Matt Black
Blades Matt Black


Tuya Smart
Wiz Smart



34285
34285WT **NEW**
34285WW **NEW**
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart


Material	Body Steel
	Blades Aluminium
Programmer	1-4-8hr
W	3-5-9-14-21-29
RPM	95-148-188-221-260-292
Airflow	136 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Adjustable color temperature



Striped anodized aluminium



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser S

Faro Lab



S

ø106 CM



< 13 M2

< 140 SQ.FT

DC

MOTOR



DIM



SUMMER WINTER



SLOPED CEILING



34288-1TW
34288WT-1TW **NEW**
34288WW-1TW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



34289-1TW
34289WT-1TW **NEW**
34289WW-1TW **NEW**
Body Matt Black
Blades Matt Black


Tuya Smart
Wiz Smart



34285-1TW
34285WT-1TW **NEW**
34285WW-1TW **NEW**
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart

Material	Body Steel	Power	20W
	Blades Aluminium	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	3-5-9-14-21-29	Dimmable K	2700 - 4000 - 6500K
RPM	95-148-188-221-260-292	CRI	85
Airflow	136 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☼	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Hvar



S

ø97 CM



< 13 M2
< 140 SQ.FT

DC

MOTOR



DIM



SUMMER
WINTER



SLOPED
CEILING



34300

34300WT **NEW**

34300WW **NEW**


Body Matt White

Blades Matt White

Tuya Smart

Wiz Smart

Material	Body Steel	Power	22W
	Blades ABS	Lumen Output	1946 lm
Programmer	1-4-8hr	Light Source	SMD LED 6500K
W	5-8-14-20-27-34	Dimmable K	3000 - 4500 - 6500K
RPM	139-172-206-245-268-300	CRI	>80
Airflow	130 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50Hz	Material Diff	PMMA
Accessories ☒	33974 DC Wall Control		
Incl. downrod	127-250 mm		




A	A1
549/21.61"	447/17.6"
B	C
295/11.61"	
D	E
80/3.1"	165/6.5"
F	G
ø914/36"	328/12.91"
Downrod L	Downrod ø
127-250/5"	26/1.02"




FSC Certified
wooden blades



Optional Light kit
page 212



Programmable 1-4-8h
Memory function page 211



Smart option

Klim S

Faro Lab



S

ø92 CM

< 13 M2
< 140 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



34278

34278WT **NEW**

34278WW **NEW**

Body Matt Black

Blades Dark Walnut

Tuya Smart

Wiz Smart



34281

34281WT **NEW**

34281WW **NEW**

Body Matt White

Blades Oak

Tuya Smart

Wiz Smart



34284

34284WT **NEW**

34284WW **NEW**


Body Matt Black

Blades Oak

Tuya Smart

Wiz Smart


Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	6-7-10-14-20-28
RPM	153-192-226-259-302-348
Airflow	135 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☼	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
336/13.23"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø925/36.4"	458/18.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"



FSC Certified
wooden blades



Glass diffuser





Programmable 1-4-8h
Memory function page 211



Smart option

Klim S

Faro Lab



34278-11L
34278WT-11L **NEW**
34278WW-11L **NEW**
Body Matt Black
Blades Dark Walnut

Tuya Smart
Wiz Smart



34281-11L
34281WT-11L **NEW**
34281WW-11L **NEW**
Body Matt White
Blades Oak


Tuya Smart
Wiz Smart



34284-11L
34284WT-11L **NEW**
34284WW-11L **NEW**
Body Matt Black
Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	6-7-10-14-20-28	Material Diff	Glass
RPM	153-192-226-259-302-348		
Airflow	135 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
408/16.06"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø925/36.4"	458/18.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Chicago

Àlex & Manel Llusçà

S
 ø91 CM


< 13 M2
 < 140 SQ.FT

SLOPED
 CEILING



33703
 Body Matt Black
 Blades Walnut

Material	Body Steel	Light Source	1 E27 max. 15W
	Blades MDF	Bulb incl.	No
W	15-26-49	Recom. Bulb	17463
RPM	136-192-225		
Airflow	96 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories ☒	33928 Wall Control 3 speeds 33929 Remote control kit dimer/on-off 33937 Remote control kit programmer		
Opt. downrod	Page 214		



A	A1
475/18.7"	295/11.61"
B	C
295/11.61"	140/5.51"
D	E
50/2"	150/5.91"
F	G
ø915/36"	380/14.96"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option

Sfera S

Faro Lab



S

ø90 CM

< 13 M2
< 140 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



34270
34270WT **NEW**
34270WW **NEW**
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart



34271
34271WT **NEW**
34271WW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades ABS
Programmer	1-4-8hr
W	5-7-10-13-20-28
RPM	142-178-213-244-290-333
Airflow	134 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☒	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
248/9.76"	171/6.73"
B	C
132/5.2"	132/5.2"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	439/17.28"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



Adjustable color temperature




Programmable 1-4-8h
Memory function page 211



Smart option

Mini Punt S

Faro Lab



33820
33820WT **NEW**
33820WW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33821
33821WT **NEW**
33821WW **NEW**
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart



33822
33822WT **NEW**
33822WW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart



33823
33823WT **NEW**
33823WW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass

33820-1TW
33820WT-1TW **NEW**
33820WW-1TW **NEW**
Body Matt White
Blades Matt White
33822-1TW
33822WT-1TW **NEW**
33822WW-1TW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

33821-1TW
33821WT-1TW **NEW**
33821WW-1TW **NEW**
Body Matt White
Blades Maple
33823-1TW
33823WT-1TW **NEW**
33823WW-1TW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart

Tuya Smart
Wiz Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 3-5-7-12-18-26

RPM 113-150-195-244-286-327


Airflow 141 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214




A	A1
235/9.25"	173/6.81"
B	C
77/3.03"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	441/17.36"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Suitable for low ceilings



Adjustable color temperature




Programmable 1-4-8h
Memory function page 211



Smart option

Mini Punt Tub S

Faro Lab



33832
33832WT **NEW**
33832WW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33833
33833WT **NEW**
33833WW **NEW**
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart



33834
33834WT **NEW**
33834WW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart



33835
33835WT **NEW**
33835WW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass

33832-1TW
33832WT-1TW **NEW**
33832WW-1TW **NEW**
Body Matt White
Blades Matt White
33834-1TW
33834WT-1TW **NEW**
33834WW-1TW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

33833-1TW
33833WT-1TW **NEW**
33833WW-1TW **NEW**
Body Matt White
Blades Maple
33835-1TW
33835WT-1TW **NEW**
33835WW-1TW **NEW**
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart

Tuya Smart
Wiz Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr


W 3-5-7-12-18-26

RPM 113-150-195-244-286-327

Airflow 141 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control




A	A1
203/7.99"	142/5.59"
B	C
142/5.59"	124/4.88"
D	E
142/5.6"	112/4.41"
F	G
ø900/35.4"	441/17.36"
Downrod L	Downrod ø




Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option



33824
33824WT **NEW**
Body Matt White
Blades Matt White

Tuya Smart



33825
33825WT **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass


33824-1TW
33824WT-1TW **NEW**
Body Matt White
Blades Matt White

Tuya Smart

33825-1TW
33825WT-1TW **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart


Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	4-7-10-16-21-30
RPM	110-162-197-238-267-300
Airflow	147 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☒	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
243/9.57"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	430/16.93"
Downrod L	Downrod ø
101/3.98"	26/1.02"



Suitable for low ceilings



Smart option



33826 **NEW**
33826WT **NEW**
Body Matt White
Blades Matt White


Tuya Smart



33827 **NEW**
33827WT **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart


Material	Body Aluminium Blades ABS
Programmer	1-4-8hr
W	4-7-10-16-22-30
RPM	110-162-197-238-267-300
Airflow	148 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control




A	A1
190/7.48"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



Adjustable color temperature



Suitable for low ceilings



Smart option

Hey Tub

Faro Lab

S
 ø90 CM

< 13 M2
 < 140 SQ.FT

DC
 MOTOR

DIM

SUMMER
 WINTER

EASY
 INSTALL

DIRECT
 CEILING
 MOUNTING



33826-1TW **NEW**
 33826WT-1TW **NEW**
 Body Matt White
 Blades Matt White


Tuya Smart



33827-1TW **NEW**
 33827WT-1TW **NEW**
 Body Matt Black
 Blades Matt Black

Tuya Smart

Material	Body Aluminium	Power	10W
	Blades ABS	Lumen Output	480 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-7-10-16-22-30	Dimmable K	2700 - 4000 - 6000K
RPM	110-162-197-238-267-300	CRI	>80
Airflow	148 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories	33974 DC Wall Control		




A	A1
232/9.13"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



Adjustable color temperature



FSC Certified wooden blades



Smart option

Heywood S

Faro Lab



S

ø90 CM

< 13 M2
< 140 SQ.FT

DC

MOTOR

SUMMER
WINTER

SLOPED
CEILING



33805
33805WT **NEW**
Body Matt White
Blades Maple

Tuya Smart



33806
33806WT **NEW**
Body Matt Black
Blades Dark Oak

Tuya Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass


33805-1TW
33805WT-1TW **NEW**
Body Matt White
Blades Maple

Tuya Smart

33806-1TW
33806WT-1TW **NEW**
Body Matt Black
Blades Dark Oak

Tuya Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	5-7-11-16-22-30
RPM	115-155-195-235-266-297
Airflow	135 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☒	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
243/9.57"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø900/35.4"	387/15.24"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Suitable for low ceilings



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub S

Faro Lab

NEW



S
ø90 CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

SUMMER
WINTER

EASY
INSTALL

DIRECT
CEILING
MOUNTING



33836 NEW
33836WT NEW
Body Matt White
Blades Pine


Tuya Smart



33837 NEW
33837WT NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material	Body Aluminium Blades ABS
Programmer	1-4-8hr
W	4-7-10-16-22-30
RPM	110-162-197-238-267-300
Airflow	148 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control



A	A1
190/7.48"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



Adjustable color temperature



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub S

Faro Lab

NEW



S
ø90 CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

DIM

EASY
INSTALL

DIRECT
CEILING
MOUNTING



33836-1TW NEW
33836WT-1TW NEW
Body Matt White
Blades Pine


Tuya Smart




33837-1TW NEW
33837WT-1TW NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material	Body Aluminium	Power	10W
	Blades Pine Wood	Lumen Output	480 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-7-10-16-22-30	Dimmable K	2700 - 4000 - 6000K
RPM	110-162-197-238-267-300	CRI	>80
Airflow	148 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories	33974 DC Wall Control		



A	A1
232/9.13"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



2 downrods included
100 / 200mm




Smart option

200

Just Fan S

Conillas



33426
33426WW **NEW**
Body Chrome
Blades Transparent

Wiz Smart



33425
33425WW **NEW**
Body Matt Black
Blades Walnut

Wiz Smart



33428
33428WW **NEW**
Body Old Gold
Blades Walnut

Wiz Smart



33423
33423WW **NEW**
Body Copper
Blades Walnut

Wiz Smart



33424
33424WW **NEW**
Body Matt Black
Blades Matt Black

Wiz Smart



33429
33429WW **NEW**
Body Old Gold
Blades Matt Black

Wiz Smart



33427
33427WW **NEW**
Body Copper
Blades Matt Black

Wiz Smart




with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33423-10 33423WW-10 NEW Body Copper Blades Walnut	Wiz Smart	33424-10 33424WW-10 NEW Body Matt Black Blades Matt Black	Wiz Smart	33425-10 33425WW-10 NEW Body Matt Black Blades Walnut	Wiz Smart
33426-9 33426WW-9 NEW Body Chrome Blades Transparent	Wiz Smart	33427-10 33427WW-10 NEW Body Copper Blades Matt Black	Wiz Smart	33428-10 33428WW-10 NEW Body Old Gold Blades Walnut	Wiz Smart
33429-10 33429WW-10 NEW Body Old Gold Blades Matt Black	Wiz Smart				

Material	Body Steel
	Blades PC
W	2-3-4-5-6-9
RPM	51-86-122-158-195-235
Airflow	121 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200 mm
Opt. downrod	Page 214



A	A1
390/15.35"	380/14.96"
B	C
180/7.09"	160/6.3"
D	E
55/2.2"	130/5.12"
F	G
ø810/31.9"	358/14.09"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"



Palao



S

ø81 CM



< 13 M2
< 140 SQ.FT



SUMMER
WINTER



SLOPED
CEILING



DIRECT
CEILING
MOUNTING




CONTROLLED
BY CHAINS



33179
Body Matt White
Blades Multicolor

Material	Body Steel	Light Source	1 E14 max. 8W
	Blades MDF	Bulb incl.	No
W	24-28-37	Recom. Bulb	17461
RPM	127-192-241	Material Diff	Glass
Airflow	92 m3 min		
V/Hz	220V-240V/50Hz		
Accessories	33928 Wall Control 3 speeds		
	33929 Remote control kit dimer/on-off		
	33937 Remote control kit with programmer		
Opt. downrod	Page 214		







Suitable for low ceilings



Adjustable color temperature




Smart option



34315
34315WT Tuya Smart
34315WW Wiz Smart
Body Matt White
Blades Matt White

Material	Body Aluminium	Power	18W
	Blades ABS	Lumen Output	831 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	5-6-8-10-13-18	Dimmable K	2700 - 4000 - 6000K
RPM	132-169-201-233-264-300	CRI	>80
Airflow	122 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories ☒	33974 DC Wall Control		



A	A1
223/8.78"	151/5.94"
B	C
73/2.87"	150/5.91"
D	E
151/5.9"	120/4.72"
F	G
ø800/31.5"	320/12.6"
Downrod L	Downrod ø



Adjustable inclination

Vedra



S
Ø46 CM

< 13 M2
< 140 SQ.FT



WALL
CONTROL

SLOPED
CEILING




33525
Body Black
Blades Dark Walnut

Material	Body Steel
	Blades MDF
W	19-22-34-37
RPM	327-369-495-515
Airflow	58 m3 min
V/Hz	220V-240V/50Hz



A	A1
540/21.26"	450/17.72"
B	C
D	E
60/2.4"	145/5.71"
F	G
Ø460/18.1"	200/7.87"



Ceiling or wall mount

Keiki



S
ø43 CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER


WALL
CONTROL

SLOPED
CEILING



33715
Body Dark Brown
Blades Dark Walnut

Material	Body Steel Blades Plywood
W	10-19-28
RPM	380-640-890
Airflow	38 m3 min
V/Hz	220V-240V/50Hz




A	A1
505/19.88"	440/17.32"
B	C
D	E
55/2.2"	150/5.91"
F	G
ø430/16.9"	150/5.91"

DC WALL CONTROLLER WITH DIMMER

NEW

This new wall control for DC motor fans features an updated front design with borderless organic glass, designed to fit in standard recessed box, either round or square. It also supports a light dimming function and connects wirelessly to the fan via radiofrequency.





Ref. 33988
Front Glossy Black
Body Matt Black



Ref. 33987
Front Glossy White
Body Matt White

Material Body ABS
V/Hz 100-240V/50-60Hz




Compatible with standard recessed box

ONE CONTROL FOR ALL

This new remote control incorporates several memory options, that is to say, the fan will be able to remember certain configuration types: light memory, fan memory, confirmation sound and keypad lock. This allows for greater customization.

Compatible with all DC wall controller



The light and fan memory, sound confirmation block, and keypad lock come deactivated by default, so if you wish to activate them, you will need to follow the steps below. If you have activated them and want to revert it, you can follow the same steps.

- ❶ After its installation and complete assembly, cut off the power to the fan for at least 10 seconds.
- ❷ Insert the batteries into the remote control.
- ❸ Reconnect the fan to the power. The receiver will be active for synchronization only during the 30 seconds after reconnecting the power.

- ❹ Press and hold the following button, depending on the configuration you need, until a continuous beep of about 2 seconds is heard.
BUTTON 1: Light kit memory: the fan will remember the last configuration.
BUTTON 3: Confirmation sound block: it will avoid hearing any "beeps" when using the fan.
BUTTON 4: Keypad lock: you can lock the keypad, except for the on/off button. Ideal for hotels and homes with children.
BUTTON 6: Fan memory: the fan will remember the last configuration once it is turned on, including speed, reverse and breeze modes.

***Special configurations**

OPTIONAL LIGHT KIT

Taki



- 3L004


black
- 3L003

white

Power	20W
Dimmable K	2700 - 4000 - 6000K
CRI	85
Driver incl.	Yes
Material Diff	PC



Adjustable color temperature





ACCESSORIES

DC Remote control

NEW




34303		Matt White	ABS
34304		Matt Black	ABS

See the replacement receiver for your model.

DC Wall control





33974		White	ABS	220V-240V/50Hz
-------	---	-------	-----	----------------

DC Wall controller with dimmer

NEW




33987		White	ABS	100-240V/50Hz
-------	---	-------	-----	---------------



33988		Black	ABS	100-240V/50Hz
-------	---	-------	-----	---------------

AC Remote control kit



33929		Grey	ABS	220V-240V/50-60Hz
-------	---	------	-----	-------------------


AC Remote control kit with programmer



33937		Grey	ABS	220V-240V/50-60Hz
-------	---	------	-----	-------------------


AC Wall control



33928		Matt White	ABS	220V-240V/50-60Hz
-------	---	------------	-----	-------------------

3 speeds *The wall control is not compatible with the remote control at same time

OPTIONAL DOWNROD





$$(A) \text{ or } (AL) - (TI) + (TO) = (AR)$$

(A) Total height fan no light
 (AL) Total height fan with light
 (TI) Included downrod length
 (TO) Optional downrod length
 (AR) Total height with optional downrod

Example

250mm - 100mm + 400mm = 550mm / 10" - 4" + 16" = 22"



3T022300

Length Diameter Finish Downrod Model

Example

Total fan height

With included downrod (mm/in)

100/3,94" 480/18,9"
200/7,87" 580/22,83"

With optional downrod (mm/in)

wire included 580/22,83"
680/26,77"
780/30,71"
880/34,65"
980/38,58"
1080/42,52"
1180/46,46"
1280/50,39"
1380/54,33"
1580/62,2"
1880/74,02"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	2 26/1,02"	1 White	05 Amelia
	03 300/11,81"		2 Black	
	04 400/15,74"		4 Grey	
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

OPTIONAL DOWNROD

Alo DC

Total fan height			Reference code											
With included downrod (mm/in)		With Light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model			
152/5,98"	320/12,6"	339/13,35"	3T		02		200/7,87"	2		26/1,02"	1	White	00	Universal 26mm
With optional downrod (mm/in)		368/14,49"			387/15,24"	03		300/11,81"			2	Black		
wire included	468/18,43"	487/19,17"			04		400/15,74"							
	568/22,36"	587/23,11"			05		500/19,68"							
	668/26,3"	687/27,05"			06		600/23,62"							
	768/30,24"	787/30,98"			07		700/27,55"							
	868/34,17"	887/34,92"			08		800/31,49"							
	968/38,11"	987/38,86"			09		900/35,43"							
	1068/42,05"	1087/42,8"			10		1000/39,37"							
	1168/45,98"	1187/46,73"			12		1200/47,24"							
	1368/53,86"	1387/54,61"			15		1500/59,05"							
	1668/65,67"	1687/66,42"			18		1800/70,87"							
	1968/77,48"	1987/78,23"												

Example: 3T042200 Accessory downrod 400mm Ø26 black universal

Amelia

Total fan height		Reference code									
With included downrod (mm/in)		Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model		
100/3,94"	270/10,63"	3T	02	200/7,87"	2	26/1,02"	1	White	05	Amelia	
200/7,87"	370/14,57"		03	300/11,81"			2	Black			
With optional downrod (mm/in) wire included	370/14,57"		04	400/15,74"			4	Grey			
	470/18,5"		05	500/19,68"							
	570/22,44"		06	600/23,62"							
	670/26,38"		07	700/27,55"							
	770/30,31"		08	800/31,49"							
	870/34,25"		09	900/35,43"							
	970/38,19"		10	1000/39,37"							
	1070/42,13"		12	1200/47,24"							
	1170/46,06"		15	1500/59,05"							
	1370/53,94"		18	1800/70,87"							
	1670/65,75"										
	1968/77,48"										

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

Amelia Ball

Total fan height		Reference code									
With included downrod (mm/in)		Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish	Downrod Model			
100/3,94"	480/18,9"	3T	02	200/7,87"	2	26/1,02"		1	White	05	Amelia
200/7,87"	580/22,83"		03	300/11,81"		2	Black				
With optional downrod (mm/in)			04	400/15,74"		4	Grey				
wire included	580/22,83"		05	500/19,68"							
	680/26,77"		06	600/23,62"							
	780/30,71"		07	700/27,55"							
	880/34,65"		08	800/31,49"							
	980/38,58"		09	900/35,43"							
	1080/42,52"		10	1000/39,37"							
	1180/46,46"		12	1200/47,24"							
	1280/50,39"		15	1500/59,05"							
	1380/54,33"										
	1580/62,2"										
	1880/74,02"										

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

Amelia Cone L

Total fan height		Reference code						
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model		
100/3,94"	400/15,75"							
200/7,87"	500/19,69"							
With optional downrod (mm/in)		3T	02	2	26/1,02"	1	05	
wire included	500/19,69"		03			2		White
	600/23,62"		04					Black
	700/27,56"		05					Grey
	800/31,5"		06					
	900/35,43"		07					
	1000/39,37"		08					
	1100/43,31"		09					
	1200/47,24"		10					
	1300/51,18"		12					
	1500/59,06"		15					
	1800/70,87"							

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

Andros

Total fan height		Reference code			
With included downrod (mm/in)					
230/9,06"	460/18,11"				
With optional downrod (mm/in)		Finish			
wire included		White	Black	Brown	Nickel
	830/32,68"	34009	34012	34006	34000
	300/11,81"	34010	34013	34007	34001
	400/15,74"	34011	34014	34008	34002
	500/19,68"				

Barth, Saint

Total fan height		Reference code										
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model		
152/5,98"	290/11,42"	3T	02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm		
With optional downrod (mm/in)	338/13,31"			03				300/11,81"			2	Black
wire included	438/17,24"			04				400/15,74"				
	538/21,18"			05				500/19,68"				
	638/25,12"			06				600/23,62"				
	738/29,06"			07				700/27,55"				
	838/32,99"			08				800/31,49"				
	938/36,93"			09				900/35,43"				
	1038/40,87"			10				1000/39,37"				
	1138/44,8"			12				1200/47,24"				
	1338/52,68"			15				1500/59,05"				
	1638/64,49"			18				1800/70,87"				
	1938/76,3"											

Example: Accessory downrod 600mm Ø26 white universal

Bigwood

NEW

Total fan height		Reference code								
With included downrod (mm/in)		Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	270/10,63"									
With optional downrod (mm/in)		3T	03	300/11,81"	2	26/1,02"	1	White	00	Universal 26mm
wire included	480/18,9"			04				400/15,74"		
	580/22,83"		05	500/19,68"						
	680/26,77"		06	600/23,62"						
	780/30,71"		07	700/27,55"						
	880/34,65"		08	800/31,49"						
	980/38,58"		09	900/35,43"						
	1080/42,52"		10	1000/39,37"						
	1180/46,46"		12	1200/47,24"						
	1380/54,33"		15	1500/59,05"						
	1680/66,14"		18	1800/70,87"						
	1980/77,95"									

Example: 3T102200 Accessory downrod 1000mm Ø26 black universal

Cruiser, Rudder

Total fan height			Reference code									
With included downrod (mm/in)		With light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	232/9,13"	276/10,87"	3T		02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm
With optional downrod (mm/in)	332/13,07"	376/14,8"			03	300/11,81"			2	Black		
wire included	432/17,01"	476/18,74"			04	400/15,74"						
	532/20,94"	576/22,68"			05	500/19,68"						
	632/24,88"	676/26,61"			06	600/23,62"						
	732/28,82"	776/30,55"			07	700/27,55"						
	832/32,76"	876/34,49"			08	800/31,49"						
	932/36,69"	976/38,43"			09	900/35,43"						
	1032/40,63"	1076/42,36"			10	1000/39,37"						
	1132/44,57"	1176/46,3"			12	1200/47,24"						
	1332/52,44"	1376/54,17"			15	1500/59,05"						
	1632/64,25"	1676/65,98"			18	1800/70,87"						
	1932/76,06"	1976/77,8"										

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
152/5,98"	510/20,08"	3T		02	200/7,87"	1	21/0,82"	3	Brown	13	Cuba
With optional downrod (mm/in)				03	300/11,81"						
wire included	658/25,91"			04	400/15,74"	7	Old Gold				
	758/29,84"			05	500/19,68"						
	858/33,78"			06	600/23,62"						
	958/37,72"			07	700/27,55"						
	1058/41,65"			08	800/31,49"						
	1158/45,59"			09	900/35,43"						
	1258/49,53"			10	1000/39,37"						
	1358/53,46"			12	1200/47,24"						
	1558/61,34"			15	1500/59,05"						
	1858/73,15"										

Example: 3T041313 Accessory downrod 400mm Ø21 brown for CUBA

Gotland

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
152/5,98"	255/10,04"	3T		02	200/7,87"	1	21/0,82"	1	White	11	Gotland
With optional downrod (mm/in)				03	300/11,81"						
wire included	303/11,93"			04	400/15,74"	2	Black				
	403/15,87"			05	500/19,68"						
	503/19,8"			06	600/23,62"						
	603/23,74"			07	700/27,55"						
	703/27,68"			08	800/31,49"						
	803/31,61"			09	900/35,43"						
	903/35,55"			10	1000/39,37"						
	1003/39,49"			12	1200/47,24"						
	1103/43,43"			15	1500/59,05"						
	1303/51,3"										
	1603/63,11"										

Example: 3T051211 Accessory downrod 500mm Ø21 black for GOTLAND

Hey, Heywood

Total fan height			Reference code									
With included downrod (mm/in)			Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	243/9,57"	270/10,63"	3T		02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm
With optional downrod (mm/in)					03	300/11,81"						
wire included	443/17,44"	470/18,5"			04	400/15,74"	2	Black				
	543/21,38"	570/22,44"			05	500/19,68"						
	643/25,31"	670/26,38"			06	600/23,62"						
	743/29,25"	770/30,31"			07	700/27,55"						
	843/33,19"	870/34,25"			08	800/31,49"						
	943/37,13"	970/38,19"			09	900/35,43"						
	1043/41,06"	1070/42,13"			10	1000/39,37"						
	1143/45"	1170/46,06"			12	1200/47,24"						
	1343/52,87"	1370/53,94"			15	1500/59,05"						
	1643/64,69"	1670/65,75"			18	1800/70,87"						
	1943/76,5"	1970/77,56"										

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Just Deco Copper Fan M, S

Total fan height			Reference code						
With included downrod (mm/in)			Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model		
100/3,94"	290/11,42"	324/12,76"							
200/7,87"	390/15,35"	424/16,69"							
460/18,11"	640/25,2"	674/26,54"							
With optional downrod (mm/in)			3T	03	226/1,02"	0Copper	03Just Deco Copper Fan		
wire included	490/19,29"	524/20,63"		04		1White			
	590/23,23"	624/24,57"		05		2Black			
	690/27,17"	724/28,5"		06		5Chrome			
	790/31,1"	824/32,44"		07		7Old Gold			
	890/35,04"	924/36,38"		08					
	990/38,98"	1024/40,31"		09					
	1090/42,91"	1124/44,25"		10					
	1190/46,85"	1224/48,19"		12					
	1390/54,72"	1424/56,06"							
	1690/66,54"	1724/67,87"							

Example: 3T082503 Accessory chrome downrod 800mm Ø26 for JUST DECO COPPER

Just Fan XL

Total fan height		Reference code								
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model				
100/3,94"	290/11,42"									
200/7,87"	390/15,35"									
460/18,11"	640/25,2"									
With optional downrod (mm/in)			06	600/23,62"	2	26/1,02"	2	Black	04	Just Fan XL
wire included	790/31,1"									
	890/35,04"									
	990/38,98"									
	1090/42,91"									
	1190/46,85"									
	1390/54,72"									
	1690/66,54"									
	1990/78,35"									
			07	700/27,55"						

Example: 3T062204 Accessory downrod 600mm Ø26 black for JUST FAN XL

Kauai

Total fan height		Reference code				
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
125/4,92"	480/18,9"					
250/9,84"	605/23,82"					
With optional downrod (mm/in)		3T	03	26/1,02"	1 White 3 Brown	00 Universal 26mm
wire included	755/29,72"		04			
	855/33,66"		05			
	955/37,6"		06			
	1055/41,54"		07			
	1155/45,47"		08			
	1255/49,41"		09			
	1355/53,35"		10			
	1555/61,22"		12			
	1855/73,03"		15			

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Klim

Total fan height			Reference code									
With included downrod (mm/in)		With Light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"		336/13,23"	408/16,06"									
With optional downrod (mm/in) wire included	436/17,17"		3T	02	200/7,87"		1	21/0,82"		1	White	
	536/21,1"			03	300/11,81"							
	636/25,04"			04	400/15,74"							
	736/28,98"			05	500/19,68"							
	836/32,91"			06	600/23,62"							
	936/36,85"			07	700/27,55"							
	1036/40,79"			08	800/31,49"							
	1136/44,72"			09	900/35,43"							
	1236/48,66"			10	1000/39,37"							
	1436/56,54"			12	1200/47,24"							
	1736/68,35"			15	1500/59,05"							
	2036/80,16"			18	1800/70,87"							
508/20"								2	Black			
608/23,94"												
708/27,87"												
808/31,81"												
908/35,75"												
1008/39,69"												
1108/43,62"												
1208/47,56"												
1308/51,5"												
1508/59,37"												
1808/71,18"												
2108/82,99"												

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Lantau L DC

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
153/6,02"	330/12,99"										
With optional downrod (mm/in) wire included	377/14,84"	3T	02	200/7,87"	1	21/0,82"	1	White	09	Lantau DC	
	477/18,78"		03	300/11,81"			2	Black			
	577/22,72"		04	400/15,74"			3	Brown			
	677/26,65"		05	500/19,68"			6	Satin Nickel			
	777/30,59"		06	600/23,62"							
	877/34,53"		07	700/27,55"							
	977/38,46"		08	800/31,49"							
	1077/42,4"		09	900/35,43"							
	1177/46,34"		10	1000/39,37"							
	1377/54,21"		12	1200/47,24"							
1677/66,02"	15	1500/59,05"									

Example: 3T051209 Accessory downrod 500mm Ø21 black Lantau DC

Lantau L led DC

Total fan height			Reference code											
With included downrod (mm/in)			Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model			
153/6,02"		390/15,35"												
With optional downrod (mm/in)		437/17,2"	3T		02	200/7,87"	1		21/0,82"		6 Satin Nickel		10 Lantau DC Led	
wire included		537/21,14"			03	300/11,81"								
		637/25,08"			04	400/15,74"								
		737/29,02"			05	500/19,68"								
		837/32,95"			06	600/23,62"								
		937/36,89"			07	700/27,55"								
		1037/40,83"			08	800/31,49"								
		1137/44,76"			09	900/35,43"								
		1237/48,7"			10	1000/39,37"								
		1437/56,57"			12	1200/47,24"								
		1737/68,39"			15	1500/59,05"								

Example: 3T051610 Accessory downrod 500mm Ø21 Satin Nickel Lantau DC led

Lantau XL DC

Total fan height			Reference code											
With included downrod (mm/in)		With light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model			
153/6,02"		395/15,55"	410/16,14"											
With optional downrod (mm/in)			3T	02	200/7,87"		1	21/0,82"		6	Satin Nickel		09	Lantau DC
wire included		442/17,4"		03	300/11,81"			10	Lantau DC Led					
		542/21,34"		04	400/15,74"									
		642/25,28"		05	500/19,68"									
		742/29,21"		06	600/23,62"									
		842/33,15"		07	700/27,55"									
		942/37,09"		08	800/31,49"									
		1042/41,02"		09	900/35,43"									
		1142/44,96"		10	1000/39,37"									
		1242/48,9"		12	1200/47,24"									
		1442/56,77"		15	1500/59,05"									
		1742/68,58"												

Example: 3T051610 Accessory downrod 500mm Ø21 Satin Nickel Lantau DC led

Luzon DC

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
152/5,98"	285/11,22"										
With optional downrod (mm/in)		3T	02	200/7,87"	1	21/0,82"	1	White	06	Luzon DC	
wire included	333/13,11"		03	300/11,81"							
	433/17,05"		04	400/15,74"							
	533/20,98"		05	500/19,68"							
	633/24,92"		06	600/23,62"							
	733/28,86"		07	700/27,55"							
	833/32,8"		08	800/31,49"							
	933/36,73"		09	900/35,43"							
	1033/40,67"		10	1000/39,37"							
	1133/44,61"		12	1200/47,24"							
	1333/52,48"		15	1500/59,05"							
	1633/64,29"										

Example: 3T061106 Accessory downrod 600mm Ø21 white Luzon DC

Mallorca L, Mini Mallorca S DC

Total fan height			Reference code												
With included downrod (mm/in)			Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model				
152/5,98"		310/12,2"													
With optional downrod (mm/in)			3T	02	200/7,87"		2	26/1,02"		1	White		00	Universal 26mm	
wire included		358/14,09"		03	300/11,81"										
		458/18,03"		04	400/15,74"										
		558/21,97"		05	500/19,68"										
		658/25,91"		06	600/23,62"										
		758/29,84"		07	700/27,55"										
		858/33,78"		08	800/31,49"										
		958/37,72"		09	900/35,43"										
		1058/41,65"		10	1000/39,37"										
		1158/45,59"		12	1200/47,24"										
		1358/53,46"		15	1500/59,05"										
		1658/65,28"		18	1800/70,87"										
		1958/77,09"													

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Marine

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	245/9,65"	3T		02	200/7,87"	2	26/1,02"	1	White	01	Universal 26mm seaside
With optional downrod (mm/in)				03	300/11,81"	3	Brown	01	Universal 26mm seaside		
wire included	445/17,52"			04	400/15,74"						
	545/21,46"			05	500/19,68"						
	645/25,39"			06	600/23,62"						
	745/29,33"			07	700/27,55"						
	845/33,27"			08	800/31,49"						
	945/37,2"			09	900/35,43"						
	1045/41,14"			10	1000/39,37"						
	1145/45,08"			12	1200/47,24"						
	1345/52,95"			15	1500/59,05"						
	1645/64,76"			18	1800/70,87"						
	1945/76,57"										

Example: 3T062101 Accessory downrod 600mm Ø26 white universal seaside

Mini Lantau DC

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
153/6,02"	330/12,99"	3T		02	200/7,87"	1	21/0,82"	2	Black	09	Lantau DC
With optional downrod (mm/in)				03	300/11,81"		6	Satin Nickel			
wire included	477/18,78"			04	400/15,74"						
	577/22,72"			05	500/19,68"						
	677/26,65"			06	600/23,62"						
	777/30,59"			07	700/27,55"						
	877/34,53"			08	800/31,49"						
	977/38,46"			09	900/35,43"						
	1077/42,4"			10	1000/39,37"						
	1177/46,34"			12	1200/47,24"						
	1377/54,21"			15	1500/59,05"						
	1677/66,02"										

Example: 3T051209 Accessory downrod 500mm Ø21 black Lantau DC

Mini Punt S

Total fan height			Reference code									
With included downrod (mm/in)		With light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	235/9,25"	263/10,35"	<div>3T</div>		02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm
With optional downrod (mm/in)		03			300/11,81"	2	Black					
wire included	435/17,13"	463/18,23"			04	400/15,74"						
	535/21,06"	563/22,17"			05	500/19,68"						
	635/25"	663/26,1"			06	600/23,62"						
	735/28,94"	763/30,04"			07	700/27,55"						
	835/32,87"	863/33,98"			08	800/31,49"						
	935/36,81"	963/37,91"			09	900/35,43"						
	1035/40,75"	1063/41,85"			10	1000/39,37"						
	1135/44,69"	1163/45,79"			12	1200/47,24"						
	1335/52,56"	1363/53,66"			15	1500/59,05"						
	1635/64,37"	1663/65,47"			18	1800/70,87"						
	1935/76,18"	1963/77,28"										

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Morea

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
152/5,98"	280/11,02"	3T		02	200/7,87"	1	21/0,82"	3	Brown	12	Morea
With optional downrod (mm/in)				03	300/11,81"						
wire included	428/16,85"			04	400/15,74"						
	528/20,79"			05	500/19,68"						
	628/24,72"			06	600/23,62"						
	728/28,66"			07	700/27,55"						
	828/32,6"			08	800/31,49"						
	928/36,54"			09	900/35,43"						
	1028/40,47"			10	1000/39,37"						
	1128/44,41"			12	1200/47,24"						
	1328/52,28"			15	1500/59,05"						
	1628/64,09"										

Example: 3T041312 Accessory downrod 400mm Ø21 brown Morea

Nassau

Total fan height			Reference code	
With included downrod (mm/in)				
225/8,86"	400/15,75"			
With optional downrod (mm/in)			Finish	
wire included			White	Brown
1200/47,24"	1375/54,13"		33488	33479

Outwood



Total fan height			Reference code										
With included downrod (mm/in)			Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model		
100/3,94"	265/10,43"	430/16,93"	3T		02	200/7,87"	2	26/1,02"		1	White	01	Universal 26mm seaside
With optional downrod (mm/in)		03			300/11,81"								
wire included		04			400/15,74"								
		05			500/19,68"								
		06			600/23,62"								
		07			700/27,55"								
		08			800/31,49"								
		09			900/35,43"								
		10			1000/39,37"								
		12			1200/47,24"								
		15			1500/59,05"								
		18			1800/70,87"								

Example: 3T062101 Accessory downrod 600mm Ø26 white universal seaside

Palma

Total fan height			Reference code									
With included downrod (mm/in)		With light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	280/11,02"	412/16,22"										
With optional downrod (mm/in) wire included	380/14,96"	512/20,16"	3T	02	200/7,87"	2	26/1,02"	3	Brown	01	Universal 26mm seaside	
	480/18,9"	612/24,09"		03	300/11,81"							
	580/22,83"	712/28,03"		04	400/15,74"							
	680/26,77"	812/31,97"		05	500/19,68"							
	780/30,71"	912/35,91"		06	600/23,62"							
	880/34,65"	1012/39,84"		07	700/27,55"							
	980/38,58"	1112/43,78"		08	800/31,49"							
	1080/42,52"	1212/47,72"		09	900/35,43"							
	1180/46,46"	1312/51,65"		10	1000/39,37"							
	1380/54,33"	1512/59,53"		12	1200/47,24"							
	1680/66,14"	1812/71,34"		15	1500/59,05"							
	1980/77,95"	2112/83,15"		18	1800/70,87"							

Example: 3T042301 Accessory downrod 400mm Ø26 brown universal seaside

Poros

NEW

Total fan height			Reference code				
With included downrod (mm/in)			Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
152/5,98"	372/14,65"						
With optional downrod (mm/in) wire included	420/16,54"		3T	02	121/0,82"	1White	14Poros
	520/20,47"			03		2Black	
	620/24,41"			04			
	720/28,35"			05			
	820/32,28"			06			
	920/36,22"			07			
	1020/40,16"			08			
	1120/44,09"			09			
	1220/48,03"			10			
	1420/55,91"			12			
	1720/67,72"			15	1500/59,05"		

Example: 3T051114 Accessory downrod 500mm Ø21 white Poros

Punt M

Total fan height			Reference code				
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
100/3,94"	254/10"	277/10,91"					
With optional downrod (mm/in) wire included	354/13,94"	377/14,84"	3T	02	226/1,02"	1White	00Universal 26mm
	454/17,87"	477/18,78"		03		2Black	
	554/21,81"	577/22,72"		04			
	654/25,75"	677/26,65"		05			
	754/29,69"	777/30,59"		06			
	854/33,62"	877/34,53"		07			
	954/37,56"	977/38,46"		08			
	1054/41,5"	1077/42,4"		09			
	1154/45,43"	1177/46,34"		10			
	1354/53,31"	1377/54,21"		12			
	1654/65,12"	1677/66,02"		15	1500/59,05"		
	1954/76,93"	1977/77,83"		18	1800/70,87"		

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Rotterdam

NEW

Total fan height		Reference code								
With included downrod (mm/in)		Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish	Downrod Model		
127/5"	270/10,63"									
305/12,01"	455/17,91"									
With optional downrod (mm/in)		3T	04	400/15,74"	2	26/1,02"	1	White	00	Universal 26mm
wire included	643/25,31"		05	500/19,68"		2	Black			
	743/29,25"		06	600/23,62"						
	843/33,19"		07	700/27,55"						
	943/37,13"		08	800/31,49"						
	1043/41,06"		09	900/35,43"						
	1143/45"		10	1000/39,37"						
	1343/52,87"		12	1200/47,24"						
	1643/64,69"		15	1500/59,05"						

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Sfera

Total fan height			Reference code									
With included downrod (mm/in)		With light	Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	248/9,76"	277/10,91"	<div>3T</div>		02	200/7,87"	<div>2</div>	26/1,02"	1	White	<div>00</div>	Universal 26mm
With optional downrod (mm/in)	348/13,7"	377/14,84"			03	300/11,81"		2	Black			
wire included	448/17,64"	477/18,78"			04	400/15,74"						
	548/21,57"	577/22,72"			05	500/19,68"						
	648/25,51"	677/26,65"			06	600/23,62"						
	748/29,45"	777/30,59"			07	700/27,55"						
	848/33,39"	877/34,53"			08	800/31,49"						
	948/37,32"	977/38,46"			09	900/35,43"						
	1048/41,26"	1077/42,4"			10	1000/39,37"						
	1148/45,2"	1177/46,34"			12	1200/47,24"						
	1348/53,07"	1377/54,21"			15	1500/59,05"						
	1648/64,88"	1677/66,02"			18	1800/70,87"						
	1948/76,69"	1977/77,83"										

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Typhoon

Total fan height		Reference code									
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
153/6,02"	390/15,35"	3T		02	200/7,87"	1	21/0,82"		1	White	08 Typhoon
With optional downrod (mm/in)				03	300/11,81"		3	Brown			
wire included	437/17,2"			04	400/15,74"						
	537/21,14"			05	500/19,68"						
	637/25,08"			06	600/23,62"						
	737/29,02"			07	700/27,55"						
	837/32,95"			08	800/31,49"						
	937/36,89"			09	900/35,43"						
	1037/40,83"			10	1000/39,37"						
	1137/44,76"			12	1200/47,24"						
	1237/48,7"			15	1500/59,05"						
	1437/56,57"			18	1800/70,87"						
	1737/68,39"										
	2037/80,2"										

Example: 3T071308 Accessory downrod 700mm Ø21 brown Typhoon

Winche

Total fan height		Reference code											
With included downrod (mm/in)		Family		Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model			
153/6,02"	390/15,35"	3T		02	200/7,87"	1	21/0,82"	2	Black	07	Winche		
With optional downrod (mm/in)				03	300/11,81"								
wire included	537/21,14"			04	400/15,74"								
	637/25,08"			05	500/19,68"								
	737/29,02"			06	600/23,62"								
	837/32,95"			07	700/27,55"								
	937/36,89"			08	800/31,49"								
	1037/40,83"			09	900/35,43"								
	1137/44,76"			10	1000/39,37"								
	1237/48,7"			12	1200/47,24"								
	1437/56,57"			15	1500/59,05"								
	1737/68,39"			18	1800/70,87"								
	2037/80,2"												

Example: 3T071207 Accessory downrod 700mm Ø21 black Winche

INTEGRATION IN AUTOMATION

Fan gateway 0-10V/1-10V



34162


Gateway for integration of home automation systems for Faro Smart fans (speed and light). It allows integration with KNX, LUTRON, BACnet, CASAMBI and other systems by means of 0-10V/1-10V control.
The installation of this device may be for one fan or group of fans with unitary operation with a maximum of 128 fans per gateway unit.

Universal Receiver



34160

Universal dimmable receiver for programming adaptations in FARO WP fans and development of home automation integration projects with integration gateway 0-10V/ 1-10V ref.34162.



Compatible Fans

*To view the fan specifications, go to the final index and locate the corresponding model.

Alo DC 33728DCWP 33727DCWP 33719DCWP 33718DCWP	33399DWP-10 33394DWP-9 33395DWP-10 33398DWP-10	33425WP 33424WP 33428WP 33429WP 33423WP-10 33427WP-10 33426WP-9 33425WP-10 33424WP-10 33428WP-10 33429WP-10	Mallorca 33350DCWP	33393WP 32042WP 32043WP 32040WP 32041WP 32038WP-9 32039WP-9 32040WP-10 32041WP-10 32043WP-10 32042WP-10 33393WP-9	34356WP-1TW 34295WP 34295WP-1TW 34296WP-1TW 34296WP
Amelia 33760WP-25 33760WP 33760WP-22 33762WP-24 33762WP-27 33762WP 33761WP-26 33761WP-23 33761WP	Eterfan 33381WP 33381WP-9 32000WP-9 32000WP 32001WP 32002WP 32004WP 32006WP 32003WP 32005WP 32001WP-9 32002WP-10 32004WP-10 32006WP-10 32003WP-10 32005WP-9	Kauai 34201WPA 34200WPA	Marine 34274WP 34275WP	Morea 33511WP 33519WP	Sfera 34270WP 34271WP
Attos 33494WP 33495WP	32001WP-9 32002WP-10 32004WP-10 32006WP-10 32003WP-10 32005WP-9	Klim 34279WP-11L 34279WP 34276WP-11L 34276WP 34282WP-11L 34282WP 34280WP-11L 34280WP 34277WP-11L 34277WP 34283WP-11L 34283WP 34281WP-11L 34281WP 34278WP-11L 34278WP 34284WP-11L 34284WP	Milos 34100WP	Nassau 33487WP 33478WP	Tube fan 32033WP 32034WP 33374WP 32035WP 32037WP 32060WP 32036WP 32033WP-9 32034WP-9 33374WP-9 32035WP-10 32036WP-10 32037WP-10 32060WP-10
Century 33553WPA	Fraser 33756WP	Klover 34315WP	Mini Eterfan 32020WP 33382WP 32026WP 32028WP 32027WP 32030WP 32029WP 32020WP-9 32025WP-9 32025WP 33382WP-9 32026WP-10 32028WP-10 32030WP-10 32027WP-10 32029WP-9	Nuu 33722WP	Typhoon 34105WP-130 34106WP-130 33480WP 34105WP 33490WP 34106WP 33480WP-14 33490WP-16
Cocos 33548WP	Gotland 33446WP 33447WP	Lantau DC 33561DCWP 33562DCWP 33516DCWP 33518DCWP 33370DCWP 33373DCWP 33560DCWP 33504DCWP 33463DCWP 33464DCWP 33505DCWP	Mini Lantau DC 33517DCWP 33508DCWP 33509DCWP 33603DCWP	Outwood 34361WP-11L 34361WP 34362WP-11L 34362WP 34360WP-11L 34360WP 34363WP-11L 34363WP	Winche 33482WP-8 33482WP 33481WP-7 33481WP
Copper 33451WP	Hvar 34300WP	Luzon DC 33750DCWP	Mini Punt 33820WP-1TW 33821WP-1TW 33820WP 33821WP 33823WP-1TW 33822WP-1TW 33823WP 33822WP 33833WP-1TW 33832WP-1TW 33833WP 33832WP 33835WP-1TW 33835WP 33834WP-1TW 33834WP	Palma 34301WP-11L 34301WP	
Cruiser 34290WP-1TW 34290WP 34286WP-1TW 34286WP 34291WP-1TW 34291WP 34288WP-1TW 34288WP 34285WP-1TW 34285WP 34289WP-1TW 34289WP 34292WP-1TW 34292WP 34287WP-1TW 34287WP 34293WP-1TW 34293WP	Just Fan 33399WP 33394WP 33395WP 32100WP 33398WP 32101WP 32110WP 33399WP-10 33418WP 33418WP-10 33394WP-9 33395WP-10 32100WP-10 33417WP-10 33398WP-10 33417WP 33430WP 33432WP 33423WP 33427WP 33426WP		Mini Tube 32038WP 32039WP	Polaris 33346WP	
Deco fan 33399DWP 33394DWP 33395DWP 33398DWP				Polea 33724WP	
				Poros 33524WP 33527WP	
				Rudder 34297WP-1TW 34297WP 34298WP-1TW 34298WP 34355WP 34355WP-1TW 34356WP	

References index

Ref	Pag.	Ref	Pag.	Ref	Pag.
32000	137	32026	135	32037	145
32000-9	137	32026-10	135	32037-10	145
32000WP	228	32026WP	228	32037WP	228
32000WP-9	228	32026WP-10	228	32037WP-10	228
32000WW	137	32026WW	135	32037WW	145
32000WW-9	137	32026WW-10	135	32037WW-10	145
32001	137	32027	135	32038	143
32001-9	137	32027-10	135	32038-9	143
32001WP	228	32027WP	228	32038WP	228
32001WP-9	228	32027WP-10	228	32038WP-9	228
32001WW	137	32027WW	135	32038WW	143
32001WW-9	137	32027WW-10	135	32038WW-9	143
32002	137	32028	135	32039	143
32002-10	137	32028-10	135	32039-9	143
32002WP	228	32028WP	228	32039WP	228
32002WP-10	228	32028WP-10	228	32039WP-9	228
32002WW	137	32028WW	135	32039WW	143
32002WW-10	137	32028WW-10	135	32039WW-9	143
32003	137	32029	135	32040	143
32003-10	137	32029-9	135	32040-10	143
32003WP	228	32029WP	228	32040WP	228
32003WP-10	228	32029WP-9	228	32040WP-10	228
32003WW	137	32029WW	135	32040WW	143
32003WW-10	137	32029WW-9	135	32040WW-10	143
32004	137	32030	135	32041	143
32004-10	137	32030-10	135	32041-10	143
32004WP	228	32030WP	228	32041WP	228
32004WP-10	228	32030WP-10	228	32041WP-10	228
32004WW	137	32030WW	135	32041WW	143
32004WW-10	137	32030WW-10	135	32041WW-10	143
32005	137	32033	145	32042	143
32005-9	137	32033-9	145	32042-10	143
32005WP	228	32033WP	228	32042WP	228
32005WP-9	228	32033WP-9	228	32042WP-10	228
32005WW	137	32033WW	145	32042WW	143
32005WW-9	137	32033WW-9	145	32042WW-10	143
32006	137	32034	145	32043	143
32006-10	137	32034-9	145	32043-10	143
32006WP	228	32034WP	228	32043WP	228
32006WP-10	228	32034WP-9	228	32043WP-10	228
32006WW	137	32034WW	145	32043WW	143
32006WW-10	137	32034WW-9	145	32043WW-10	143
32020	135	32035	145	32060	145
32020-9	135	32035-10	145	32060-10	145
32020WP	228	32035WP	228	32060WP	228
32020WP-9	228	32035WP-10	228	32060WP-10	228
32020WW	135	32035WW	145	32060WW	145
32020WW-9	135	32035WW-10	145	32060WW-10	145
32025	135	32036	145	32100	139
32025-9	135	32036-10	145	32100-10	139
32025WP	228	32036WP	228	32100WP	228
32025WP-9	228	32036WP-10	228	32100WP-10	228
32025WW	135	32036WW	145	32100WW	139
32025WW-9	135	32036WW-10	145	32100WW-10	139

Ref	Pag.	Ref	Pag.	Ref	Pag.
32101	139	33394D	141	33418-10	139
32101WP	228	33394D-9	141	33418WP	228
32101WW	139	33394DWP	228	33418WP-10	228
32110	139	33394DWP-9	228	33418WW	139
32110WP	228	33394DWW	141	33418WW-10	139
32110WW	139	33394DWW-9	141	33423	201
33001	65	33394WP	228	33423-10	201
33005	161	33394WP-9	228	33423WP	228
33111	63	33394WW	139	33423WP-10	228
33179	203	33394WW-9	139	33423WW	201
33346	115	33395	139	33423WW-10	201
33346WP	228	33395-10	139	33424	201
33346WT	115	33395D	141	33424-10	201
33346WW	115	33395D-10	141	33424WP	228
33350DC	119	33395DWP	228	33424WP-10	228
33350DCWP	228	33395DWP-10	228	33424WW	201
33350DCWT	119	33395DWW	141	33424WW-10	201
33350DCWW	119	33395DWW-10	141	33425	201
33352	121	33395WP	228	33425-10	201
33352B	121	33395WP-10	228	33425WP	228
33370DC	105	33395WW	139	33425WP-10	228
33370DCWP	228	33395WW-10	139	33425WW	201
33370DCWT	105	33398	139	33425WW-10	201
33370DCWW	105	33398-10	139	33426	201
33373DC	105	33398D	141	33426-9	201
33373DCWP	228	33398D-10	141	33426WP	228
33373DCWT	105	33398DWP	228	33426WP-9	228
33373DCWW	105	33398DWP-10	228	33426WW	201
33374	145	33398DWW	141	33426WW-9	201
33374-9	145	33398DWW-10	141	33427	201
33374WP	228	33398WP	228	33427-10	201
33374WP-9	228	33398WP-10	228	33427WP	228
33374WW	145	33398WW	139	33427WP-10	228
33374WW-9	145	33398WW-10	139	33427WW	201
33381	137	33399	139	33427WW-10	201
33381-9	137	33399-10	139	33428	201
33381WP	228	33399D	141	33428-10	201
33381WP-9	228	33399D-10	141	33428WP	228
33381WW	137	33399DWP	228	33428WP-10	228
33381WW-9	137	33399DWP-10	228	33428WW	201
33382	135	33399DWW	141	33428WW-10	201
33382-9	135	33399DWW-10	141	33429	201
33382WP	228	33399WP	228	33429-10	201
33382WP-9	228	33399WP-10	228	33429WP	228
33382WW	135	33399WW	139	33429WP-10	228
33382WW-9	135	33399WW-10	139	33429WW	201
33393	143	33414A	35	33429WW-10	201
33393-9	143	33417	139	33430	41
33393WP	228	33417-10	139	33430WP	228
33393WP-9	228	33417WP	228	33430WW	41
33393WW	143	33417WP-10	228	33432	41
33393WW-9	143	33417WW	139	33432WP	228
33394	139	33417WW-10	139	33432WW	41
33394-9	139	33418	139	33446	101

Ref	Pag.	Ref	Pag.	Ref	Pag.
33446WP	228	33504DCWP	228	33561DCWT	105
33446WT	101	33504DCWT	43	33561DCWW	105
33446WW	101	33504DCWW	43	33562DC	105
33447	101	33505DC	43	33562DCWP	228
33447WP	228	33505DCWP	228	33562DCWT	105
33447WT	101	33505DCWT	43	33562DCWW	105
33447WW	101	33505DCWW	43	33603DC	165
33451	133	33508DC	163	33603DCWP	228
33451WP	228	33508DCWP	228	33603DCWT	165
33451WW	133	33508DCWT	163	33603DCWW	165
33460	109	33508DCWW	163	33703	181
33461A	35	33509DC	163	33715	209
33462A	35	33509DCWP	228	33718DC	51
33463DC	43	33509DCWT	163	33718DCWP	228
33463DCWP	228	33509DCWW	163	33718DCWT	51
33463DCWT	43	33511	53	33718DCWW	51
33463DCWW	43	33511WP	228	33719DC	51
33464DC	43	33511WT	53	33719DCWP	228
33464DCWP	228	33511WW	53	33719DCWT	51
33464DCWT	43	33516DC	105	33719DCWW	51
33464DCWW	43	33516DCWP	228	33722	107
33465A	35	33516DCWT	105	33722WP	228
33471N	117	33516DCWW	105	33722WW	107
33471N-3	117	33517DC	163	33724	111
33478	147	33517DCWP	228	33724WP	228
33478WP	228	33517DCWT	163	33724WW	111
33478WW	147	33517DCWW	163	33725	69
33480	127	33518DC	105	33726	69
33480-14	127	33518DCWP	228	33727DC	51
33480WP	228	33518DCWT	105	33727DCWP	228
33480WP-14	228	33518DCWW	105	33727DCWT	51
33480WW	127	33519	53	33727DCWW	51
33480WW-14	127	33519WP	228	33728DC	51
33481	149	33519WT	53	33728DCWP	228
33481-7	149	33519WW	53	33728DCWT	51
33481WP	228	33524	103	33728DCWW	51
33481WP-7	228	33524WP	228	33750DC	113
33481WW	149	33524WT	103	33750DCWP	228
33481WW-7	149	33524WW	103	33750DCWT	113
33487	147	33525	207	33750DCWW	113
33487WP	228	33527	103	33756	159
33487WW	147	33527WP	228	33756WP	228
33490	127	33527WT	103	33756WT	159
33490-16	127	33527WW	103	33756WW	159
33490WP	228	33548	67	33760	89
33490WP-16	228	33548WP	228	33760-22	91
33490WW	127	33548WW	67	33760-25	93
33490WW-16	127	33553A	45	33760WP	228
33494	33	33553AWW	45	33760WP-22	228
33494WP	228	33553WPA	228	33760WP-25	228
33494WW	33	33560DC	105	33760WT	89
33495	33	33560DCWP	228	33760WT-22	91
33495WP	228	33560DCWT	105	33760WT-25	93
33495WW	33	33560DCWW	105	33760WW	89
33496	27	33561DC	105	33760WW-22	91
33504DC	43	33561DCWP	228	33760WW-25	93

Ref	Pag.	Ref	Pag.	Ref	Pag.
33761	89	33820	185	33830	125
33761-23	91	33820-1TW	185	33830-1TW	125
33761-26	93	33820WP	228	33830WT	125
33761WP	228	33820WP-1TW	228	33830WT-1TW	125
33761WP-23	228	33820WT	185	33831	125
33761WP-26	228	33820WT-1TW	185	33831-1TW	125
33761WT	89	33820WW	185	33831WT	125
33761WT-23	91	33820WW-1TW	185	33831WT-1TW	125
33761WT-26	93	33821	185	33832	187
33761WW	89	33821-1TW	185	33832-1TW	187
33761WW-23	91	33821WP	228	33832WP	228
33761WW-26	93	33821WP-1TW	228	33832WP-1TW	228
33762	89	33821WT	185	33832WT	187
33762-24	91	33821WT-1TW	185	33832WT-1TW	187
33762-27	93	33821WW	185	33832WW	187
33762WP	228	33821WW-1TW	185	33832WW-1TW	187
33762WP-24	228	33822	185	33833	187
33762WP-27	228	33822-1TW	185	33833-1TW	187
33762WT	89	33822WP	228	33833WP	228
33762WT-24	91	33822WP-1TW	228	33833WP-1TW	228
33762WT-27	93	33822WT	185	33833WT	187
33762WW	89	33822WT-1TW	185	33833WT-1TW	187
33762WW-24	91	33822WW	185	33833WW	187
33762WW-27	93	33822WW-1TW	185	33833WW-1TW	187
33805	195	33823	185	33834	187
33805-1TW	195	33823-1TW	185	33834-1TW	187
33805WT	195	33823WP	228	33834WP	228
33805WT-1TW	195	33823WP-1TW	228	33834WP-1TW	228
33806	195	33823WT	185	33834WT	187
33806-1TW	195	33823WT-1TW	185	33834WT-1TW	187
33806WT	195	33823WW	185	33834WW	187
33806WT-1TW	195	33823WW-1TW	185	33834WW-1TW	187
33809	83	33824	189	33835	187
33809-1TW	83	33824-1TW	189	33835-1TW	187
33809WT	83	33824WT	189	33835WP	228
33809WT-1TW	83	33824WT-1TW	189	33835WP-1TW	228
33810	83	33825	189	33835WT	187
33810-1TW	83	33825-1TW	189	33835WT-1TW	187
33810WT	83	33825WT	189	33835WW	187
33810WT-1TW	83	33825WT-1TW	189	33835WW-1TW	187
33814	123	33826	191	33836	197
33814-20	123	33826-1TW	193	33836-1TW	199
33814WT	123	33826WT	191	33836WT	197
33814WT-20	123	33826WT-1TW	193	33836WT-1TW	199
33815	123	33827	191	33837	197
33815-21	123	33827-1TW	193	33837-1TW	199
33815WT	123	33827WT	191	33837WT	197
33815WT-21	123	33827WT-1TW	193	33837WT-1TW	199
33816	123	33828	125	33838	85
33816-20	123	33828-1TW	125	33838-1TW	87
33816WT	123	33828WT	125	33838WT	85
33816WT-20	123	33828WT-1TW	125	33838WT-1TW	87
33817	123	33829	125	33839	85
33817-21	123	33829-1TW	125	33839-1TW	87
33817WT	123	33829WT	125	33839WT	85
33817WT-21	123	33829WT-1TW	125	33839WT-1TW	87

Ref	Pag.	Ref	Pag.	Ref	Pag.
33928	213	34271	183	34281	177
33929	213	34271WP	228	34281-11L	179
33937	213	34271WT	183	34281WP	228
33974	213	34271WW	183	34281WP-11L	228
33987	210	34272	155	34281WT	177
33988	210	34272WT	155	34281WT-11L	179
34100	99	34273	155	34281WW	177
34100WP	228	34273WT	155	34281WW-11L	179
34100WW	99	34274	157	34282	59
34105	127	34274WP	228	34282-11L	61
34105-130	127	34274WT	157	34282WP	228
34105WP	228	34274WW	157	34282WP-11L	228
34105WP-130	228	34275	157	34282WT	59
34105WW	127	34275WP	228	34282WT-11L	61
34105WW-130	127	34275WT	157	34282WW	59
34106	127	34275WW	157	34282WW-11L	61
34106-130	127	34276	59	34283	151
34106WP	228	34276-11L	61	34283-11L	153
34106WP-130	228	34276WP	228	34283WP	228
34106WW	127	34276WP-11L	228	34283WP-11L	228
34106WW-130	127	34276WT	59	34283WT	151
34160	228	34276WT-11L	61	34283WT-11L	153
34162	228	34276WW	59	34283WW	151
34190	37	34276WW-11L	61	34283WW-11L	153
34190WT	37	34277	151	34284	177
34191	37	34277-11L	153	34284-11L	179
34191WT	37	34277WP	228	34284WP	228
34192	29	34277WP-11L	228	34284WP-11L	228
34192WT	29	34277WT	151	34284WT	177
34200A	31	34277WT-11L	153	34284WT-11L	179
34200AWT	31	34277WW	151	34284WW	177
34200AWW	31	34277WW-11L	153	34284WW-11L	179
34200WPA	228	34278	177	34285	171
34201A	31	34278-11L	179	34285-1TW	173
34201AWT	31	34278WP	228	34285WP	228
34201AWW	31	34278WP-11L	228	34285WP-1TW	228
34201WPA	228	34278WT	177	34285WT	171
34202	39	34278WT-11L	179	34285WT-1TW	173
34202-130	39	34278WW	177	34285WW	171
34203	39	34278WW-11L	179	34285WW-1TW	173
34203-130	39	34279	59	34286	79
34206	25	34279-11L	61	34286-1TW	81
34206-130	25	34279WP	228	34286WP	228
34207	25	34279WP-11L	228	34286WP-1TW	228
34207-130	25	34279WT	59	34286WT	79
34210	23	34279WT-11L	61	34286WT-1TW	81
34210-130	23	34279WW	59	34286WW	79
34211	23	34279WW-11L	61	34286WW-1TW	81
34211-130	23	34280	151	34287	47
34260	97	34280-11L	153	34287-1TW	49
34261	97	34280WP	228	34287WP	228
34265	95	34280WP-11L	228	34287WP-1TW	228
34270	183	34280WT	151	34287WT	47
34270WP	228	34280WT-11L	153	34287WT-1TW	49
34270WT	183	34280WW	151	34287WW	47
34270WW	183	34280WW-11L	153	34287WW-1TW	49

Ref	Pag.	Ref	Pag.	Ref	Pag.
34288	171	34296	167	34356WW	71
34288-1TW	173	34296-1TW	169	34356WW-1TW	73
34288WP	228	34296WP	228	34360	55
34288WP-1TW	228	34296WP-1TW	228	34360-11L	57
34288WT	171	34296WT	167	34360WP	228
34288WT-1TW	173	34296WT-1TW	169	34360WP-11L	228
34288WW	171	34296WW	167	34360WT	55
34288WW-1TW	173	34296WW-1TW	169	34360WT-11L	57
34289	171	34297	75	34360WW	55
34289-1TW	173	34297-1TW	77	34360WW-11L	57
34289WP	228	34297WP	228	34361	55
34289WP-1TW	228	34297WP-1TW	228	34361-11L	57
34289WT	171	34297WT	75	34361WP	228
34289WT-1TW	173	34297WT-1TW	77	34361WP-11L	228
34289WW	171	34297WW	75	34361WT	55
34289WW-1TW	173	34297WW-1TW	77	34361WT-11L	57
34290	79	34298	75	34361WW	55
34290-1TW	81	34298-1TW	77	34361WW-11L	57
34290WP	228	34298WP	228	34362	55
34290WP-1TW	228	34298WP-1TW	228	34362-11L	57
34290WT	79	34298WT	75	34362WP	228
34290WT-1TW	81	34298WT-1TW	77	34362WP-11L	228
34290WW	79	34298WW	75	34362WT	55
34290WW-1TW	81	34298WW-1TW	77	34362WT-11L	57
34291	79	34300	175	34362WW	55
34291-1TW	81	34300WP	228	34362WW-11L	57
34291WP	228	34300WT	175	34363	55
34291WP-1TW	228	34300WW	175	34363-11L	57
34291WT	79	34301	129	34363WP	228
34291WT-1TW	81	34301-11L	131	34363WP-11L	228
34291WW	79	34301WP	228	34363WT	55
34291WW-1TW	81	34301WP-11L	228	34363WT-11L	57
34292	47	34301WT	129	34363WW	55
34292-1TW	49	34301WT-11L	131	34363WW-11L	57
34292WP	228	34301WW	129	3L003	212
34292WP-1TW	228	34301WW-11L	131	3L004	212
34292WT	47	34303	213		
34292WT-1TW	49	34304	213		
34292WW	47	34315	205		
34292WW-1TW	49	34315WP	228		
34293	47	34315WT	205		
34293-1TW	49	34315WW	205		
34293WP	228	34355	71		
34293WP-1TW	228	34355-1TW	73		
34293WT	47	34355WP	228		
34293WT-1TW	49	34355WP-1TW	228		
34293WW	47	34355WT	71		
34293WW-1TW	49	34355WT-1TW	73		
34295	167	34355WW	71		
34295-1TW	169	34355WW-1TW	73		
34295WP	228	34356	71		
34295WP-1TW	228	34356-1TW	73		
34295WT	167	34356WP	228		
34295WT-1TW	169	34356WP-1TW	228		
34295WW	167	34356WT	71		
34295WW-1TW	169	34356WT-1TW	73		

Alphabetical index

Alo	ø1520/59.8"	with light	51
Alo	ø1520/59.8"		51
Amelia	ø1320/52"		89
Amelia Ball	ø1320/52"	with light	93
Amelia Cone	ø1320/52"	with light	91
Andros	ø2130/83.9"		35
Attos	ø2130/83.9"	with light	33
Barth	ø1320/52"	with light	97
Bigwood 20	ø2000/78.7"		37
Bigwood 24	ø2400/94.5"		29
Century	ø1650/65"	with light	45
Chicago	ø915/36"	with light	181
Cocos	ø1370/53.9"	with light	67
Copper Fan	ø1280/50.4"		133
Cruiser L	ø1320/52"	with light	81
Cruiser L	ø1320/52"		79
Cruiser S	ø1060/41.7"	with light	173
Cruiser S	ø1060/41.7"		171
Cruiser XL	ø1600/63"	with light	49
Cruiser XL	ø1600/63"		47
Cuba	ø1320/52"		121
Deco Fan	ø1280/50.4"	with light	141
Deco Fan	ø1280/50.4"		141
Eco indus M	ø1200/47.2"		161
Eterfan	ø1280/50.4"	with light	137
Eterfan	ø1280/50.4"		137
Fraser	ø1200/47.2"	with light	159
Gotland	ø1320/52"		101
Hey	ø900/35.4"	with light	189
Hey	ø900/35.4"		189
Hey Tub	ø900/35.4"	with light	193
Hey Tub	ø900/35.4"		191
Heywood L	ø1320/52"	with light	83
Heywood L	ø1320/52"		83
Heywood S	ø900/35.4"	with light	195
Heywood S	ø900/35.4"		195
Heywood Tub L	ø900/35.4"	with light	87
Heywood Tub L	ø900/35.4"		85
Heywood Tub S	ø900/35.4"	with light	199
Heywood Tub S	ø900/35.4"		197
Hvar	ø914/36"	with light	175

Hydra	ø1330/52.4"	with light	69
Ice	ø1320/52"	with light	109
Indus	ø1400/55.1"		65
Just Fan M	ø1280/50.4"	with light	139
Just Fan M	ø1280/50.4"		139
Just Fan S	ø810/31.9"	with light	201
Just Fan S	ø810/31.9"		201
Just Fan XL	ø1780/70.1"		41
Kauai	ø2400/94.5"		31
Keiki	ø430/16.9"		209
Klim L	ø1500/59.1"	with light	61
Klim L	ø1500/59.1"		59
Klim M	ø1250/49.2"	with light	153
Klim M	ø1250/49.2"		151
Klim S	ø925/36.4"	with light	179
Klim S	ø925/36.4"		177
Klover	ø800/31.5"	with light	205
Lantau L	ø1320/52"	with light	105
Lantau L	ø1320/52"		105
Lantau XL	ø1680/66.1"	with light	43
Lantau XL	ø1680/66.1"		43
Luzon	ø1320/52"		113
Mallorca L	ø1320/52"		119
Malvinas	ø1400/55.1"		63
Manhattan	ø2440/96.1"	with light	27
Marine	ø1250/49.2"		157
Milos	ø1320/52"		99
Mini Eterfan	ø1280/50.4"	with light	135
Mini Eterfan	ø1280/50.4"		135
Mini Lantau S	ø1070/42.1"		163
Mini Mallorca S	ø1060/41.7"		165
Mini Punt S	ø900/35.4"	with light	185
Mini Punt S	ø900/35.4"		185
Mini Punt Tub S	ø900/35.4"	with light	187
Mini Punt Tub S	ø900/35.4"		187
Mini Tube Fan	ø1280/50.4"	with light	143
Mini Tube Fan	ø1280/50.4"		143
Morea	ø1520/59.8"		53
Nassau	ø1280/50.4"		147
Nuu	ø1320/52"	with light	107
Outwood	ø1500/59.1"	with light	57

Outwood	ø1320/52"		55
Palao	ø810/31.9"	with light	203
Palma	ø1290/50.8"	with light	131
Palma	ø1290/50.8"		129
Pemba	ø1320/52"	with light	117
Pemba	ø1320/52"		117
Polaris	ø1320/52"	with light	115
Polea	ø1320/52"		111
Poros	ø1320/52"	with light	103
Punt M	ø1300/51.2"	with light	123
Punt M	ø1300/51.2"		123
Punt Tub M	ø1300/51.2"	with light	125
Punt Tub M	ø1300/51.2"		125
Rotterdam 20	ø2000/78.7"	with light	39
Rotterdam 20	ø2000/78.7"		39
Rotterdam 25	ø2500/98.4"	with light	25
Rotterdam 25	ø2500/98.4"		25
Rotterdam 30	ø3000/118.1"	with light	23
Rotterdam 30	ø3000/118.1"		23
Rudder L 3	ø1320/52"	with light	77
Rudder L 3	ø1320/52"		75
Rudder L 4	ø1320/52"	with light	73
Rudder L 4	ø1320/52"		71
Rudder S	ø1060/41.7"	with light	169
Rudder S	ø1060/41.7"		167
Saint	ø1320/52"	with light	95
Sfera M	ø1250/49.2"		155
Sfera S	ø900/35.4"		183
Tube Fan	ø1280/50.4"	with light	145
Tube Fan	ø1280/50.4"		145
Typhoon	ø1270/50"	with light	127
Typhoon	ø1300/51.2"		127
Vedra	ø460/18.1"		207
Winche	ø1270/50"	with light	149
Winche	ø1270/50"		149

General terms of sale

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Prevía comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto connosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Gestellen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zuesendung der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право анулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали.</p> <p>Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компани-ей Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od sPOLEČNOSTI PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническая информация, представена в нашатай каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego infomowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyrażnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>



Request visit



Showroom Barcelona

Princesa 52
08003 Barcelona
Spain
Tel +34932387373
showroom.barcelona@faro.es

Showroom Paris

7 Rue d'Uzès
75002 Paris
France
Tel +33745061553
showroom.paris@faro.es

Showroom Manila


699 Malate
1004 Metro, Manila
Philippines
Tel +63285595363
ldl_roxas@landlitephilcorp.com

Showroom Madrid

Velázquez 35 4ºD
28001 Madrid
Spain
Tel +34689583571
showroom.madrid@faro.es

Showroom Buenos Aires

Ven Street Center Local 30
Av. Italia 4950
1622 Dique Luján
Buenos Aires Argentina
Tel +5491171390813
showroom.argentina@faro.es



Logistics Headquarters

Dinámica 1 Pol. Ind. Santa Rita
08755 Castellbisbal
Spain
Tel +34937723949
info@faro.es

Logistics China

Room 1706-05, Glory International
Finance Center
25 Guicheng Road, Nanhai District
Foshan, Guangdong Province

Logistics US

135 West 41nd Street Suite 1002
10036 New York
USA

TAKE YOUR ROLE.
TOGETHER, WE'RE
COMMITTED