

















Suspensions, Ceiling lamps, Wall lamps,
Table lamps, Floor lamps, Systems, LED strip and supports,
Spotlights, Tracks, Recessed lights, Bollard, Light bulbs,
Accessories / Indoors, Outdoors / Minimal, Decorative,
Architectural / **Light and design to serve people.**

Light up your 2025.

ideal lux®

ideal lux[®]

| | | | |
|--------------------|---|-----------------------------|-----|
| Index | | Alphabetical index | 004 |
| | | Typology index | 008 |
| | | Company Presentation | 032 |
| <hr/> | | | |
| Indoors |  | Suspensions | 050 |
| |  | Ceiling lamps | 236 |
| |  | Wall lamps | 356 |
| |  | Table lamps | 448 |
| |  | Floor lamps | 490 |
| |  | Linear systems | 536 |
| |  | LED strip and supports | 642 |
| |  | Spotlights and Tracks | 660 |
| |  | Recessed lights | 718 |
| <hr/> | | | |
| Outdoors |  | Suspensions and ceiling | 800 |
| |  | Wall lamps | 814 |
| |  | Bollard and Table lamps | 860 |
| |  | Spotlights | 912 |
| |  | Downlights | 928 |
| <hr/> | | | |
| Light bulbs |  | Light bulbs and accessories | 942 |
| |  | Families' index | 962 |
| | | Code index | 978 |

Flam











































































































Pag 80

















| | | | | | |
|-----------|-----|------------|-----|--------------|-----|
| Abc | 99 | Birds | 473 | Citrus | 119 |
| Acqua | 903 | Birds | 497 | Click | 370 |
| Admiral | 347 | Bistrò | 184 | Clio | 806 |
| Agos | 882 | Bit | 930 | Clio | 856 |
| Ali | 387 | Blanche | 214 | Clio | 908 |
| A-Line | 125 | Blossom | 146 | Clip | 369 |
| Alma | 394 | Blues | 796 | Cloud | 284 |
| Amadeus | 219 | Boa | 171 | Clown | 160 |
| Ampolla | 116 | Boeing | 896 | Cocktail | 141 |
| Andromeda | 847 | Bon Bon | 231 | Coco | 181 |
| Angolo | 334 | Bonne Nuit | 406 | Colonna | 533 |
| Angolo | 476 | Book | 411 | Colossal | 216 |
| Angolo | 500 | Bow | 396 | Comet | 520 |
| Apollo | 832 | Box | 367 | Cometa | 852 |
| Arca | 612 | Breeze | 133 | Comfort | 512 |
| Arcadia | 881 | Brigitta | 229 | Compo | 343 |
| Archimede | 127 | Bubble | 812 | Cono | 138 |
| Argo | 845 | Bubble | 854 | Copernico | 110 |
| Aria | 152 | Byte | 696 | Corolla | 285 |
| Arizona | 156 | Caesar | 209 | Corte | 215 |
| Arizona | 278 | Camerino | 388 | Corte | 441 |
| Armony | 348 | Canapa | 235 | Cosmo | 907 |
| Atena | 900 | Candy | 158 | Cosmopolitan | 333 |
| Atlas | 332 | Candy | 280 | Cotton | 159 |
| Atom | 843 | Candy | 469 | Cotton | 281 |
| Atrium | 279 | Cantina | 137 | Cover | 364 |
| Audi-10 | 186 | Cantina | 426 | Craft | 91 |
| Audi-80 | 187 | Carlton | 203 | Craft | 374 |
| Avion | 177 | Carlton | 355 | Craft | 510 |
| Axel | 478 | Carlton | 439 | Crown | 66 |
| Axel | 526 | Carta | 170 | Cube | 370 |
| Balance | 371 | Carta | 282 | Cute | 868 |
| Barber | 415 | Carta | 385 | Cylinder | 190 |
| Base | 833 | Carta | 468 | Cylinder | 532 |
| Basic | 770 | Carta | 519 | Daddy | 524 |
| Bean | 402 | Casanova | 226 | Dafne | 857 |
| Bento | 728 | Celine | 270 | Dafne | 911 |
| Bergen | 183 | Chalet | 234 | Daisy | 342 |
| Binomio | 337 | Chalet | 444 | Danieli | 228 |
| Binomio | 429 | Chalet | 484 | Dedra | 859 |
| Birds | 105 | Cima | 857 | Deep | 768 |
| Birds | 327 | Cima | 910 | Delta | 372 |
| Birds | 421 | Circus | 75 | Desk | 90 |

Alphabetical index

| | | | | | | | | | |
|-------------|-----|-----------|-----|----------|-----|--------------|-----|------------|-----|
| Desk | 374 | Equinoxe | 499 | Gas | 823 | Jazz | 794 | London | 479 |
| Deva | 538 | Eris | 135 | Gas | 891 | Jedi | 894 | London | 529 |
| Diamond | 102 | Essence | 88 | Gea | 436 | Justine | 231 | Look | 78 |
| Diamond | 466 | Essence | 390 | Geko | 275 | Kali | 481 | Look | 300 |
| Diesis | 126 | Etere | 829 | Gemini | 60 | Karma | 150 | Look | 381 |
| Diesis | 459 | Etere | 904 | Gemini | 272 | Karol | 246 | Look | 506 |
| Diesis | 511 | Eva | 504 | Gim | 414 | Karousel | 92 | Look | 698 |
| Display | 700 | Evasione | 207 | Ginger | 515 | Kelly | 462 | Lord | 146 |
| Dna | 174 | Fade | 147 | Gingle | 274 | Keope | 832 | Lounge | 794 |
| Dodo | 414 | Febe | 858 | Gioconda | 224 | Kepler | 111 | Lucciola | 94 |
| Doge | 227 | Felix | 849 | Gioconda | 443 | Kepler | 422 | Luce Max | 161 |
| Doris | 876 | Fiesta | 813 | Giove | 848 | King | 200 | Lugano | 119 |
| Dorsale | 522 | Filo | 84 | Glim | 321 | King | 346 | Lumiere | 178 |
| Down | 858 | Filo | 392 | Glim | 695 | Klimt | 527 | Lumiere | 341 |
| Dream Big | 176 | Filo | 456 | Glory | 155 | Koala | 920 | Lumiere | 465 |
| Driftwood | 235 | Filo | 502 | Glory | 276 | Komodo | 408 | Lumiere | 496 |
| Driftwood | 484 | Firenze | 230 | Goose | 400 | Konse | 115 | Luna | 804 |
| Driftwood | 526 | Firenze | 444 | Gourmet | 331 | Kubiko | 306 | Luna | 878 |
| Dubai | 208 | Firenze | 485 | Gravity | 937 | Kuky | 139 | Luxor | 206 |
| Dubai | 353 | Firenze | 535 | Gretel | 185 | Kurt | 889 | Madame | 188 |
| Dubai | 439 | Fisherman | 136 | Groove | 776 | Lana | 153 | Magnolia | 353 |
| Duchessa | 487 | Fix | 366 | Gru | 454 | Lana | 298 | Make-Up | 395 |
| Dynamic | 734 | Flam | 80 | Gun | 810 | Landing | 938 | Manhattan | 142 |
| Dynamite | 96 | Flash | 380 | Gun | 834 | Lawyer | 464 | Mapa | 168 |
| Dynamite | 312 | Floor | 933 | Halo | 258 | Leaves | 112 | Mapa | 282 |
| Dynamo | 401 | Florian | 220 | Harem | 233 | Led Panel | 782 | Mapa | 384 |
| Easy | 458 | Florian | 442 | Harem | 446 | Lena | 153 | Mapa | 470 |
| Easy | 511 | Fluo | 626 | Haunt | 190 | Level | 276 | Mapa Clear | 166 |
| Echo | 376 | Flut | 143 | Hermes | 338 | Lift | 514 | Mapa Max | 161 |
| Eclissi | 433 | Fly | 248 | Holly | 128 | Lika | 311 | Mapa Mini | 164 |
| Edison | 120 | Focus | 398 | Hotel | 437 | Lika | 784 | Mapa Plus | 162 |
| Edison | 416 | Folk | 151 | Hub | 891 | Linea | 838 | Maracas | 330 |
| Edo | 475 | Fox | 678 | Hulahoop | 74 | Lingotto | 100 | Maracas | 424 |
| Edo Outdoor | 901 | Frame | 76 | Ice | 118 | Lingotto | 335 | Marte | 902 |
| Ego | 494 | Frame | 247 | Igor | 101 | Lingotto | 477 | Martinez | 202 |
| Ego | 558 | Frame | 501 | Igor | 420 | Link 3-Phase | 708 | Martinez | 354 |
| Elio | 820 | Frida | 120 | Iko | 840 | Link 1-Phase | 714 | Medea | 853 |
| Elio | 926 | Frida | 419 | Indio | 931 | Linus | 375 | Mercurio | 902 |
| Empire | 179 | Funky | 794 | Inside | 927 | Linus | 624 | Metro | 133 |
| Enya | 872 | Futura | 460 | Io | 399 | Lite | 405 | Mib | 812 |
| Eos | 686 | Futura | 514 | Ipotesi | 873 | Litio | 821 | Mignon | 467 |
| Equinoxe | 108 | Galaxy | 104 | Iride | 269 | Litio | 926 | Milk | 140 |
| Equinoxe | 425 | Game | 742 | Itaca | 880 | Lolita | 870 | Millennium | 210 |

Alphabetical index

| | | | | | | | | | |
|-----------|---|-------------|---|-----------|---|-------------------|---|-------------|---|
| Minimal | 418 | Oak |  310 | Penta |  431 | Regol | 528 | Smarties |  154 |
| Minor | 97 | Oby |  317 | Perlage |  106 | Relax | 268 | Smarties |  277 |
| Mint | 182 | Oby |  415 | Perlage |  324 | Retrò | 397 | Smarties |  385 |
| Miracle | 67 | Ocean | 270 | Perlage |  423 | Rex-1 | 850 | Smarties |  469 |
| Mirror-10 | 396 | Octopus | 329 | Perlage |  473 | Rex-2 | 851 | Smile | 670 |
| Mirror-20 | 397 | Off | 764 | Perlage |  498 | Rex-3 | 851 | Snif Round | 830 |
| Mix Up |  130 | Office | 640 | Perline | 105 | Rhapsody | 93 | Snif Square | 831 |
| Mix Up |  290 | Oil | 122 | Peter | 445 | Riflesso | 395 | Snow |  805 |
| Mix Up |  508 | Omega R. | 819 | Petit | 314 | Rocket | 941 | Snow |  855 |
| Moby | 134 | Omega S. | 819 | Piano | 409 | Rocket Mini | 940 | Soda | 383 |
| Monet | 211 | One | 756 | Ping Pong |  336 | Rocket Ultra M. | 941 | Soft | 180 |
| Mood | 307 | Onion | 117 | Ping Pong |  428 | Roma |  344 | Sole |  802 |
| Moonlight | 351 | Opera |  198 | Ping Pong |  472 | Roma |  438 | Sole |  877 |
| Moris | 366 | Opera |  440 | Ping Pong |  505 | Roma |  486 | Spike |  308 |
| Mouse |  316 | Opera |  486 | Pipe | 404 | Room-65 | 795 | Spike |  697 |
| Mouse |  412 | Opera |  534 | Pivot | 455 | Rose | 217 | Spot |  316 |
| Mouse |  694 | Oracle | 74 | Planet | 288 | Royal | 352 | Spot |  412 |
| Mr Jack | 121 | Oracle Slim |  68 | Play |  313 | Rubik | 842 | Spot |  694 |
| Multiflex | 328 | Oracle Slim |  242 | Play |  778 | Rudy |  318 | Squish | 271 |
| Nabucco | 204 | Origami | 144 | Plissè | 152 | Rudy |  413 | Starlight | 918 |
| Napoleon | 222 | Ovalino |  157 | Polar | 853 | Sally | 463 | Steel | 634 |
| Negresco |  218 | Ovalino |  284 | Polka | 797 | Samba | 792 | Stick | 598 |
| Negresco |  442 | Ovalino |  382 | Polly | 518 | Santa | 447 | Strauss |  225 |
| Nemo | 172 | Oz |  64 | Pop | 95 | Sasso | 879 | Strauss |  443 |
| Net | 114 | Oz |  244 | Posta | 368 | Set Up |  192 | Style |  826 |
| Neve | 350 | Oz |  362 | Pouche | 365 | Set Up |  292 | Style |  884 |
| Newton |  426 | Oz |  452 | Pov | 692 | Set Up |  434 | Swan |  199 |
| Newton |  516 | O-Zone |  818 | Prato | 474 | Set Up |  482 | Swan |  440 |
| Ninfea |  339 | O-Zone |  916 | Pretty | 388 | Set Up |  530 | Swing | 794 |
| Ninfea |  431 | Page | 403 | Privè | 389 | Set Up Slim |  194 | Swipe | 825 |
| Ninfea |  471 | Pagoda | 525 | Probe | 410 | Set Up Slim |  294 | Tag | 754 |
| Nitro R. | 302 | Pan |  191 | Profilo | 320 | Set Up Ultra Slim |  196 | Tall | 124 |
| Nitro S. | 304 | Pan |  430 | Pulsar | 903 | Set Up Ultra Slim |  296 | Taurus | 934 |
| Nodi |  175 | Park | 936 | Punto | 836 | Shell | 299 | Techo | 808 |
| Nodi |  322 | Pashà |  205 | Pure | 864 | Shower | 427 | Terra |  822 |
| Nodino | 323 | Pashà |  345 | Quark | 760 | Simply | 298 | Terra |  925 |
| Nordik |  189 | Pashà |  438 | Queen |  488 | Sirio |  841 | Tesi | 648 |
| Nordik |  436 | Paul | 382 | Queen |  534 | Sirio |  886 | Tesla | 890 |
| Nordik |  480 | Pegaso |  212 | Quick | 662 | Sirio |  924 | Tetris-1 | 844 |
| Nordik |  532 | Pegaso |  441 | Radio | 417 | Sky |  83 | Tetris-2 | 845 |
| Norma | 232 | Pegaso |  489 | Rain |  201 | Sky |  301 | Theo | 393 |
| Nova | 780 | Peggy | 365 | Rain |  352 | Sky |  381 | Thor |  914 |
| Oak |  82 | Penta |  340 | Ray | 260 | Slot | 652 | Thor |  932 |

| | | | |
|--------------|---|---------|---|
| Tick | 432 | Xeno | 824 |
| Tifone | 892 | Yoko |  89 |
| Titano | 888 | Yoko |  457 |
| Toby | 313 | Yoko |  503 |
| Toffee |  837 | York | 527 |
| Toffee |  866 | Yurta | 132 |
| Topico |  148 | Zephyr | 798 |
| Topico |  283 | Zeus | 720 |
| Torre | 906 | Zig Zag | 378 |
| Totem | 268 | Ziggy | 286 |
| Tower | 310 | | |
| Triade | 129 | | |
| Triplo | 386 | | |
| Triumph |  98 | | |
| Triumph |  326 | | |
| Triumph |  424 | | |
| Tronco |  828 | | |
| Tronco |  898 | | |
| Tube | 82 | | |
| Tudor | 387 | | |
| Twiggy | 874 | | |
| Twin | 846 | | |
| Ulex | 922 | | |
| Ulisse | 156 | | |
| Ultrathin | 86 | | |
| Umile | 145 | | |
| Universal R. | 264 | | |
| Universal S. | 266 | | |
| Up | 844 | | |
| Urano | 811 | | |
| Vanity | 232 | | |
| Vega | 893 | | |
| Virus | 758 | | |
| V-Line | 89 | | |
| Vortex | 113 | | |
| Walky | 799 | | |
| Wally |  463 | | |
| Wally |  517 | | |
| Waves | 58 | | |
| Way | 939 | | |
| Winery |  315 | | |
| Winery |  416 | | |
| Wire | 930 | | |

Led Strip and lightbulbs:

| | |
|-----------|-----|
| Strip Led | 644 |
| E14 | 944 |
| E27 | 946 |
| G4 | 954 |
| G9 | 954 |
| GX53 | 956 |
| R7s | 955 |
| GU10 | 955 |



Ego

Pag 494


















































Waves

Pag 058



























































Typology index

Suspensions Indoors

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Waves 058 | Gemini 060 | Oz 064 | Crown 066 | Miracle 067 | OracleSlim 068 | Oracle 074 |
|  |  |  |  |  |  |  |
| Hulahoop 074 | Circus 075 | Frame 076 | Look 078 | Flam 080 | Tube 082 | Oak 082 |
|  |  |  |  |  |  |  |
| Sky 083 | Filo 084 | Ultrathin 086 | Essence 088 | Yoko 089 | V-Line 089 | Desk 090 |
|  |  |  |  |  |  |  |
| Craft 091 | Karousel 092 | Rhapsody 093 | Lucciola 094 | Pop 095 | Dynamite 096 | Minor 097 |
|  |  |  |  |  |  |  |
| Triumph 098 | Abc 099 | Lingotto 100 | Igor 101 | Diamond 102 | Galaxy 104 | Birds 105 |
|  |  |  |  |  |  |  |
| Perline 105 | Perlage 106 | Equinoxe 108 | Copernico 110 | Kepler 111 | Leaves 112 | Vortex 113 |
|  |  |  |  |  |  |  |
| Net 114 | Konse 115 | Ampolla 116 | Onion 117 | Ice 118 | Citrus 119 | Lugano 119 |

Suspensions

Indoors

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Frida 120 | Edison 120 | Mr Jack 121 | Oil 122 | Tall 124 | A-Line 125 | Diesis 126 |
|  |  |  |  |  |  |  |
| Mix Up 130 | Yurta 132 | Metro 133 | Breeze 133 | Moby 134 | Eris 135 | Fisherman 136 |
|  |  |  |  |  |  |  |
| Milk 140 | Cocktail 141 | Manhattan 142 | Flut 143 | Origami 144 | Umile 145 | Blossom 146 |
|  |  |  |  |  |  |  |
| Karma 150 | Folk 151 | Aria 152 | Plissé 152 | Lana 153 | Lena 153 | Smarties 154 |
|  |  |  |  |  |  |  |
| Ovalino 157 | Candy 158 | Cotton 159 | Clown 160 | Mapa Max 161 | Mapa Plus 162 | Luce Max 161 |
|  |  |  |  |  |  |  |
| Carta 170 | Boa 171 | Nemo 172 | Dna 174 | Nodi 175 | Dream Big 176 | Avion 177 |
|  |  |  |  |  |  |  |
| Coco 181 | Mint 182 | Bergen 183 | Bistrò 184 | Gretel 185 | Audi-10 186 | Audi-80 187 |
|  |  |  |  |  |  |  |
| Haunt 190 | Pan 191 | Set Up 192 | SetUp Slim 194 | SetUpUltraSlim 196 | Opera 198 | Swan 199 |



Archimede 127



Holly 128



Triade 129



Cantina 137

new



Cono 138



Kuky 139



Lord 146



Fade 147

new



Topico 148



Glory 155



Ulisse 156



Arizona 156

new



Mapa Mini 164



Mapa 168

new



Mapa Clear 169



Lumiere 178



Empire 179



Soft 180



Madame 188



Nordik 189



Cylinder 190



King 200



Rain 201



Martinez 202

Fade

Pag 147





Casanova

Pag 226



Carlton 203



Nabucco 204



Pegaso 212



Blanche 214



Gioconda 224



Strauss 225



Vanity 232



Norma 232

Suspensions

Indoors



Pashà 205



Luxor 206



Evasione 207



Dubai 208



Caesar 209



Millennium 210



Monet 211



Corte 215



Colossal 216



Rose 217



Negresco 218



Amadeus 219



Florian 220



Napoleon 222



Casanova 226



Doge 227



Danieli 228



Brigitta 229



Firenze 230



Justine 231



Bon Bon 231



Harem 233



Chalet 234



























































Canapa 235



Driftwood 235

Ceiling lamps

Indoors

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Oracle Slim 242 | Oz 244 | Karol 246 | Frame 247 | Fly 248 | Halo 258 | Ray 260 |
|  |  |  |  |  |  |  |
| Relax 268 | Totem 268 | Iride 269 | Celine 270 | Ocean 270 | Squish 271 | Gemini 272 |
|  |  |  |  |  |  |  |
| Glory 276 | Level 276 | Smarties 277 | Arizona 278 | Atrium 279 | Candy 280 | Cotton 281 |
|  |  |  |  |  |  |  |
| Topico 283 | Ovalino 284 | Cloud 284 | Corolla 285 | Ziggy 286 | Planet 288 | Mix Up 290 |
|  |  |  |  |  |  |  |
| SetUpUltraSlim 296 | Simply 298 | Lana 298 | Shell 299 | Look 300 | Sky 301 | Nitro Round 302 |
|  |  |  |  |  |  |  |
| Mood 307 | Spike 308 | Oak 310 | Tower 310 | Lika 311 | Dynamite 312 | Play 313 |
|  |  |  |  |  |  |  |
| Winery 315 | Mouse 316 | Spot 316 | Oby 317 | Rudy 318 | Profilo 320 | Glim 321 |
|  |  |  |  |  |  |  |
| Perlage 324 | Triumph 326 | Birds 327 | Multiflex 328 | Octopus 329 | Maracas 330 | Gourmet 331 |

new



Universal R. 264

new



Universal S. 266



Gingle 274



Geko 275



Mapa 282



Carta 282



Set Up 292

new



Set Up Slim 294



Nitro Square 304



Kubiko 306



Toby 313



Petit 314



Nodi 322



Nodino 323



Atlas 332



Cosmopolitan 333


Squish

Pag 271



Nitro

Pag 302



Ceiling lamps

Indoors



Angolo 334



Lingotto 335



Ping Pong 336



Binomio 337



Hermes 338



Ninfea 339



Penta 340



Lumiere 341



Daisy 342



Compo 343



Roma 344



Pashà 345



King 346



Admiral 347



Armony 348



Neve 350



Moonlight 351



Royal 352



Rain 352



Magnolia 353



Dubai 353



Martinez 354



Carlton 355

Bonne Nuit

Pag 406



new



Oz 362



Cover 364



Click 370



Cube 370



FlashGesso 380



Sky 381



Triplo 386



Ali 387



Alma 394



Make Up 395



Goose 400



Dynamo 401



Probe 410



Book 411



























































Winery 416



Edison 416





























Wall lamps

Indoors

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Peggy 365 | Pouche 365 | Fix 366 | Moris 366 | Box 367 | Posta 368 | Clip 369 |
|  |  |  |  |  |  |  |
| Balance 371 | Delta 372 | Desk 374 | Craft 374 | Linus 375 | Echo 376 | Zig Zag 378 |
|  |  |  |  |  |  |  |
| Look 381 | Paul 382 | Ovalino 382 | Soda 383 | Mapa 384 | Smarties 385 | Carta 385 |
|  |  |  |  |  |  |  |
| Tudor 387 | Camerino 388 | Pretty 388 | Privè 389 | Essence 390 | Filo 392 | Theo 393 |
|  |  |  |  |  |  |  |
| Riflesso 395 | Bow 396 | Mirror-10 396 | Mirror-20 397 | Retrò 397 | Focus 398 | IO 399 |
|  |  |  |  |  |  |  |
| Bean 402 | Page 403 | Pipe 404 | Lite 405 | Bonne Nuit 406 | Komodo 408 | Piano 409 |
|  |  |  |  |  |  |  |
| Mouse 412 | Spot 412 | Rudy 413 | Gim 414 | Dodo 414 | Oby 415 | Barber 415 |
|  |  |  |  |  |  |  |
| Radio 417 | Minimal 418 | Frida 419 | Igor 420 | Birds 421 | Kepler 422 | Perlage 423 |

Wall lamps

Indoors

| | | | | | | |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
| Triumph 424 | Maracas 424 | Equinoxe 425 | Cantina 426 | Newton 426 | Shower 427 | Ping Pong 428 |
|  |  |  |  |  |  |  |
| Penta 431 | Ninfea 431 | Tick 432 | Eclissi 433 | Set Up 434 | Nordik 436 | Gea 436 |
|  |  |  |  |  |  |  |
| Pashà 438 | Carlton 439 | Dubai 439 | Opera 440 | Swan 440 | Corte 441 | Pegaso 441 |
|  |  |  |  |  |  |  |
| Gioconda 443 | Strauss 443 | Firenze 444 | Chalet 444 | Peter 445 | Harem 446 | Santa 447 |



Binomio 429



Pan 430



Hotel 437



Roma 438



Negresco 442



Florian 442













































Ninfea

Pag 471

Table lamps

Indoors

| | | | | | | | |
|--------------------|---|---|---|---|---|--|--|
| <small>new</small> |  |  |  |  |  |  |  |
| | Oz 452 | Gru 454 | Pivot 455 | Filo 456 | Yoko 457 | Easy 458 | Diesis 459 |
| |  |  |  |  |  |  | <small>new</small>  |
| | Futura 460 | Kelly 462 | Sally 463 | Wally 463 | Lawyer 464 | Lumiere 465 | Diamond 466 |
| <small>new</small> |  |  |  |  |  | <small>new</small>  |  |
| | Mignon 467 | Carta 468 | Smarties 469 | Candy 469 | Mapa 470 | Ninfea 471 | Ping Pong 472 |
| |  |  |  |  |  |  |  |
| | Birds 473 | Perlage 473 | Prato 474 | Edo 475 | Angolo 476 | Lingotto 477 | Axel 478 |
| |  |  |  |  |  |  |  |
| | London 479 | Nordik 480 | Kali 481 | Set Up 482 | Driftwood 484 | Chalet 484 | Firenze 485 |
| | | |  |  |  |  |  |
| | | | Roma 486 | Opera 486 | Duchessa 487 | Queen 488 | Pegaso 489 |

Floor lamps

Indoors

new



Ego 494



Lumiere 496



Birds 497



Perlage 498

new



Equinoxe 499



Angolo 500



Frame 501



Look 506



Mix Up 508

new



Craft 510



Easy 511



Diesis 511

new



Comfort 512



Lift 514



Polly 518



Carta 519



Comet 520



Dorsale 522



Daddy 524



Klimt 527



Regol 528



London 529



Set Up 530



Cylinder 532



Nordik 532



Colonna 533

new



Filo 502



Yoko 503



Eva 504



Ping Pong 505



Futura 514



Ginger 515



Newton 516



Wally 517



Pagoda 525



Axel 526



Driftwood 526



York 527



Opera 534



Queen 534



Firenze 535

Diesis

Pag 511



Systems


Indoors



LED strip and supports



Spotlights and Tracks



Recessed lights

Deva

Pag 538



Zeus 720



Bento 728



Dynamic 734

new



Game 742

new



Tag 754



One 756



Virus 758

new



Quark 760



Off 764



Deep 768



Basic 770



Groove 776



Play 778

new



Nova 780



Led Panel 782

new



Lika 784



Samba 792



Jazz 794



Swing 794



Lounge 794



Funky 794



Room-65 795



Blues 796



Polka 797

new



Zephyr 798



Walky 799

Snow

Pag 855

Suspensions and ceiling

new



Sole 802



Luna 804

new



Snow 805



Clio 806



Clio 806



Clio 806



Clio 806



Clio 806



Clio 806

new



Techo 808



Gun 810



Urano 811



Bubble 812
















































Mib 812



Fiesta 813

Wall lamps

Outdoors










| | | | | | | |
|---|---|---|---|---|---|---|
| new | | | | | | |
|  |  |  |  |  |  |  |
| O-zone 818 | Omega R. 819 | Omega S. 819 | Elio 820 | Litio 821 | Terra 822 | Gas 823 |
|  |  |  |  |  |  |  |
| Xeno 824 | Swipe 825 | Style 826 | Tronco 828 | Etere 829 | Snif Round 830 | Snif Square 831 |
|  |  |  |  |  | new | |
| Keope 832 | Apollo 832 | Base 833 | Gun 834 | Punto 836 | Toffee 837 | Linea 838 |
| new | | | | | | |
|  |  |  |  |  |  |  |
| Iko 840 | Sirio 841 | Rubik 842 | Atom 843 | Up 844 | Tetris-1 844 | Tetris-2 845 |
|  |  |  |  |  |  |  |
| Argo 845 | Twin 846 | Andromeda 847 | Giove 848 | Felix 849 | Rex-1 850 | Rex-2 851 |
|  |  |  |  |  | new | |
| Rex-3 851 | Cometa 852 | Polar 853 | Medea 853 | Bubble 854 | Snow 855 | Clio 856 |
|  |  |  |  |  | | |
| | | Clio 856 | Clio 856 | Cima 857 | Dafne 857 | Down 858 |
| | |  |  | | | |
| | | Febe 858 | Dedra 859 | | | |

Bollard and Table lamps














Outdoors

| | | | | | | |
|---|---|---|--|---|---|---|
|  |  |  new |  |  new |  |  new |
| Pure 864 | Toffee 866 | Cute 868 | Lolita 870 | Enya 872 | Ipotesi 873 | Twiggy 874 |
|  |  |  |  |  |  |  |
| Doris 876 | Sole 877 | Luna 878 | Sasso 879 | Itaca 880 | Arcadia 881 | Agos 882 |
|  |  |  |  |  |  |  |
| Style 884 | Sirio 886 | Titano 888 | Kurt 889 | Tesla 890 | Gas 891 | Hub 891 |
|  |  |  |  new |  |  |  |
| Tifone 892 | Vega 893 | Jedi 894 | Boeing 896 | Tronco 898 | Atena 900 | Edo Outdoor 901 |
|  |  |  |  |  |  |  |
| Marte 902 | Mercurio 902 | Pulsar 903 | Acqua 903 | Etere 904 | Torre 906 | Cosmo 907 |
|  |  |  |  |  | | |
| Clio 908 | Clio 908 | Clio 908 | Cima 910 | Dafne 911 | | |

Spotlights

| | | | |
|---|---|---|---|
| <small>new</small> | <small>new</small> | <small>new</small> | <small>new</small> |
|  |  |  |  |
| Thor 914 | O-zone 916 | Starlight 918 | Koala 920 |
|  |  |  |  |
| Ulex 922 | Sirio 924 | Terra 925 | Elio 926 |
|  |  | | |
| Litio 926 | Inside 927 | | |

Downlights

| | | | |
|---|---|---|---|
|  |  |  | <small>new</small>  |
| Bit 930 | Wire 930 | Indio 931 | Thor 932 |
|  |  |  |  |
| Floor 933 | Taurus 934 | Park 936 | Gravity 937 |
|  |  |  |  |
| Landing 938 | Way 939 | RocketMini 940 | Rocket 941 |
| <small>new</small>  | | | |
| Rocket Ultramini 941 | | | |

Ipotesi

Pag 873



"A daily gesture that each of us do when the darkness arises. A familiar ritual, which represents joy, safety, dedicated to the time spent together.

Turning on a light is a simple action, but full of meanings. This is where our story begins."





ideal

Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure

in a new home, ideal lux promises components **that live up to needs and dreams.**

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces**

where you create professional relations **unique** too.

However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.











Studio Impero
Rome, RM
Planned out by ARCH.0



Studio Impero
Rome, RM
Planned out by ARCH.0

For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**. For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.

Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and

making reliability one of its main principles. **The attention to people is essential.**

With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story.**

The ordinary is extraordinary

One brand, many people.

Believing in people is a choice we make every day. We put value on our collaborators, growing day after day together and we build lasting and transparent relations with customers and suppliers.

Know how to listen.

We are committed to understanding the needs and the dreams of the customers and transforming the difficulties into occasions with the aim of constantly ameliorate in this direction.

There is no quality without warranty.

We have extended the warranty of all our technical fittings to 5 years, to guarantee a high quality of both the product and the service.

**Making design
affordable for
everyone.**

We want to bring design into people's everyday lives with lighting solutions, aesthetically beautiful and functional, but at a contained price.



Customer



Your projects,

Projects — Private house

Turin, Italy

Planned out by
Nicoletta Carbotti

Products:
Mapa Bianco, Swing.



light up by

Projects — Bolero Estudio

Las Palmas de Gran Canaria, Spain

Products:
Ego.







our products.

Projects — La cassa rurale

Salò, Italy

Planned out by
ArchLight

Products:
Oracle Slim.





Suspensions

Indoors

Alphabetical index

| | | | | | |
|-----------|-----|-----------|-----|----------|-----|
| Abc | 99 | Coco | 181 | Flut | 143 |
| A-Line | 125 | Colossal | 216 | Folk | 151 |
| Amadeus | 219 | Cono | 138 | Frame | 76 |
| Ampolla | 116 | Copernico | 110 | Frida | 120 |
| Archimede | 127 | Corte | 215 | Galaxy | 104 |
| Aria | 152 | Cotton | 159 | Gemini | 60 |
| Arizona | 156 | Craft | 91 | Gioconda | 224 |
| Audi-10 | 186 | Crown | 66 | Glory | 155 |
| Audi-80 | 187 | Cylinder | 190 | Gretel | 185 |
| Avion | 177 | Danieli | 228 | Harem | 233 |
| Bergen | 183 | Desk | 90 | Haunt | 190 |
| Birds | 105 | Diamond | 102 | Holly | 128 |
| Bistro' | 184 | Diesis | 126 | Hulahoop | 74 |
| Blanche | 214 | Dna | 174 | Ice | 118 |
| Blossom | 146 | Doge | 227 | Igor | 101 |
| Boa | 171 | Dream Big | 176 | Justine | 231 |
| Bon Bon | 231 | Driftwood | 235 | Karma | 150 |
| Breeze | 133 | Dubai | 208 | Karousel | 92 |
| Brigitta | 229 | Dynamite | 96 | Kepler | 111 |
| Caesar | 209 | Edison | 120 | King | 200 |
| Canapa | 235 | Empire | 179 | Konse | 115 |
| Candy | 158 | Equinoxe | 108 | Kuky | 139 |
| Cantina | 137 | Eris | 135 | Lana | 153 |
| Carlton | 203 | Essence | 88 | Leaves | 112 |
| Carta | 170 | Evasione | 207 | Lena | 153 |
| Casanova | 226 | Fade | 147 | Lingotto | 100 |
| Chalet | 234 | Filo | 84 | Look | 78 |
| Circus | 75 | Firenze | 230 | Lord | 146 |
| Citrus | 119 | Fisherman | 136 | Lucciola | 94 |
| Clown | 160 | Flam | 80 | Luce Max | 161 |
| Cocktail | 141 | Florian | 220 | Lugano | 119 |



























































Alphabetical index

| | | | |
|-------------|-----|-------------------|-----|
| Lumiere | 178 | Pop | 95 |
| Luxor | 206 | Rain | 201 |
| Madame | 188 | Rhapsody | 93 |
| Manhattan | 142 | Rose | 217 |
| Mapa | 168 | Set Up | 192 |
| Mapa Clear | 166 | Set Up Slim | 194 |
| Mapa Max | 161 | Set Up Ultra Slim | 196 |
| Mapa Mini | 164 | Sky | 83 |
| Mapa Plus | 162 | Smarties | 154 |
| Martinez | 202 | Soft | 180 |
| Metro | 133 | Strauss | 225 |
| Milk | 140 | Swan | 199 |
| Millennium | 210 | Tall | 124 |
| Minor | 97 | Topico | 148 |
| Mint | 182 | Triade | 129 |
| Miracle | 67 | Triumph | 98 |
| Mix Up | 130 | Tube | 82 |
| Moby | 134 | Ulissee | 156 |
| Monet | 211 | Ultrathin | 86 |
| Mr Jack | 121 | Umile | 145 |
| Nabucco | 204 | Vanity | 232 |
| Napoleon | 222 | V-Line | 89 |
| Negresco | 218 | Vortex | 113 |
| Nemo | 172 | Waves | 58 |
| Net | 114 | Yoko | 89 |
| Nodi | 175 | Yurta | 132 |
| Nordik | 189 | | |
| Norma | 232 | | |
| Oak | 82 | | |
| Oil | 122 | | |
| Onion | 117 | | |
| Opera | 198 | | |
| Oracle | 74 | | |
| Oracle Slim | 68 | | |
| Origami | 144 | | |
| Ovalino | 157 | | |
| Oz | 64 | | |
| Pan | 191 | | |
| Pasha' | 205 | | |
| Pegaso | 212 | | |
| Perlage | 106 | | |
| Perline | 105 | | |
| Plisse' | 152 | | |

Diamond

























































Suspensions

Typology index

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Waves 058 | Gemini 060 | Oz 064 | Crown 066 | Miracle 067 | OracleSlim 068 | Oracle 074 |
|  |  |  |  |  |  |  |
| Hulahoop 074 | Circus 075 | Frame 076 | Look 078 | Flam 080 | Tube 082 | Oak 082 |
|  |  |  |  |  |  |  |
| Sky 083 | Filo 084 | Ultrathin 086 | Essence 088 | Yoko 089 | V-Line 089 | Desk 090 |
|  |  |  |  |  |  |  |
| Craft 091 | Karousel 092 | Rhapsody 093 | Lucciola 094 | Pop 095 | Dynamite 096 | Minor 097 |
|  |  |  |  |  |  |  |
| Triumph 098 | Abc 099 | Lingotto 100 | Igor 101 | Diamond 102 | Galaxy 104 | Birds 105 |
|  |  |  |  |  |  |  |
| Perline 105 | Perlage 106 | Equinoxe 108 | Copernico 110 | Kepler 111 | Leaves 112 | Vortex 113 |
|  |  |  |  |  |  |  |
| Net 114 | Konse 115 | Ampolla 116 | Onion 117 | Ice 118 | Citrus 119 | Lugano 119 |
|  |  |  |  |  |  |  |
| Frida 120 | Edison 120 | Mr Jack 121 | Oil 122 | Tall 124 | A-Line 125 | Diesis 126 |

Suspensions

Typology index

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Archimede 127 | Holly 128 | Triade 129 | Mix Up 130 | Yurta 132 | Metro 133 | Breeze 133 |
|  |  |  |  |  |  |  |
| Cantina 137 | Cono 138 | Kuky 139 | Milk 140 | Cocktail 141 | Manhattan 142 | Flut 143 |
|  |  |  |  |  |  |  |
| Lord 146 | Fade 147 | Topico 148 | Karma 150 | Folk 151 | Aria 152 | Plissé 152 |
|  |  |  |  |  |  |  |
| Glory 155 | Ulisse 156 | Arizona 156 | Ovalino 157 | Candy 158 | Cotton 159 | Clown 160 |
|  |  |  |  |  |  |  |
| Mapa Mini 164 | Mapa 168 | Mapa Clear 169 | Carta 170 | Boa 171 | Nemo 172 | Dna 174 |
|  |  |  |  |  |  |  |
| Lumiere 178 | Empire 179 | Soft 180 | Coco 181 | Mint 182 | Bergen 183 | Bistrò 184 |
|  |  |  |  |  |  |  |
| Madame 188 | Nordik 189 | Cylinder 190 | Haunt 190 | Pan 191 | Set Up 192 | SetUp Slim 194 |
|  |  |  |  |  |  |  |
| King 200 | Rain 201 | Martinez 202 | Carlton 203 | Nabucco 204 | Pashà 205 | Luxor 206 |



Moby 134



Eris 135



Fisherman 136



Origami 144



Umile 145

new



Blossom 146



Lana 153



Lena 153



Smarties 154



Mapa Max 161



Mapa Plus 162



Luce Max 161



Nodi 175



Dream Big 176



Avion 177



Gretel 185



Audi-10 186



Audi-80 187

new



SetUp Ultra Slim 196



Opera 198



Swan 199



Evasione 207



Dubai 208



Caesar 209



Set Up

Pag 190



Opera

Pag 198



Millennium 210



Monet 211



Florian 220



Napoleon 222



Justine 231



Bon Bon 231

Suspensions

Typology index



Pegaso 212



Blanche 214



Corte 215



Colossal 216



Rose 217



Negresco 218



Amadeus 219



Gioconda 224



Strauss 225



Casanova 226



Doge 227



Danieli 228



Brigitta 229



Firenze 230



Vanity 232



Norma 232



Harem 233



Chalet 234



Canapa 235



Driftwood 235



Waves ^{new}


Matt varnished metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Opal rubber diffuser. Colors: white, black or gold.

LED

LED source 3000 K, 30.000 h life.


345239


345215

345222


4,300 Kg / 0,1517 m³
LED 54W / 7500 lm

€ 415


345291 White new
345277 Black new
345284 Gold new



3,200 Kg / 0,0947 m³
LED 45W / 6350 lm

€ 330

345260 White new
345246 Black new
345253 Gold new



2,700 Kg / 0,0504 m³
LED 37W / 5000 lm


€ 255

345239 White new
345215 Black new
345222 Gold new

Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.


| | | | |
|-------------------|--------------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 36W / 78W | Insulation class | I |
| Driver included | On/Off / DALI/Push | IP | 20 |
| Drivers available | No | Material | Aluminum |
| Beam | 130° | | |
| CCT | 2700 K / 3000 K / | | |
| CRI | ≥90 | | |



1,450 Kg / 0,0201 m³

LED SMD Driver included - Cable length 2000 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| 425x425 | 36 W | On-Off | 4000 lm | 2700 K | White | | 341521 | 240 new |
| | | | | | Black | | 341538 | 240 new |
| | | | | | Brass | | 341545 | 240 new |
| | | | 4150 lm | 3000 K | White | | 247229 | 240 |
| | | | | | Black | | 247236 | 240 |
| | | | | | Brass | | 247243 | 240 |



On/Off 1,710 Kg / 0,0462 m³
DALI/Push 1,600 Kg / 0,0389 m³

LED SMD Driver included - Cable length 2000 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|--|
| 610x610 | 47 W | On-Off | 4950 lm | 2700 K | White | | 341552 | 330 new |
| | | | | | Black | | 341569 | 330 new |
| | | | | | Brass | | 341576 | 330 new |
| | | DALI/Push | 5100 lm | 3000 K | White | | 247250 | 330 |
| | | | | | Black | | 247267 | 330 |
| | | | | | Brass | | 269832 | 330 |
| | | | | | White | | 304717 | 425 |
| | | | | | Black | | 304694 | 425 |
| | | | | | Brass | | 304700 | 425 |





247229




247236



247243


Gemini



On/Off 2,300 Kg / 0,0703 m³
DALI/Push 2,300 Kg/0,0703 m³

LED SMD Driver included - Cable length 2000 mm

| Measure | Power | Driver | Lumen | CCT | Finish | Code | € |
|---------|-------|-----------|---------|--------|--------|--------|---------|
| 810x810 | 56 W | On-Off | 6200 lm | 2700 K | White | 341583 | 430 new |
| | | | | | Black | 341590 | 430 new |
| | | | | | Brass | 341606 | 430 new |
| | 55 W | DALI/Push | 6300 lm | 3000 K | White | 247274 | 430 |
| | | | | | Black | 247281 | 430 |
| | | | | | Brass | 269849 | 430 |
| | | | | | White | 304748 | 525 |
| | | | | | Black | 304724 | 525 |
| | | | | | Brass | 304731 | 525 |
| | | | | | | | |



4,000 Kg / 0,1145 m³

LED SMD Driver included - Cable length 2300 mm

| Measure | Power | Driver | Lumen | CCT | Finish | Code | € |
|----------|-------|--------|---------|--------|--------|--------|---------|
| 1050x995 | 82 W | On-Off | 8500 lm | 2700 K | White | 341613 | 650 new |
| | | | | | Black | 341620 | 650 new |
| | | | | | Brass | 341637 | 650 new |
| | | | 8700 lm | 3000 K | White | 303895 | 650 |
| | | | | | Black | 307695 | 650 |
| | | | | | Brass | 307701 | 650 |






Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 K / 3000 / 4000 K, 30.000 h life.


| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 30.000 h |
| Power | 47W / 55W | Insulation class | II |
| Driver included | On/Off / DALI/Push | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |



1,500 Kg / 0,0354 m³

LED SMD Driver included - Cable length 2000 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|----------------------|
| ø 600 | 47 W | On-Off | 5000 lm | 2700 K | White | | 342344 | 250 new |
| | | | | | Black | | 342351 | 250 new |
| | | | | | Brass | | 342368 | 250 new |
| | | | 5100 lm | 3000 K | White | | 253671 | 250 |
| | | | | | Black | | 269436 | 250 |
| | | | | | Brass | | 269443 | 250 |
| | 48 W | DALI/Push | 5500 lm | 4000 K | White | | 342375 | 250 new |
| | | | | | Black | | 342382 | 250 new |
| | | | | | Brass | | 342399 | 250 new |
| | | | 5100 lm | 3000 K | White | | 304540 | 390 |
| | | | | | Black | | 304557 | 390 |
| | | | | | Brass | | 304564 | 390 |



1,900 Kg / 0,0607 m³

LED SMD Driver included - Cable length 2000 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|----------------------|
| ø 800 | 52 W | On-Off | 5800 lm | 2700 K | White | | 342405 | 295 new |
| | | | | | Black | | 342412 | 295 new |
| | | | | | Brass | | 342429 | 295 new |
| | | | 6100 lm | 3000 K | White | | 253664 | 295 |
| | | | | | Black | | 269450 | 295 |
| | | | | | Brass | | 269467 | 295 |
| | 55 W | DALI/Push | 6400 lm | 4000 K | White | | 342436 | 295 new |
| | | | | | Black | | 342443 | 295 new |
| | | | | | Brass | | 342450 | 295 new |
| | | | 6100 lm | 3000 K | White | | 304571 | 470 |
| | | | | | Black | | 304588 | 470 |
| | | | | | Brass | | 304595 | 470 |



P. 244



P. 362



P. 452



253671

269436

269443




Crown

Metal ceiling cap and frame with brushed brass finish. Black PVC cable. Opal acrylic diffuser with clear acrylic decorative element with cut crystal effect.



LED

LED source 3000 K, 30.000 h life.



IP20

3,420 Kg / 0,0814 m³
LED 42W / 5200 lm

€ 320

314921 Brass

IP20

2,600 Kg / 0,0436 m³
LED 30W / 3450 lm

€ 260

314938 Brass



Miracle ^{new}

Matt powder coated metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Diffuser with transparent acrylic elements decorated in relief with a crystal effect. Color: white.


LED


LED source 3000 K, 30.000 h life.

| | | |
|--|--|--|
| | | |
| IP20 | IP20 | IP20 |
| 1,800 Kg / 0,0723 m³ LED 45W / 6200 lm | 1,550 Kg / 0,0417 m³ LED 37W / 4900 lm | 1,200 Kg / 0,0194 m³ LED 25W / 3300 lm |
| € 215 | € 170 | € 130 |
| 325835 White new | 325828 White new | 325804 White new |

Oracle Slim Round new


Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in four different sizes. Integrated LEDs; available in 2700 K, 3000 K and 4000 K color temperatures and ON-OFF or DALI/Push control; CRI ≥ 90 ; LED useful life 50.000 h; IP20 protection, insulation class II.

| | | | |
|-------------------|--------------------------|------------------|-----------|
| Source | LED SMD | CRI | ≥ 90 |
| Power | 29W / 83W | LED life | 50.000 h |
| Driver included | On/Off / DALI/Push | Insulation class | II |
| Drivers available | No | IP | 20 |
| Beam | 115° | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |



LED SMD Driver included - Cable length 2500 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|--|
| ø 500 | 29 W | On-Off | 2850 lm | 2700 K | White | | 342016 | 180 new |
| | | | | | Black | | 342009 | 180 new |
| | | | 3000 lm | 3000 K | White | | 229461 | 180 |
| | | | | | Black | | 229492 | 180 |
| | | | 3400 lm | 4000 K | White | | 269856 | 180 |
| | | | | | Black | | 304380 | 180 |
| | 29 W | DALI/Push | 2850 lm | 3000 K | White | | 304373 | 255 |
| | | | | | Black | | 304366 | 255 |
| | | | 3100 lm | 4000 K | White | | 342030 | 255 new |
| | | | | | Black | | 342023 | 255 new |




LED SMD Driver included - Cable length 2500 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|--|
| ø 700 | 37 W | On-Off | 3800 lm | 2700 K | White | | 342054 | 245 new |
| | | | | | Black | | 342047 | 245 new |
| | | | 4250 lm | 3000 K | White | | 229485 | 245 |
| | | | | | Black | | 229515 | 245 |
| | | | 4350 lm | 4000 K | White | | 269863 | 245 |
| | | | | | Black | | 304410 | 245 |
| | 40 W | DALI/Push | 4200 lm | 3000 K | White | | 304403 | 305 |
| | | | | | Black | | 304397 | 305 |
| | | | 4450 lm | 4000 K | White | | 342078 | 305 new |
| | | | | | Black | | 342061 | 305 new |






Oracle Slim Round



LED SMD Driver included - Cable length 2500 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|---------|
| ø 900 | 53 W | On-Off | 5150 lm | 2700 K | White | | 342115 | 260 new |
| | | | | | Black | | 342108 | 260 new |
| | | | 5200 lm | 3000 K | White | | 229478 | 260 |
| | | | | | Black | | 229508 | 260 |
| | | | 5350 lm | 4000 K | White | | 269870 | 260 |
| | | | | | Black | | 304441 | 260 |
| | 43 W | DALI/Push | 4500 lm | 3000 K | White | | 304434 | 375 |
| | | | | | Black | | 304427 | 375 |
| | 42 W | | 4600 lm | 4000 K | White | | 342139 | 375 new |
| | | | | | Black | | 342122 | 375 new |



LED SMD Driver included - Cable length 2500 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|---------|
| ø 1500 | 83 W | On-Off | 7850 lm | 2700 K | White | | 342177 | 490 new |
| | | | | | Black | | 342160 | 490 new |
| | | | 8750 lm | 3000 K | White | | 265957 | 490 |
| | | | | | Black | | 285061 | 490 |
| | | | 9350 lm | 4000 K | White | | 285078 | 490 |
| | | | | | Black | | 304472 | 490 |
| | 77 W | DALI/Push | 7300 lm | 3000 K | White | | 304465 | 625 |
| | | | | | Black | | 304458 | 625 |
| | | | 7450 lm | 4000 K | White | | 342191 | 625 new |
| | | | | | Black | | 342184 | 625 new |






Oracle Slim Square


Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in three different sizes. Integrated LEDs; available in 3000 K color temperatures and ON-OFF control; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.

| | | | |
|-------------------|-----------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 33W / 53W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| Beam | 115° | | |
| CCT | 3000 K | | |
| CRI | ≥90 | | |




LED SMD Driver included - Cable length 2500 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|-----|
| 500x500 | 33 W | On-Off | 3050 lm | 3000 K | White | | 259154 | 205 |
| | | | | | Black | | 259161 | 205 |



LED SMD Driver included - Cable length 2500 mm

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|-----|
| 700x700 | 44 W | On-Off | 4350 lm | 3000 K | White | | 259178 | 245 |
| | | | | | Black | | 259185 | 245 |



LED SMD Driver included - Cable length 2500 mm


| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|-----|
| 900x900 | 53 W | On-Off | 5200 lm | 3000 K | White | | 259192 | 260 |
| | | | | | Black | | 259208 | 260 |



Oracle

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.


LED LED source 3000 K, 30.000 h life.



Hulahoop

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.

LED LED source 3000 K, 17.500 h life.






Circus

Powder coated metal ceiling rose and frame with black finish. Opal polycarbonate external diffuser. PVC electrical cable.

LED LED source 3000 K, 20.000 h life.




IP20

1,130 Kg / 0,0593 m³
LED 36W / 4250 lm

€ 290

291406 ■ Black




IP20

1,060 Kg / 0,0384 m³
LED 33W / 3550 lm

€ 255

291376 ■ Black



IP20

0,970 Kg / 0,0221 m³
LED 29W / 3200 lm

€ 220




291345 ■ Black



Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.

LED LED source 3000 K, 30.000 h life.




IP20

3,500 Kg / 0,1050 m³
LED 82W / 6850 lm

€ 400

269351 White
269337 Black




IP20

4,270 Kg / 0,0689 m³
LED 80W / 8550 lm

€ 580

253596 White
269375 Black



IP20

4,300 Kg / 0,2100 m³
LED 93W / 10050 lm

€ 600

253589 White
269382 Black



P. 247



P. 501



Look

Metal ceiling rose and diffuser with different finishes. Power cable coated with fabric adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.

LED

Bulbs LED GU10 7W, GU10 10W and GU10 4 W3000 K included.

194806



104935

104942

104928

141800

313894


141817

259239

141794

141855


170589



2,950 Kg / 0,0092 m³
GU10 max 1x 28W

€ 140


158723 ■ Black



0,990 Kg / 0,0029 m³
GU10 max 1x 28W

€ 60


104935 ■ White
104928 ■ Black
259239 ■ Brass



0,990 Kg / 0,0029 m³
GU10 max 1x 28W

€ 80

194806 ■ Clear
141800 ■ Silver
141817 ■ Gold
104942 ■ Chrome
141794 ■ Ant. Brass
141855 ■ Copper
170589 ■ Coffee




0,650 Kg / 0,0019 m³
GU10 max 1x 28W

€ 65


346854 ■ White new
346861 ■ Chrome new
343310 ■ Black new




P. 300 P. 381 P. 506 P. 698




189031 € 15,00



123943 € 3,50



123943 € 3,50



339771 € 3,00




080

Flam ^{new}

Powder coated metal ceiling cap and frame. Borosilicate glass diffuser. Black PVC cable. Frame color: black. Diffuser colors: clear, smoked shaded clear or smoked.

LED

LED source 3000 K, 30.000 h life.

321042
321059
345512


0,820 Kg / 0,0054 m³
LED 10W / 900 lm


€ 115

321059 **White** ^{new}
321042 **Smoked Grey** ^{new}
345512 **Shaded** ^{new}

Tube

White or black powder coated aluminum ceiling cup and body.
Power cable coated with fabric.
Integrated LED light emission.

LED Led source 3000 K, 35.000 h life.




IP20

0,960 Kg / 0,0073 m³
LED 11W / 1050 lm

€ 210

211701 White
211718 Black




IP20

0,680 Kg / 0,0048 m³
LED 11W / 1050 lm


€ 150

211459 White
211466 Black



Oak

Metal ceiling cup with matt varnish finish. Concrete diffuser. Electrical cable coated with fabric.



IP20

1,220 Kg / 0,0055 m³
GU10 max 1x 35W

€ 85

150635 Concrete

3000 K
410 lm

108292

€ 3,00



P. 310





Sky

Plated metal ceiling cup and diffuser or with matt white or black varnish finish.




Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



126906


126913



0,950 Kg / 0,0043 m³
GU10 max 1x 28W

€ **96**

126906 White
126913 Black



123943

€ **3,50**



P. 301



P. 381



084

Filo ^{new}

Powder coated or plated metal ceiling cap and bodies. Black PVC electric cables. Models 300801, 300818 and 300825 with 4 meters cable and switch on the ceiling cap. Colors: white, black or satin brass.

LED

Led source 2700 K / 3000 K,
20.000 h life.


ON
OFF

Lamp with integrated switch.
Cod. **300818**, **300801**, **300825**.

263687

263670


263700




8,600 Kg / 0,0635 m³
LED 19W / 2050 lm / 2100 lm
€ 450

341088 White
263441 White
341095 Black
263434 Black
341101 Brass
263663 Brass

2700K^{new} 341057 White
3000K 263687 White
2700K^{new} 341064 Black
3000K 263670 Black
2700K^{new} 341071 Brass
3000K 263700 Brass



0,530 Kg / 0,0142 m³
LED 3,5W / 220 lm
€ 75



0,830 Kg / 0,0105 m³
LED 3,5W / 220 lm
€ 110

2700K^{new} 300818 White
3000K 300801 Black
2700K^{new} 300825 Brass
3000K



P. 392



P. 456



P. 502



Ultrathin ^{new}

Matt painted or plated metal ceiling cap and body. Electrical cable coated with fabric. Colors: white, chrome, brushed brass or black.

LED Led source 3000 K, 30.000 h life.



339733, 339726




142913 321783
156699 321813



339757, 339740




194196, 194202



0,670 Kg / 0,0036 m³
LED 11,5W / 1150 lm / 51°

€ 143 On-Off / 205 Dali


| | | |
|--------|--------|-----------------------|
| 142906 | White | On-Off |
| 164878 | Chrome | On-Off |
| 142913 | Black | On-Off |
| 339733 | Brass | On-Off ^{new} |
| 321783 | Black | Dali/Push |



0,860 Kg / 0,0036 m³
LED 11,5W / 1150 lm / 51°

€ 209

| | |
|--------|-------|
| 194172 | White |
| 194196 | Black |
| 339757 | Brass |



0,460 Kg / 0,0036 m³
LED 11,5W / 1150 lm / 51°

€ 108 On-Off / 176 Dali

| | | |
|--------|--------|-----------------------|
| 156682 | White | On-Off |
| 187662 | Chrome | On-Off |
| 156699 | Black | On-Off ^{new} |
| 339726 | Brass | On-Off ^{new} |
| 321813 | Black | Dali/Push |



0,450 Kg / 0,0019 m³
LED 11,5W / 1150 lm / 51°

€ 170



| | |
|--------|----------------------|
| 194189 | White |
| 194202 | Black |
| 339740 | Brass ^{new} |



Essence ^{new}

Powder coated aluminum ceiling rose and body. Opal color acrylic diffuser. PVC cables. Colors: white or black.

LED LED source LED 2700 K / 3000 K, 30.000 h life.



IP20

0,900 Kg / 0,0165 m³
LED 19W / 2150 / 2300 / 2350 lm

€ 275

| | | |
|--------|-------|----------------------|
| 341033 | Black | 2700K ^{new} |
| 285085 | White | 3000K |
| 285092 | Black | 3000K |
| 341040 | Black | 4000K ^{new} |




P. 390

Yoko

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuse. Clear PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 30.000 h life.



0,700 Kg / 0,0383 m³
LED 17W / 1700 lm

€ 130

258898 White
258928 Black



P. 457




P. 503



V-Line

Powder-coated aluminum body. Opal silicone diffuser. Steel cables with chromed supports. PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 20.000 h life.




1,050 Kg / 0,0058 m³
LED 20W / 1700 lm

€ 215

275369 White
275376 Black





138237

336183 / 336206

336190 / 336176

Desk ^{new}

Powder-coated aluminum ceiling cap and body. PVC electric cable. Available with single diffused light emission, double light emission upward and downward, or double light emission: upward diffused emission and downward concentrated emission.

LED

LED source 3000 K, 30.000 h life.

173245 / 336190

336176

| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 1,800 Kg / 0,0094 m³ LED 36W / 4000 lm | 1,800 Kg / 0,0094 m³ LED 36W / 4000 lm | 1,860 Kg / 0,0140 m³ LED 32W / 2100 lm |
| € 180 | € 180 | € 180 |
| 336206 White 336190 Black | new 336183 White new 336176 Black | new 138237 White new 173245 Black |




P. 374



Craft

Matt black varnished metal ceiling cap. Natural wood body. Satin opal color polycarbonate diffuser. Clear PVC cable.

LED LED source 3000 K, 20.000 h life.



IP20

3,400 Kg / 0,0238 m³
LED 32W / 2700 lm

€ 360

284460 Wood



P. 374



P. 510




Karousel

Metal frame with satin brass finish.
White overlay acid-etched blown
glass diffuser.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**




IP20

4,340 Kg / 0,1739 m³
G9 max 10 x 15W

€ 780

206394 Brass

3000 K
510 lm
305486 € 6,00



IP20

2,810 Kg / 0,1055 m³
G9 max 6 x 15W

€ 600

206387 Brass


3000 K
510 lm
305486 € 6,00



Rhapsody

Metal frame with satin brass finished ceiling rose and matt black arms. PVC cables. White acid-etched blown glass diffusers.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

5,020 Kg / 0,2040 m³
G9 max 16 x 15W

€ 750

236964 ■ Black

3000 K
510 lm

305486

€ 6,00

IP20

3,510 Kg / 0,1400 m³
G9 max 12 x 15W

€ 550

236957 ■ Black

3000 K
510 lm

305486

€ 6,00




Lucciola

Metal ceiling cap and suspended body powder painted or plated. Spheric satin acrylic diffuser. PVC cables with aluminium ceiling supports. Colours: brass or black.

LED LED source 3000 K, 20.000 h life.



284002 284019



IP20

2,500 Kg / 0,0165 m³
LED 16W / 1300 lm


€ 550

284002 ■ Black
284019 ■ Brass



Pop

Metal ceiling cup, frame and bulb socket cover with black matt varnish finish. Cables adjustable in length.



IP20

2,920 Kg / 0,0147 m³
E27 max 10 x 60W


€ 300

158860 ■ Black

3000 K
900 lm

123899

€ 3,50



IP20

1,670 Kg / 0,0096 m³
E27 max 6 x 60W

€ 200

158815 ■ Black

3000 K
900 lm

123899

€ 3,50



Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers. Power cable coated with fabric. Suspension model includes also kit for ceiling installation.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



231433




231396



244648



P. 312



2,700 Kg / 0,0360 m³
GU10 max 6 x 28W

€ 350

231433 White
231396 Black
244648 Brass

3000 K
540 lm
123943 € 3,50



2,310 Kg / 0,0243 m³
GU10 max 4 x 28W

€ 275

231372 White
231341 Black
244624 Brass

3000 K
540 lm
123943 € 3,50



Minor

Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.



Bulbs LED GX53 9W 3000 K included.
Cod. 123936


| | | | |
|---|---|---|--|
| <p>90 40 765 2040 765</p> | <p>90 40 500 2040 500</p> | <p>90 40 1150 2040 85</p> | <p>90 40 755 2040 85</p> |
| IP20 PVC | IP20 PVC | IP20 PVC | IP20 PVC |
| 3,440 Kg / 0,1200 m³ GX53 max 8 x 9W | 2,250 Kg / 0,0564 m³ GX53 max 5 x 9W | 2,210 Kg / 0,0203 m³ GX53 max 6 x 9W | 1,650 Kg / 0,0135 m³ GX53 max 4 x 9W |
| € 480 | € 325 | € 325 | € 247 |
| 235547 ■ Black | 235516 ■ Black | 235486 ■ Black | 235455 ■ Black |
| 3000 K 910 lm 123936 € 5,00 | 3000 K 910 lm 123936 € 5,00 | 3000 K 910 lm 123936 € 5,00 | 3000 K 910 lm 123936 € 5,00 |





Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,640 Kg / 0,0470 m³
E27 max 8 x 42W

€ 550

160269 Brass

2200 K
370 lm

151687

€ 2,50



P. 326




P. 424



Abc

Total metal ceiling rose, bulb socket covers and decorative structure with satin brass finish. Power cable coated with black fabric.



0,590 Kg / 0,0117 m³
E27 max 1x70W


€ 120

207834 Brass



2200 K
440 lm

151694 € 4,00



0,570 Kg / 0,0100 m³
E27 max 1x70W


€ 120

207841 Brass



2200 K
330 lm

151700 € 4,00



0,610 Kg / 0,0100 m³
E27 max 1x70W

€ 120

207858 Brass



2200 K
500 lm

151717 € 6,00



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in models: **327846**, **251110**, **327839** and **251103**. Cod. **209043**



P. 335




P. 477

| | | |
|---|---------------------------------------|---------------------------------------|
| | | |
| IP20 | IP20 | IP20 |
| 4,530 Kg / 0,0564 m³ E14 max 3 x 28W | 2,260 Kg / 0,0442 m³ G9 max 3 x 4W | 0,660 Kg / 0,0105 m³ G9 max 1 x 4W |
| € 290 | € 240 | € 90 |
| 304144 ■ Black 198125 ■ Brass | 327846 ■ Black 251110 ■ Brass | 327839 ■ Black 251103 ■ Brass |
| 3000 K 420 lm | 3000 K 510 lm | 3000 K 510 lm |
| 101217 € 2,00 | 305486 € 6,00 | 305486 € 6,00 |



Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.



IP20

8,810 Kg / 0,0941 m³
E27 max 4 x 42W

€ 390

092942 ■ Black

2200 K
440 lm

151694

€ 4,00




P. 420



Diamond ^{new}

Chromed metal ceiling cap. Clear Teflon cable. Clear acrylic diffusers with cut crystal processing effect.

LED LED source 3000 K, 20.000 h life.






Galaxy new

Metal ceiling plate with shiny nickel black finish. Black PVC cables. Opal color and clear acrylic diffusers with central brushed metal insert in nickel, brass and copper color.

LED LED source 3000 K, 20.000 h life.




IP20

5,500 Kg / 0,0540 m³
LED 58W / 5400 lm

€ 650

321172 White



IP20

3,400 Kg / 0,0304 m³
LED 29W / 2800 lm


€ 476

342993 White new

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC electrical cable. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




2,750 Kg / 0,1353 m³

G9 max 5 x 15W

€ 283

273648 ■ Black



305486 € 6,00



P. 327



P. 421



P. 473




P. 497



Perline

Metal ceiling cap and frame. White blown acid-etched glass diffusers. Clear Teflon electrical cable. Available finish: matt black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




1,600 Kg / 0,0584 m³

G9 max 3 x 40W

€ 215

307008 ■ Black

282114 ■ Brass



305486 € 6,00




1,200 Kg / 0,0546 m³

G9 max 2 x 40W

€ 155

306995 ■ Black

282107 ■ Brass



305486 € 6,00





Perlage

Metal frame with linear structure with round section or with circular structure with square section. Blown glass diffusers. PVC electrical cable. Colors: matt black frame with smoked glass, satin brass frame with etched white glass or satin brass frame with amber glass.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**


283821

271422

317793

| | | | | |
|--|--|--|--|--|
| | | | | |
| IP20 | IP20 | IP20 | IP20 | IP20 |
| 8,920 Kg / 0,2722 m³ G9 max 30 x 15W | 3,910 Kg / 0,0924 m³ G9 max 14 x 15W | 3,100 Kg / 0,0736 m³ G9 max 11 x 15W | 2,200 Kg / 0,0617 m³ G9 max 10 x 15W | 1,300 Kg / 0,0317 m³ G9 max 6 x 15W |
| € 1610 | € 713 | € 610 | € 448 | € 299 |
| 296746 White 296753 Smok.Gra. 322780 Amber | 283814 White 271385 Smok.Gra. 322797 Amber | 283807 White 271392 Smok.Gra. 322773 Amber | 283791 White 271408 Smok.Gra. 322766 Amber | 283821 White 271422 Smok.Gra. 317793 Amber |
| 3000 K 510 lm | 3000 K 510 lm | 3000 K 510 lm | 3000 K 510 lm | 3000 K 510 lm |
| 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 |



Equinoxe ^{new}

Plated metal structure. Clear borosilicate glass diffusers. Black PVC cable. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**



200118




200125



345390



345383




5,540 Kg / 0,1304 m³
G4 max 12 x 2W
€ 1045

200118 Chrome
200125 Brass

345390 ShadedSm^{new}
345383 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00




4,460 Kg / 0,1427 m³
G4 max 8 x 2W
€ 825

275178 Chrome
275215 Brass

345437 ShadedSm^{new}
345420 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00




5,200 Kg / 0,1274 m³
G4 max 6 x 2W
€ 715

317250 Chrome
317243 Brass

345413 ShadedSm^{new}
345406 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00




0,850 Kg / 0,0326 m³
G4 max 1 x 2W
€ 198

306551 Chrome
277394 Brass

345376 ShadedSm^{new}
326368 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00




0,700 Kg / 0,0211 m³
G4 max 1 x 2W
€ 154

306544 Chrome
277387 Brass

345369 ShadedSm^{new}
345352 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



0,640 Kg / 0,0170 m³
G4 max 1 x 2W
€ 132

306537 Chrome
277370 Brass

326351 ShadedSm^{new}
345345 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



Copernico


Matt varnished metal ceiling cap and structure with brass details. Pvc electric cable. Blown acid-etched overlay white glass diffuser. Color: black.



197319



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




10,270 Kg / 0,1340 m³
G9 max 20 x 4W

€ 1050

197333 ■ Black

3000 K
510 lm
305486 € 6,00



6,870 Kg / 0,0970 m³
G9 max 12 x 4W

€ 650


197319 ■ Black

3000 K
510 lm
305486 € 6,00



Kepler

Matt black varnished metal chain and frame. Amber transparent blown glass diffusers.



IP20

5,300 Kg / 0,1789 m³
E27 max 18 x 42W

€ 400

162478 ■ Black

3000 K
430 lm

101279

€ 2,00

IP20

3,630 Kg / 0,0990 m³
E27 max 12 x 42W

€ 300

162201 ■ Black

3000 K
430 lm

101279

€ 2,00



P. 422




Leaves

White metal frame. White hand-shaped blown glass decorative elements. Steel cables adjustable in length.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**





Vortex


Matt white painted metal frame.
Hand shaped and hand painted
with gold or silver enamel
decorative metal elements.



101613



101606



2,500 Kg / 0,2344 m³
E14 max 6 x 40W

€ 250

101613 Silver
101606 Gold




3000K
480lm

101200 € 2,00



Net

Matt varnished metal ceiling cap.
PVC cable. Matt varnished metal
net diffuser. Finishes: white, black,
gold.



0,950 Kg / 0,0518 m³
E27 max 1x 42W

€ 70

328133 White
328126 Black
317281 Gold

3000 K
900 lm

123899 € 3,50




0,750 Kg / 0,0342 m³
E27 max 1x 42W

€ 60

328102 White
313788 Black
313771 Gold

3000 K
900 lm

123899 € 3,50



0,750 Kg / 0,0281 m³
E27 max 1x 42W

€ 60

317274 White
328119 Black
317267 Gold

3000 K
900 lm

123899 € 3,50



328102



313788




313771



Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.



IP20

4,600 Kg / 0,7203 m³
E27 max 7 x 60W


€ 650

156033 Gold



3000 K
910 lm

119571 € 3,50



IP20

3,510 Kg / 0,1201 m³
E27 max 6 x 60W


€ 450

156026 Gold



3000 K
910 lm

119571 € 3,50



IP20

1,930 Kg / 0,1175 m³
E27 max 1 x 60W

€ 225

155968 Gold



3000 K
910 lm

119571 € 3,50




Ampolla

Matt varnished ceiling cap, bulb holders and decorative structure.
Pvc cable. Color: black.



167497




IP20

0,950 Kg / 0,0709 m³
E27 max 1x60W

€ 120


148502 ■ Black



151717

2200 K
500 lm

€ 6,00



IP20

0,590 Kg / 0,0480 m³
E27 max 1x60W

€ 110


148151 ■ Black



151687

2200 K
370 lm

€ 2,50



IP20

0,720 Kg / 0,0480 m³
E27 max 1x60W

€ 198


148175 ■ Black



151694

2200 K
440 lm

€ 4,00



IP20

1,470 Kg / 0,0709 m³
E27 max 1x60W

€ 214

167497 ■ Black



151694

2200 K
440 lm

€ 4,00



Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.




IP20

5,050 Kg / 0,2383 m³
E27 max 1x60W

€ 400

205311 Coffee

2200 K
480 lm
151724 € 6,00



IP20

3,520 Kg / 0,1325 m³
E27 max 1x60W

€ 270

205304 Coffee

2200 K
480 lm
151724 € 6,00




IP20

2,380 Kg / 0,0705 m³
E27 max 1x60W

€ 180

205298 Coffee

2200 K
500 lm
151717 € 6,00



IP20

1,260 Kg / 0,0169 m³
E27 max 1x60W

€ 95


205281 Coffee

2200 K
500 lm
151717 € 6,00



Ice

Matt white or black varnished metal ceiling rose and frame. Metal bulb socket cover with satin brass finish. PVC power cable.



⏏ IP20

2,920 Kg / 0,0345 m³
E27 max 5 x 60W

€ 250

237671 White
237664 Black

💡 3000 K
340 lm
101286 € 2,00




237671



237664

Citrus

Body with painted multilevel wood elements. Power cable coated with black fabric.




0,660 Kg / 0,0173 m³

E27 max 1x60W

€ 160

159843 Wood




0,720 Kg / 0,0242 m³

E27 max 1x60W

€ 170

159850 Wood




0,510 Kg / 0,0148 m³

E27 max 1x60W

€ 140

159867 Wood



119571 € 3,50


119571 € 3,50

119571 € 3,50



Lugano

Matt varnished metal ceiling cup. Power cable coated with fabric with antique brass metal bulb socket cover. Ceramic diffuser.




2,950 Kg / 0,0618 m³

E27 max 3x60W

€ 385

206875 White




0,850 Kg / 0,0090 m³

E27 max 1x60W

€ 138

206806 White




0,860 Kg / 0,0068 m³

E27 max 1x60W

€ 138

206820 White



123899 € 3,50


123899 € 3,50

123899 € 3,50



Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.



0,320 Kg / 0,0015 m³
E27 max 1x 60W

€ 40

139432 Chrome
139425 Black
122106 Copper
122083 Ant. Brass



2200 K
500 lm



151717 € 6,00 [P. 419](#)




Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.



Bulbs LED E27 8W Globo D125
trasparente 3000 K included.
Cod. **101347**



0,320 Kg / 0,0098 m³
E27 max 1x 42W

€ 60

113302 White
113319 Black



3000 K
1050 lm



101347 € 6,00 [P. 416](#)






Mr Jack

Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

LED Bulbs LED GU10 7W 3000 K included. Cod. **123943**




0,890 Kg / 0,0090 m³
GU10 max 1x28W

€ 80

231273 White
116464 Chrome
231297 Black

3000 K
540 lm
123943 € 3,50



0,520 Kg / 0,0040 m³
GU10 max 1x28W

€ 70

231228 White
116457 Chrome
231259 Black

3000 K
540 lm
123943 € 3,50



Oil

Metal frame with matt black finish.
Concrete diffuser. Model 110462
supplied with 12 meters length
electrical cable coated with fabric;
6 mounting hooks and Italian plug
which can replace the ceiling cup.


110417

110424

110431

129082


129099




1,780 Kg / 0,0130 m³
E27 max 1x15W

€ 116

110417 Concrete




101279 € 2,00




1,180 Kg / 0,0119 m³
E27 max 1x15W

€ 116

110424 Concrete




101279 € 2,00




1,810 Kg / 0,0130 m³
E27 max 1x15W

€ 116

110431 Concrete



101279 € 2,00



1,650 Kg / 0,0165 m³
E27 max 1x15W

€ 116

129082 Concrete




101279 € 2,00




1,760 Kg / 0,0236 m³
E27 max 1x15W

€ 116

129099 Concrete




101279 € 2,00



1,490 Kg / 0,0111 m³
GU10 max 1x15W

€ 138

110462 Concrete




108292 € 3,00



Tall

Matt white or black varnished metal diffuser and details. Over 5 meters length PVC cable supplied with 6 fastening hooks.



IP20

0,550 Kg / 0,0036 m³
E27 max 1x 42W

€ 135

196770 White
196787 Black

3000 K
340 lm
101286 € 2,00



196770



196787



A-Line

Powder coated metal ceiling cup.
 Matt white or black varnished metal
 diffuser white inside. Power cable
 coated with fabric.

LED


Bulbs LED GU10 7W 3000 K included in
 models: **232690** and **232713**.
 Code **123943**



232690



232713



IP20

1,080 Kg / 0,0491 m³
 E27 max 1x60W

€ 85


232720 ■ White
 232744 ■ Black



3000 K
 900 lm

123899

€ 3,50



IP20

0,330 Kg / 0,0114 m³
 GU10 max 1x28W

€ 60

232690 ■ White
 232713 ■ Black



3000 K
 540 lm

123943


€ 3,50



Diesis

Powder coated or plated metal ceiling rose and diffuser. Black PVC cable. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.



IP20

0,450 Kg / 0,0054 m³
LED 7W / 500 lm

€ 110

285122 ■ Nickel
279770 ■ Black
279794 ■ Brass



P. 459



P. 511



Archimede

Powder coated metal ceiling cap with magnetic closure without screws. PVC cable. Powder coated aluminum diffuser with acrylic optic. Finishes: white, black.

LED LED source 3000 K, 50.000 h life.




310589



310596



310602




IP20

0,150 Kg / 0,0019 m³
LED 4W / 250 lm

€ 65

310589 White
328331 Black




IP20

0,140 Kg / 0,0019 m³
LED 4W / 250 lm

€ 70

310596 White
328348 Black



IP20

0,160 Kg / 0,0019 m³
LED 4W / 250 lm


€ 75

310602 White
328355 Black



Holly

Metal ceiling rose and diffusers with brushed brass finish or powder coated with white or black finish. Power cables coated with fabric.



IP20

2,740 Kg / 0,0254 m³
E27 max 3 x 60W

€ 190

231587 White
231594 Black
231600 Brass

3000 K
900 lm

123899 € 3,50

IP20

0,780 Kg / 0,0064 m³
E27 max 1 x 60W

€ 75

231556 White
231563 Black
231570 Brass

3000 K
900 lm

123899 € 3,50



231556



231563




231570



Triade

Powder coated metal ceiling rose and diffuser, white inside. Golden spherical decorative element.




IP20

2,630 Kg / 0,0797 m³
E27 max 3 x 42W

€ 250

194677 ■ Dark Grey

3000 K
900 lm
123899 € 3,50




IP20

0,960 Kg / 0,0169 m³
E27 max 1 x 42W

€ 75

221489 ■ Dark Grey

3000 K
900 lm
123899 € 3,50




IP20

0,750 Kg / 0,0090 m³
E27 max 1 x 42W

€ 75

221496 ■ Dark Grey

3000 K
900 lm
123899 € 3,50



IP20

1,020 Kg / 0,0105 m³
E27 max 1 x 42W

€ 75

194684 ■ Dark Grey

3000 K
900 lm
123899 € 3,50



Mix Up


Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable. Finishes: white or black.



288406




288390



0,460 Kg / 0,0018 m³
E27 max 1x60W

€ 55

288406 ■ White
288390 ■ Black



2,000 Kg / 0,0676 m³

€ 85


288437 ■ White
288420 ■ Black



1,100 Kg / 0,0446 m³

€ 55


307404 ■ White
288475 ■ Black



0,800 Kg / 0,0147 m³

€ 40

307411 ■ White
288444 ■ Black



0,500 Kg / 0,0174 m³

€ 35

307428 ■ White
288451 ■ Black



3000 K
900 lm

123899

€ 3,50



Yurta

Powder coated metal ceiling rose and shade. Power cables coated with fabric. Colors: total white or black with white inside.



285146


281568




1,760 Kg / 0,0687 m³
E27 max 1x60W

€ 110

285160 White
281582 Black




123899 € 3,50



1,000 Kg / 0,0277 m³
E27 max 1x60W

€ 80

285153 White
281539 Black




101286 € 2,00



0,740 Kg / 0,0138 m³
E27 max 1x60W

€ 70


285146 White
281568 Black



101286 € 2,00

Metro

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.




0,970 Kg / 0,0261 m³

E27 max 1x60W

€ 70

139098 ■ Dark Grey



101354 € 6,00



Breeze

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.




3,490 Kg / 0,0707 m³


E27 max 1x60W

€ 195

232041 ■ Dark Grey



101354 € 6,00




0,790 Kg / 0,0206 m³

E27 max 1x60W

€ 65

137681 ■ Dark Grey



101330 € 4,50





Moby

Metal frame and diffuser white inside. Available finishes: white, black or copper.



IP20

1,200 Kg / 0,0356 m³
E27 max 1x 42W

€ 127

102047 White
093659 Black
093697 Copper

3000 K
950 lm
101330 € 4,50



Eris


Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.



238104



249056




0,630 Kg / 0,0102 m³
E27 max 1x 42W

€ 75

238104 White
249056 Black

3000 K
340 lm

101286 € 2,00




1,080 Kg / 0,0257 m³
E27 max 1x 42W

€ 86

238135 White
249063 Black

3000 K
950 lm

101330 € 4,50



0,740 Kg / 0,0126 m³
E27 max 1x 42W

€ 75

238173 White
249070 Black

3000 K
340 lm

101286 € 2,00



0,960 Kg / 0,0231 m³
E27 max 1x 42W

€ 86

238210 White
249087 Black

3000 K
340 lm

101286 € 2,00



Fisherman

Totally metal body with copper or matt black enamel finish. White silkscreen-printed glass diffuser.



125831



134871



IP20

5,040 Kg / 0,0899 m³
E27 max 1x 60W

€ 400

125831 ■ Black
134871 ■ Copper



3000 K
1050 lm

101323

€ 4,50




Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.



112732

112701



IP20

0,810 Kg / 0,0189 m³
E27 max 1x 42W

€ 100

112732 Copper
112701 Ant. Brass

3000 K
910 lm

119571 € 3,50



P. 426



Cono new

Plated metal ceiling cap and frame.
Clear blown glass diffuser. PVC
cable. Colors: chrome with frosted
diffuser, nickel or brass.

LED

Bulbs LED GU10 7W 3000 K included.
Cod. **123943**




321462



321479



322803



1,000 Kg / 0,0168 m³
GU10 max 1x28W

€ 80


321462 **Chrome** new
321479 **Brass** new
322803 **Nickel** new

3000 K
540 lm
123943 **€ 3,50**



Kuky

Chrome metal frame. Available with sanded frosted Pyrex glass in the central part.




IP20

4,580 Kg / 0,0766 m³
E27 max 4 x 60W

€ 240

023038 Clear

3000 K
910 lm
119571 € 3,50




IP20

2,510 Kg / 0,0464 m³
E27 max 3 x 60W

€ 170

033952 Clear

3000 K
910 lm
119571 € 3,50



IP20

0,980 Kg / 0,0165 m³
E27 max 1 x 60W

€ 58


023021 Clear

3000 K
910 lm
119571 € 3,50



Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.



IP20


4,220 Kg / 0,1024 m³
E27 max 3 x 42W

€ 265

030326 White

3000 K
900 lm

123899 € 3,50



IP20

1,270 Kg / 0,0354 m³
E27 max 1 x 42W

€ 105

026787 White

3000 K
900 lm

123899 € 3,50



Cocktail


Blown overlay acid-etched glass diffuser. White inside and colored outside. Suspension models supplied with cables adjustable in length.

| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 3,740 Kg / 0,0708 m³ E14 max 3 x 40W | 3,200 Kg / 0,1259 m³ E27 max 1 x 60W | 1,180 Kg / 0,0257 m³ E14 max 1 x 40W |
| € 265 | € 305 | € 105 |
| 074245 White | 074313 White | 074337 White |
| 3000 K 420 lm | 3000 K 900 lm | 3000 K 420 lm |
| 101217 € 2,00 | 123899 € 3,50 | 101217 € 2,00 |



Manhattan

Metal ceiling rose and diffuser with matt white or black varnish finish and natural wood detail. Power cable coated with fabric.



0,560 Kg / 0,0061 m³
E14 max 1x 40W

€ 75

110745 White
110752 Black


3000 K
480 lm

101200 € 2,00



Flut

Blown overlay frosted glass
diffuser: white inside and coloured
outside. Cable adjustable in length.



1,570 Kg / 0,0422 m³
E27 max 1x60W

€ 140

035666 White
035680 Black

3000 K
900 lm

123899

€ 3,50

0,930 Kg / 0,0179 m³
E14 max 1x40W

€ 75

035697 White
035710 Black

3000 K
420 lm


101217

€ 2,00



Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.




⏏  IP20

3,740 Kg / 0,0642 m³
E27 max 3x 60W

€ 280

198095  White

 3000 K
900 lm

123899 € 3,50



Umile new

Metal ceiling cap and decorative elements with satin gold finish. Etched white blown glass diffusers. Black PVC cable.

LED LED source 3000 K, 20.000 h life.




IP20

8,600 Kg / 0,2150 m³
LED 55W / 5400 lm

€ 415

224541 White




IP20

2,300 Kg / 0,0691 m³
LED 20W / 2050 lm

€ 170

314945 White



IP20

2,500 Kg / 0,0516 m³
LED 20W / 2050 lm

€ 160

new 314952 White



IP20


1,900 Kg / 0,0531 m³
LED 20W / 1950 lm

€ 140

new 314969 White new

Blossom

Chrome metal frame and ceiling cup.
Clear blown glass diffuser with amber
or smoky finish. Clear PVC power
cable.



1,890 Kg / 0,0705 m³
E27 max 1x60W

€ 175

241517 Smoky Grey
241524 Amber

3000 K
950 lm

101354

€ 6,00



241517




241524



Lord

Powder coated metal ceiling rose
and frame with black finish. Black
PVC electrical cable. Blown glass
diffuser with decorations in relief.
Glass available in amber, clear or
smoky color.



1,430 Kg / 0,0389 m³
E27 max 1x60W

€ 105

263632 Clear
263649 Smoky Grey
263656 Amber

3000 K
910 lm

119571

€ 3,50





Fade

Metal ceiling rose and frame. Clear blown glass shade with galvanic nuance. White acid-etched inner blown glass diffuser. Black PVC cable. Shade colors: clear with amber nuance, chrome or copper.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



1,900 Kg / 0,0370 m³
G9 max 1x 15W

€ 200

271293 Chrome
271316 Amber
271309 Copper

3000 K
510 lm
305486 € 6,00




Topico **new**

Matt varnished metal ceiling rose and frame. Double glass diffuser: etched white inside, clear with smoked shade on the top on the outside. Black PVC cable. Color: Black.

LED

LED source 3000 K, 30.000 h life.



IP20

4,810 Kg / 0,1235 m³
LED 28W / 2450 lm


€ 250

333045 Smoky Grey **new**



Karma

Chrome metal frame. White coated and acid-etched blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.



IP20


4,310 Kg / 0,1185 m³
E27 max 1x 60W

€ 200

132365 White

3000 K
950 lm

101354 € 6,00



IP20

3,700 Kg / 0,0693 m³
E27 max 1x 60W

€ 200

132389 White


3000 K
950 lm

101354 € 6,00



Folk

Metal ceiling cup and diffuser with matt paint, available finishes: coffee. Corrugated enamelled internal parable. Power cable coated with fabric.



IP20


2,190 Kg / 0,0255 m³
E27 max 3x60W

€ 245

174235 Coffee

3000 K
340 lm

101286 € 2,00



IP20


3,070 Kg / 0,0843 m³
E27 max 1x60W

€ 290

174228 Coffee

3000 K
950 lm

101354 € 6,00



IP20


1,980 Kg / 0,0420 m³
E27 max 1x60W

€ 160

174211 Coffee

3000 K
950 lm

101330 € 4,50



IP20

0,530 Kg / 0,0072 m³
E27 max 1x60W

€ 85


174204 Coffee

3000 K
900 lm

123899 € 3,50

Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.



4,080 Kg / 0,0847 m³

E27 max 1x 60W

€ 285

059679 White


3000 K
950 lm

101330 € 4,50



Plissé

Plated metal frame. White acid-etched blown glass diffuser with decoration in relief. Clear PVC electrical wire. Colors: chrome or satin brass.



3,300 Kg / 0,1208 m³

E27 max 1x 60W

€ 250

264523 Chrome
285191 Brass

3000 K
900 lm

123899 € 3,50



2,060 Kg / 0,0705 m³

E27 max 1x 60W

€ 185

285184 Chrome
264547 Brass


3000 K
900 lm

123899 € 3,50



Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.




2,720 Kg / 0,0533 m³

E27 max 1x60W

€ 116

068169 White



101330


€ 4,50

P. 298



Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.




8,310 Kg / 0,1785 m³

E27 max 3x60W

€ 390

052786 White



101286

€ 2,00




6,600 Kg / 0,1304 m³

E27 max 3x60W

€ 335

035727 White



101286

€ 2,00





Smarties

White varnished metal frame.
White blown glass diffuser. Steel
cables adjustable in length with
automatic blocking mechanism.

| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 5,280 Kg / 0,1479 m³ E27 max 5 x 42W | 3,740 Kg / 0,1009 m³ E27 max 3 x 42W | 2,930 Kg / 0,0645 m³ E27 max 3 x 42W |
| € 290 | € 200 | € 175 |
| 031996 White | 032009 White | 032016 White |
| 3000 K 340 lm | 3000 K 340 lm | 3000 K 340 lm |
| 101286 € 2,00 | 101286 € 2,00 | 101286 € 2,00 |



P. 277



P. 385



P. 469



Glory


Satin nickel ceiling rose. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.

| | | |
|---|---|---|
| | | |
| | | |
| 5,780 Kg / 0,1715 m³ E27 max 5 x 60W | 3,260 Kg / 0,0832 m³ E27 max 3 x 60W | 2,200 Kg / 0,0686 m³ E27 max 3 x 60W |
| € 350 | € 220 | € 195 |
| 019741 White | 019734 White | 101125 White |
| 3000 K 340 lm | 3000 K 340 lm | 3000 K 340 lm |
| 101286 € 2,00 | 101286 € 2,00 | 101286 € 2,00 |



Ulisse

Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.



IP20

5,010 Kg / 0,1177 m³
E27 max 3 x 60W

€ 295

098616 White

3000 K
910 lm

119571 € 3,50

IP20

3,110 Kg / 0,0720 m³
E27 max 3 x 60W

€ 225

095226 White

3000 K
910 lm


119571 € 3,50



Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



IP20

6,190 Kg / 0,1288 m³
GX53 max 5 x 9W

€ 520

214481 White

3000 K
910 lm

123936 € 5,00

IP20

3,260 Kg / 0,0740 m³
GX53 max 3 x 9W

€ 395

214474 White

3000 K
910 lm

123936 € 5,00




P. 278





Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.



IP20

6,700 Kg / 0,1448 m³
E27 max 8 x 60W

€ 325

090481 White

3000 K
900 lm

123899

€ 3,50

IP20

4,810 Kg / 0,1184 m³
E27 max 5 x 60W

€ 255

074139 White

3000 K
900 lm

123899

€ 3,50



P. 284




P. 382



Candy

White metal frame. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.



P. 280



P. 469




Cotton

Metal frame and ceiling cap with white powder paint and magnetic closure without screws. Clear PVC cable. White acid-etched blown glass diffuser.



Bulbs LED G9 3W 3000 K included in 297781 model. Cod. 209043




2,600 Kg / 0,0810 m³
E27 max 1x42W

€ 200

327884 White

3000 K
900 lm
123899 € 3,50




1,640 Kg / 0,0207 m³
E27 max 1x42W

€ 135

297767 White

3000 K
900 lm
123899 € 3,50



0,600 Kg / 0,0068 m³
G9 max 1x4W

€ 70

297781 White

3000 K
510 lm
305486 € 6,00



P. 281



Clown

Cadre en métal chromé. Diffuseurs en verre soufflé moulé et coloré à la main. Câbles en téflon transparent.

LED


Bulbs LED G9 3W 3000 K included.
Cod. **209043**



100944



100883



IP20


6,000 Kg / 0,1860 m³
G9 max 12 x 28W

€ 750

100951 Color

3000 K
510 lm

305486 € 6,00



IP20


5,700 Kg / 0,1442 m³
G9 max 8 x 28W

€ 545

100944 Color

3000 K
510 lm

305486 € 6,00



IP20

5,000 Kg / 0,1283 m³
G9 max 7 x 28W

€ 493


100937 Color

3000 K
510 lm

305486 € 6,00

Luce Max

Chrome frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic devices.



2,460 Kg / 0,0732 m³

E27 max 1x60W

€ 120

033662 Clear

1,500 Kg / 0,0334 m³

E27 max 1x60W

€ 84

033679 Clear



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm



119571

€ 3,50



Mapa Max

Chrome metal frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic device.



3,450 Kg / 0,1370 m³

E27 max 1x42W

€ 166

045122 Chrome

1,370 Kg / 0,0527 m³

E27 max 1x42W

€ 118

045115 Chrome



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571


€ 3,50





Mapa Plus

White metal frame. White blown acid-etched spherical glass diffusers. Steel cables adjustable in length.



10,800 Kg / 0,1976 m³
E14 max 22 x 40W

€ 670


140230 White



3000 K
420 lm

101217

€ 2,00



5,520 Kg / 0,1205 m³
E14 max 11 x 40W

€ 400

131924 White



3000 K
420 lm

101217

€ 2,00



Mapa mini ^{new}

Matt varnished metal ceiling cap.
Clear PVC cable. Matt clear silicone
glass holder element. Blown glass
diffuser. Ceiling cap finishes: white,
black. Glass finishes: amber, smoky
grey, satin, clear and iridescent.


LED LED source 3000 K, 50.000 h life.



343631




343648



0,250 Kg / 0,0010 m³
LED 4W / 400 lm

€ 75


343631 ^{new} White
343648 ^{new} Black



0,300 Kg / 0,0114 m³

€ 70


289786 ^{new} Clear
289939 ^{new} White
289908 ^{new} Smok.Gre.
289915 ^{new} Amber
348698 ^{new} Iridescent



0,250 Kg / 0,0054 m³

€ 45

289861 ^{new} Clear
327433 ^{new} White
327457 ^{new} Smok.Gre.
327419 ^{new} Amber
348681 ^{new} Iridescent



0,150 Kg / 0,0010 m³
LED 2W / 140 lm

€ 50

343617 ^{new} White
343624 ^{new} Black



0,200 Kg / 0,0020 m³

€ 30

289878 ^{new} Clear
327426 ^{new} White
327440 ^{new} Smok.Gre.
327402 ^{new} Amber
348674 ^{new} Iridescent



Mapa Clear ^{new}

Chromed metal ceiling cap and frame. Clear blown spherical glass diffuser with chrome plating faded towards the bottom. Clear PVC cable. Color: chrome, amber, opal.



161327



346571



346625

| | | | | |
|--|--|--|--|--|
| <p> IP20 8,700 Kg / 0,2470 m³ E27 max 5 x 42W € 640 </p> | <p> IP20 5,390 Kg / 0,2254 m³ E27 max 1 x 42W € 480 </p> | <p> IP20 3,620 Kg / 0,1215 m³ E27 max 1 x 42W € 270 </p> | <p> IP20 1,920 Kg / 0,0630 m³ E27 max 1 x 42W € 165 </p> | <p> IP20 1,130 Kg / 0,0272 m³ E27 max 1 x 42W € 95 </p> |
| <p> 140759 FadeChrome 346588 Amber ^{new} 346632 Opal ^{new} </p> <p> 3000 K 910 lm 119571 € 3,50 </p> | <p> 161327 FadeChrome 346571 Amber ^{new} 346625 Opal ^{new} </p> <p> 3000 K 910 lm 119571 € 3,50 </p> | <p> 161334 FadeChrome 346564 Amber ^{new} 346618 Opal ^{new} </p> <p> 3000 K 910 lm 119571 € 3,50 </p> | <p> 140728 FadeChrome 346557 Amber ^{new} 346601 Opal ^{new} </p> <p> 3000 K 910 lm 119571 € 3,50 </p> | <p> 140711 FadeChrome 346540 Amber ^{new} 346595 Opal ^{new} </p> <p> 3000 K 910 lm 119571 € 3,50 </p> |



Mapa


White metal frame. White spherical shape acid-etched blown glass diffuser. Steel cables adjustable in length.



Bulbs LED G9 3W 3000 K included in **310800** model. Cod. **209043**



310800




IP20


8,700 Kg / 0,2470 m³
E27 max 5 x 42W

€ 530

043562 White



119571 € 3,50




IP20


5,390 Kg / 0,2254 m³
E27 max 1 x 42W

€ 315

032122 White



119571 € 3,50




IP20


3,620 Kg / 0,1215 m³
E27 max 1 x 42W

€ 155

032139 White



119571 € 3,50




IP20


1,920 Kg / 0,0630 m³
E27 max 1 x 42W

€ 90

009087 White



119571 € 3,50




IP20


1,130 Kg / 0,0272 m³
E27 max 1 x 42W

€ 70

009148 White



119571 € 3,50




IP20

0,410 Kg / 0,0027 m³
G9 max 1 x 4W

€ 50

310800 White




305486 € 6,00



Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper
effect covering. Power cable coated
with fabric.



IP20

2,750 Kg / 0,2746 m³
E27 max 1x 60W

€ 475

272139 White

3000 K
2210 lm

151786 € 6,00



IP20


1,780 Kg / 0,1662 m³
E27 max 1x 25W

€ 360

226040 White

3000 K
950 lm

101330 € 4,50



IP20


1,460 Kg / 0,0911 m³
E27 max 1x 25W

€ 225

226033 White

3000 K
950 lm

101330 € 4,50



IP20

0,860 Kg / 0,0428 m³
E27 max 1x 25W

€ 110

226026 White

3000 K
950 lm

101330 € 4,50



P. 282 P. 385 P. 468 P. 519



Boa


Matt white or black varnished metal frame. Power cable coated with fabric of 12 meter length with 6 cable holders. Blown acid-etched white glass diffuser.



160863



160856



IP20

2,900 Kg / 0,0726 m³
E27 max 1x 60W

€ 155

160863 ■ White
160856 ■ Black

3000 K
900 lm
123899 € 3,50



Nemo ^{new}

Blown glass diffuser. Available with smoky, copper, clear, faded chrome finishes or amber.



052809


149592

094236

250335

111902


339054



8,700 Kg / 0,2424 m³
E27 max 5 x 42W

€ 520


138305 Faded Chrome



4,000 Kg / 0,2220 m³
E27 max 1 x 42W

€ 450


094137 Smoky Grey



2,700 Kg / 0,1227 m³
E27 max 1 x 42W

€ 200


052816 Clear
250359 Faded Chrome
094229 Smoky Grey
250342 Chrome
111919 Copper
339061 Amber ^{new}



2,050 Kg / 0,0664 m³
E27 max 1 x 42W

€ 115

052809 Clear
149592 Faded Chrome
094236 Smoky Grey
250335 Chrome
111902 Copper
339054 Amber ^{new}



1,300 Kg / 0,0241 m³
E27 max 1 x 42W

€ 75

149585 Faded Chrome
250311 Smoky Grey
250304 Chrome
250328 Copper
339047 Amber ^{new}



119571 3000 K
910 lm € 3,50



101347 3000 K
1050 lm € 6,00



101347 3000 K
1050 lm € 6,00



101323 3000 K
1050 lm € 4,50



101323 3000 K
1050 lm € 4,50




Dna

Golden metal ceiling rose and frame. White overlay, acid-etched blown glass diffusers. Adjustable steel cables.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



4,930 Kg / 0,2034 m³
G9 max 25 x 15W

€ 1110

208398 **White**

3000 K
510 lm
305486 € 6,00



Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.



082073



241012



200491


| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 8,000 Kg / 0,3063 m³ E14 max 15 x 28W | 8,000 Kg / 0,4651 m³ E14 max 15 x 28W | 5,300 Kg / 0,1480 m³ E14 max 9 x 28W |
| € 685 | € 685 | € 450 |
| 082073 White 241012 Brass | 200491 Chrome | 082059 White 241036 Brass |
| 3000 K 480 lm 101200 € 2,00 | 3000 K 480 lm 101200 € 2,00 | 3000 K 480 lm 101200 € 2,00 |





Dream Big

Matt white varnished metal ceiling cup. Power cable coated with fabric. White acid-etched glass diffuser. Rope basket.




IP20

3,830 Kg / 0,1676 m³
E27 max 1x 42W

€ 265

261195 White

3000 K
900 lm
123899 € 3,50



IP20

2,420 Kg / 0,1013 m³
E27 max 1x 42W

€ 155


179858 White

3000 K
900 lm
123899 € 3,50



Avion

Matt painted wooden body and ceiling cup. Chrome metal details. Blown and acid-etched white glass diffusers.



IP20

2,440 Kg / 0,0618 m³
E14 max 3 x 28W

€ 190

136325 Blue
136318 Red

3000 K
420 lm
101217 € 2,00



Lumiere

Matt varnished metal frame and ceiling cap with magnetic closure. Clear PVC cable. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

LED LED source 3000 K, 25.000 h life.

| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 3,380 Kg / 0,0705 m³ LED 27W / 3550 lm | 3,900 Kg / 0,0664 m³ LED 34W / 4550 lm | 3,330 Kg / 0,0044 m³ LED 39W / 5050 lm |
| € 280 | € 320 | € 320 |
| 314143 White | 314167 White | 314174 White |



P. 341



P. 465



P. 466





Empire

Gold plated metal frame and ceiling cap with magnetic closure without screws. Black PVC cable. Clear glass diffuser with gray shade.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




0,600 Kg / 0,0194 m³
G9 max 1x28W

€ 100

309798 Fade Chr.

3000 K
510 lm
305486 € 6,00




0,600 Kg / 0,0168 m³
G9 max 1x28W

€ 100

309804 Fade Chr.

3000 K
510 lm
305486 € 6,00



0,600 Kg / 0,0206 m³
G9 max 1x28W

€ 100

309811 Fade Chr.

3000 K
510 lm
305486 € 6,00



Soft


Metal frame with white and chrome finishes. White or smoky blown glass diffusers.



087818



111841




IP20

6,400 Kg / 0,1138 m³
E14 max 6 x 40W

€ 390

087818 White
111841 Smoky Grey

3000 K
420 lm
101217 € 2,00



IP20

3,000 Kg / 0,0657 m³
E14 max 3 x 40W

€ 220

111858 White
111865 Smoky Grey

3000 K
420 lm
101217 € 2,00



Coco

Powder coated metal frame with black finish. Clear acrylic diffuser with satin side. Clear blown glass with smoky finish. PVC cable.

LED LED source 3000 K, 20.000 h life.

| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 1,200 Kg / 0,0128 m³ LED 7W / 550 lm | 1,140 Kg / 0,0132 m³ LED 7W / 550 lm | 1,080 Kg / 0,0152 m³ LED 7W / 550 lm |
| € 152 | € 152 | € 152 |
| 275567 ■ Smoky Grey | 275581 ■ Smoky Grey | 275543 ■ Smoky Grey |



Mint

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510



237497



1,350 Kg / 0,0147 m³
E27 max 1x 60W

€ 105

237442 Smoky Grey
248554 Green

3000 K
910 lm

119571

€ 3,50



1,560 Kg / 0,0532 m³
E27 max 1x 60W


€ 127

237398 Smoky Grey
237428 Green

3000 K
910 lm

119571

€ 3,50



1,80 Kg / 0,0269 m³
E27 max 1x 60W

€ 138

237510 Smoky Grey
237497 Green

3000 K
910 lm


119571

€ 3,50



Bergen

Black powder coated metal ceiling cup. Natural wood frame. Clear blown glass diffuser with motif in relief and smoky finish. Power cable coated with fabric.



1,570 Kg / 0,0331 m³
E27 max 1x60W

€ 186

238838 Smoky Grey

3000 K
910 lm
119571 € 3,50



1,840 Kg / 0,0439 m³
E27 max 1x60W

€ 186

238920 Smoky Grey

3000 K
910 lm
119571 € 3,50



2,060 Kg / 0,0378 m³
E27 max 1x60W

€ 186

238746 Smoky Grey

3000 K
910 lm
119571 € 3,50



Bistrò


Black enamel coated metal frame.
Handcrafted blown clear or smoky
glass diffuser.



112305



112312




2,190 Kg / 0,0806 m³
E27 max 1x60W

€ 213

120898 Clear
120904 Smoky Grey

3000 K
910 lm

119571 € 3,50




1,840 Kg / 0,0427 m³
E27 max 1x60W

€ 145

112305 Clear
112312 Smoky Grey

3000 K
910 lm

119571 € 3,50



1,200 Kg / 0,0274 m³
E27 max 1x60W

€ 113

112336 Clear
112343 Smoky Grey

3000 K
910 lm

119571 € 3,50



Gretel

Metal frame with matt black varnish finish with natural wood applications. Blown clear glass diffusers. Power cables covered with black fabric.



IP20

5,960 Kg / 0,1419 m³
E27 max 5 x 60W

€ 500


103174 ■ Black



3000 K
910 lm

119571

€ 3,50



IP20

4,090 Kg / 0,0983 m³
E27 max 4 x 60W

€ 415


122557 ■ Black



3000 K
910 lm

119571

€ 3,50



IP20

0,950 Kg / 0,0243 m³
E27 max 1 x 60W

€ 105

122564 ■ Black



3000 K
910 lm

119571

€ 3,50



Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.

LED


Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**



016863



103983



IP20

5,520 Kg / 0,1044 m³
E27 max 5 x 60W

€ 425

016863 Clear
103983 Smoky Grey

3000 K
950 lm

101330 € 4,50



Audi-80


Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.



031743



197661




9,560 Kg / 0,1289 m³
G9 max 8 x 40W

€ 620

031750 Clear
197654 Smoky Grey

3000 K
510 lm
305486 € 6,00



5,890 Kg / 0,0876 m³
G9 max 5 x 40W

€ 445

031743 Clear
197661 Smoky Grey

3000 K
510 lm
305486 € 6,00




Bulbs LED G9 3W 3000 K included.
Cod. 209043



Madame

Matt varnished metal ceiling cup.
Power cable coated with fabric.
Metal frame diffuser covered with white, canvas or black satin ribbon.



IP20

2,560 Kg / 0,2012 m³
E27 max 1x 60W

€ 385

174396 White
219875 Ivory
174402 Black

3000 K
950 lm
101354 € 6,00



174396



219875




174402



Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with
black fabric.



IP20

1,760 Kg / 0,1694 m³
E27 max 6 x 60W

€ 280

161662 ■ Black

3000 K
910 lm

119571

€ 3,50

IP20

1,500 Kg / 0,1064 m³
E27 max 4 x 60W

€ 210

161648 ■ Black

3000 K
910 lm

119571

€ 3,50



P. 436




P. 480



P. 532

Cylinder

Metal frame. White blown acid-etched diffuser. Steel cables adjustable in length with automatic blocking mechanisms.




4,040 Kg / 0,0729 m³

E27 max 1x 60W

€ 235

025438 White



101354

€ 6,00




[P. 532](#)



Haunt

Matt white varnished metal ceiling cup. Power cable coated with fabric. Wicker basket diffuser natural or white varnished.




0,460 Kg / 0,0622 m³

E27 max 1x 60W

€ 180

159256 White

159812 Wood



101347

€ 6,00



159256




159812





Pan

Metal frame. Diffusers made of decorative elements with metal tube shape of different length. Steel cables adjustable in length.



IP20

13,920 Kg / 0,1355 m³
E27 max 5 x 60W

€ 850

208817 Gold



3000 K
910 lm

119571

€ 3,50



P. 430



260457

304625

270012

260464

345895

Set up ^{new}


Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.



2,000 Kg / 0,1384 m³

€ 172


345918 White ^{new}
 345932 Dove Grey ^{new}
 345925 Black ^{new}
 339269 Beige ^{new}
 339276 Wood ^{new}



1,260 Kg / 0,0674 m³

€ 138


260471 White ^{new}
 304632 Dove Grey ^{new}
 270029 Black ^{new}
 260488 Beige ^{new}
 345901 Wood ^{new}



0,770 Kg / 0,0221 m³

€ 92

260457 White ^{new}
 304625 Dove Grey ^{new}
 270012 Black ^{new}
 260464 Beige ^{new}
 345895 Wood ^{new}



0,460 Kg / 0,0228 m³

€ 63

260433 White ^{new}
 304618 Dove Grey ^{new}
 270005 Black ^{new}
 260440 Beige ^{new}
 345888 Wood ^{new}



260013



260020



IP20

1,200 Kg / 0,0081 m³
 E27 max 4 x 42W

€ 126

348230 White ^{new}
 348247 Nickel ^{new}
 348254 Black ^{new}
 348261 Brass ^{new}



IP20

1,200 Kg / 0,0081 m³
 E27 max 4 x 42W

€ 126

348230 White ^{new}
 348247 Nickel ^{new}
 348254 Black ^{new}
 348261 Brass ^{new}




IP20

1,000 Kg / 0,0072 m³
 E27 max 3 x 42W

€ 102

348193 White ^{new}
 348209 Nickel ^{new}
 348216 Black ^{new}
 348223 Brass ^{new}



IP20

0,350 Kg / 0,0019 m³
 E27 max 1 x 42W

€ 30


260013 White ^{new}
 260044 Nickel ^{new}
 260020 Black ^{new}
 260051 Brass ^{new}




260051




260044




123899 € 3,50




123899 € 3,50



123899 € 3,50



123899 € 3,50



0,500 Kg / 0,0423 m³

€ 80


339252 Clear ^{new}



0,700 Kg / 0,0259 m³

€ 58


270050 Clear ^{new}



0,280 Kg / 0,0108 m³

€ 35

270043 Clear ^{new}



0,100 Kg / 0,0061 m³

€ 17

346847 Clear ^{new}



P. 292



P. 434



P. 482



P. 530



Set up Slim ^{new}

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.



1,200 Kg / 0,1903 m³

€ 138

346069 White new
339283 Dove Grey new
346083 Black new
346052 Beige new
346076 Wood new



0,750 Kg / 0,1172 m³

€ 115

339290 White new
346045 Dove Grey new
346038 Black new
346014 Beige new
346021 Wood new



0,440 Kg / 0,0415 m³

€ 80

345987 White new
346007 Dove Grey new
345994 Black new
345970 Beige new
339306 Wood new



348193



348216



348223



348209



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

348230 White new
348247 Nickel new
348254 Black new
348261 Brass new



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

348230 White new
348247 Nickel new
348254 Black new
348261 Brass new




IP20


1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102


348193 White new
348209 Nickel new
348216 Black new
348223 Brass new



123899 € 6,50



123899 € 6,50



123899 € 6,50



0,500 Kg / 0,0423 m³

€ 80

339252 Clear new



0,700 Kg / 0,0259 m³

€ 58

270050 Clear



0,280 Kg / 0,0108 m³

€ 35

270043 Clear





346144

346168

346151

346137

339320

Set up Ultra Slim ^{new}

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.



0,800 Kg / 0,1124 m³

€ 126

346182 White new
346205 Dove Grey new
339313 Black new
346175 Beige new
346199 Wood new



0,600 Kg / 0,0613 m³

€ 103

346144 White new
346168 Dove Grey new
346151 Black new
346137 Beige new
339320 Wood new



0,500 Kg / 0,0265 m³

€ 69

339337 White new
346120 Dove Grey new
346113 Black new
346090 Beige new
346106 Wood new



348193



348216



348223



348209



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

348230 White new
348247 Nickel new
348254 Black new
348261 Brass new



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

348230 White new
348247 Nickel new
348254 Black new
348261 Brass new




IP20


1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102


348193 White new
348209 Nickel new
348216 Black new
348223 Brass new




123899 € 6,50



123899 € 6,50




123899 € 6,50



0,500 Kg / 0,0423 m³

€ 80

339252 Clear new



0,700 Kg / 0,0259 m³

€ 58

270050 Clear



0,280 Kg / 0,0108 m³

€ 35


270043 Clear





Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.



IP20

7,340 Kg / 0,3322 m³
E27 max 10 x 60W

€ 850

165011 White

3000 K
900 lm

123899

€ 3,50



IP20

4,889 Kg / 0,1652 m³
E27 max 6 x 60W


€ 500

068299 White

3000 K
900 lm

123899

€ 3,50



IP20

3,166 Kg / 0,0646 m³
E27 max 4 x 60W

€ 370

182179 White

3000 K
900 lm

123899

€ 3,50



P. 440



P. 486




P. 534



Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade. Velvet chain cover.



IP20

6,420 Kg / 0,2708 m³
E14 max 6 x 40W

€ 570

035826 White

3000 K
420 lm

101217

IP20

4,770 Kg / 0,1632 m³
E14 max 3 x 40W

€ 400

035840 White

3000 K
420 lm

101217

€ 2,00

€ 2,00



P. 440



King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside. Steel cables adjustable in length with automatic devices.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




088013



088020



P. 346



IP20

10,000 Kg / 0,1486 m³
G9 max 12 x 40W

€ 1050

088013 Chrome
088020 Gold

3000 K
510 lm

305486 € 6,00



IP20

5,300 Kg / 0,0748 m³
G9 max 7 x 40W

€ 670

087979 Chrome


3000 K
510 lm

305486 € 6,00



Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops. Suspension versions provided with steel cables adjustable in length.



IP20

3,320 Kg / 0,0351 m³
E14 max 5 x 40W

€ 350

008363 Chrome


3000 K
470 lm

101224

€ 2,00



P. 352



Martinez


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166360



213583



IP20

17,600 Kg / 0,1129 m³
E14 max 8 x 40W

€ 745

166360 Chrome
213583 Gold



3000 K
470 lm

101224

€ 2,00



P. 354



Carlton


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166247



213521



IP20


12,800 Kg / 0,1614 m³
E14 max 12 x 40W

€ 660

166247 Chrome
213521 Gold

3000 K
470 lm

101224 € 2,00



IP20

10,000 Kg / 0,1136 m³
E14 max 8 x 40W

€ 550

117737 Chrome

3000 K
470 lm

101224 € 2,00



P. 355




P. 439



Nabucco


Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part. Velvet chain cover.





Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.



13,000 Kg / 0,1777 m³
E14 max 14 x 40W

€ 1210

164977 Chrome
164984 Gold

3000 K
480 lm

101200 € 2,00



8,500 Kg / 0,1134 m³
E14 max 10 x 40W

€ 950

082196 Chrome
082257 Gold

3000 K
480 lm

101200 € 2,00



5,350 Kg / 0,0573 m³
E14 max 6 x 40W

€ 750

082158 Chrome
082172 Gold

3000 K
480 lm

101200 € 2,00



164977



164984



P. 345



P. 438




Luxor

Chrome metal frame. Diffuser made of cut crystal octagons and rectangular drops.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




12,250 Kg / 0,3097 m³
G9 max 12 x 40W

€ 1350

116235 Chrome

3000 K
510 lm
305486 € 6,00




8,780 Kg / 0,2054 m³
G9 max 8 x 40W

€ 950

116228 Chrome

3000 K
510 lm
305486 € 6,00



8,340 Kg / 0,1260 m³
G9 max 6 x 40W

€ 750

092911 Chrome

3000 K
510 lm
305486 € 6,00



Evasione

Cut crystal pendants. Steel cables adjustable in length with automatic device.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



7,100 Kg / 0,1082 m³
G9 max 10 x 40W

€ 600

044767 Chrome

3000 K
510 lm

305486 € 6,00



5,900 Kg / 0,0706 m³
G9 max 8 x 40W

€ 500

044774 Chrome

3000 K
510 lm

305486 € 6,00



Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



243597




243528



P. 353



P. 439




20,000 Kg / 0,8284 m³
E14 max 24 x 28W

€ 1650

243597 Chrome
243528 Brass

3000 K
470 lm

101224 € 2,00



9,170 Kg / 0,2859 m³
E14 max 10 x 28W

€ 1050

215969 Chrome
207216 Brass

3000 K
470 lm

101224 € 2,00



Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.


LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



114279



114743



9,600 Kg / 0,2965 m³
G9 max 12 x 4W

€ 1250

114279 Chrome
114743 Gold

3000 K
510 lm
305486 € 6,00



6,700 Kg / 0,1936 m³
G9 max 9 x 4W

€ 975

041827 Chrome
114736 Gold

3000 K
510 lm
305486 € 6,00



5,100 Kg / 0,1175 m³
G9 max 6 x 4W

€ 800


033532 Chrome
114729 Gold

3000 K
510 lm
305486 € 6,00



Millennium

Metal frame and details with rust effect paint finish. Central decorative elements made of natural wood with antiqued effect.




8,330 Kg / 1,0291 m³
E14 max 8 x 40W

€ 750

129709 Wood

3000 K
470 lm
101224 € 2,00



2,670 Kg / 0,2695 m³
E14 max 5 x 40W

€ 350


129921 Wood

3000 K
470 lm
101224 € 2,00



Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.



IP20

6,700 Kg / 0,0534 m³
E14 max 6 x 40W

€ 520

162751 White

3000 K
420 lm

101217 € 2,00



IP20

5,300 Kg / 0,0387 m³
E14 max 5 x 40W

€ 415

162737 White

3000 K
420 lm

101217 € 2,00



Pegaso


Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.



059242




197739



7,900 Kg / 0,2138 m³
E14 max 8 x 28W

€ 490

059242 White
197739 Brass



5,600 Kg / 0,1445 m³
E14 max 5 x 28W

€ 460

066448 White
197722 Brass



3,050 Kg / 0,0758 m³
E14 max 3 x 28W

€ 230

059235 White
197715 Brass



3000 K
370 lm
101231 € 2,00



3000 K
370 lm
101231 € 2,00



3000 K
370 lm
101231 € 2,00



P. 441




P. 489



Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.



IP20

6,820 Kg / 0,1975 m³
E14 max 8 x 40W

€ 560

035574 White
111896 Black

3000 K
370 lm

101231 € 2,00

IP20

4,800 Kg / 0,1451 m³
E14 max 6 x 40W

€ 450

035581 White
111872 Black

3000 K
370 lm

101231 € 2,00



035581



111872



Corte

Totally handcrafted metal frame.
Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881



057187



P. 441



IP20

7,100 Kg / 0,6840 m³
E14 max 12 x 40W


€ 400

097664 White
097671 Rust



3000 K
470 lm

101224 € 2,00



IP20

5,220 Kg / 0,3169 m³
E14 max 8 x 40W


€ 275

005898 White
057194 Rust



3000 K
470 lm

101224 € 2,00



IP20

3,180 Kg / 0,1500 m³
E14 max 5 x 40W

€ 180

005881 White
057187 Rust



3000 K
470 lm

101224 € 2,00



Colossal


Chrome metal frame and details.
Blown clear glass arms with smoky grey or ivory white inner side.
Transparent glass and cut crystal pendants and decorative elements.
Velvet chain cover.



114170



081526




IP20

19,000 Kg / 0,2828 m³
E14 max 15 x 40W

€ 1000

114170 Clear
081526 Grey

3000 K
470 lm
101224 € 2,00



IP20

11,400 Kg / 0,1386 m³
E14 max 8 x 40W

€ 800


114187 Clear
081519 Grey

3000 K
470 lm
101224 € 2,00



Rose

Blown glass chandelier with chrome metal details. Cut-crystals octagons and drops. Velvet chain cover.



IP20

7,630 Kg / 0,1321 m³
E14 max 8 x 40W

€ 560

166889 Amber

3000 K
430 lm
101248 € 2,00




Negresco

Plated metal frame and details.
Clear blown glass arms with golden
inner part. Decorative elements in
clear glass and cut crystal. Velvet
chain cover. Color: gold.



087771



IP20


14,400 Kg / 0,1687 m³
E14 max 10 x 28W

€ 1000

087771 Gold

3000 K
430 lm

101248 € 2,00



IP20

11,300 Kg / 0,1461 m³
E14 max 8 x 28W

€ 850

087764 Gold

3000 K
430 lm

101248 € 2,00




P. 442



Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.



IP20

8,200 Kg / 0,1574 m³
E14 max 8 x 40W

€ 568


168777 Clear



3000 K
470 lm

101224

€ 2,00



IP20

6,700 Kg / 0,1202 m³
E14 max 6 x 40W

€ 480


168753 Clear



3000 K
470 lm

101224

€ 2,00



Florian


Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.



035604



035611



17,200 Kg / 0,3482 m³
E14 max 18 x 40W

€ 1000

075150 Chrome
075181 Gold



3000 K
470 lm

101224

€ 2,00



9,760 Kg / 0,2187 m³
E14 max 12 x 40W

€ 650

035604 Chrome
035611 Gold



3000 K
470 lm

101224

€ 2,00



6,380 Kg / 0,1368 m³
E14 max 6 x 40W

€ 510

035628 Chrome
035635 Gold



3000 K
470 lm

101224

€ 2,00



P. 442



Napoleon

Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.



167244




167398

| | | |
|---|---|---|
| | | |
| IP20 | IP20 | IP20 |
| 17,920 Kg / 0,4424 m³ E14 max 18 x 40W | 11,260 Kg / 0,2633 m³ E14 max 12 x 40W | 9,070 Kg / 0,2156 m³ E14 max 8 x 40W |
| € 1000 | € 635 | € 600 |
| 167268 Chrome 167411 Gold | 167251 Chrome 167404 Gold | 167244 Chrome 167398 Gold |
| 3000 K 470 lm | 3000 K 470 lm | 3000 K 470 lm |
| 101224 € 2,00 | 101224 € 2,00 | 101224 € 2,00 |



Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.



164953



164960



P. 443




Strauss

Metal frame and details with gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.



P. 443




IP20

20,700 Kg / 0,4508 m³
E14 max 18 x 40W

€ 1400

140629 Gold

3000 K
430 lm
101248 € 2,00




IP20

14,930 Kg / 0,3414 m³
E14 max 12 x 40W

€ 1050

140612 Gold

3000 K
430 lm
101248 € 2,00



IP20

7,410 Kg / 0,1420 m³
E14 max 6 x 40W

€ 575


140605 Gold

3000 K
430 lm
101248 € 2,00



Casanova

Chrome metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Gray velvet chain cover.



IP20

9,210 Kg / 0,1592 m³
E14 max 8 x 40W

€ 750

044255 Clear



3000 K
480 lm


101200

€ 2,00



Doge


Chromed metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Transparent PVC cable.





Danieli

Golden metal structure and details.
Hand modeled and blown glass
decorative elements. Velvet chain
cover. Color: amber.



IP20

7,510 Kg / 0,2048 m³
E14 max 8 x 40W

€ 650

159973 Amber

3000 K
480 lm

101200 € 2,00

IP20

3,840 Kg / 0,1759 m³
E14 max 6 x 40W

€ 600

159942 Amber

3000 K
480 lm

101200 € 2,00



Brigitta


Handcrafted clear or amber blown glass chandelier with metal body and velvet chain cover.



199382



199412



IP20

12,500 Kg / 0,2380 m³
E14 max 12 x 40W

€ 1000

199375 Clear
199405 Amber

3000 K
480 lm

101200 € 2,00

IP20

7,700 Kg / 0,1797 m³
E14 max 8 x 40W

€ 750

199382 Clear
199412 Amber

3000 K
480 lm

101200 € 2,00



Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



012872



020839




IP20

6,440 Kg / 0,0842 m³
E14 max 8 x 40W

€ 525

012872 White
020839 Gold

3000 K
430 lm
101248 € 2,00



IP20

4,360 Kg / 0,0609 m³
E14 max 5 x 40W

€ 425

012865 White
020822 Gold

3000 K
430 lm
101248 € 2,00



P. 444




P. 485



P. 535

Justine

Metal ceiling rose and frame with casted arms. White matt varnish finish. Velvet chain cover.



IP20

4,550 Kg / 0,3281 m³

E14 max 8 x 40W

€ 495

197524 White

3000 K
430 lm

101248

€ 2,00

IP20

3,440 Kg / 0,2592 m³

E14 max 6 x 40W

€ 390

197500 White

3000 K
430 lm


101248

€ 2,00



Bon Bon

Matt varnished metal frame with cast arms. Blown glass plates. Velvet chain cover. Color: white.



IP20

11,710 Kg / 0,1953 m³

E14 max 8 x 28W

€ 900

094007 White

3000 K
420 lm

101217

€ 2,00

IP20

8,110 Kg / 0,1547 m³

E14 max 6 x 28W

€ 630

093994 White

3000 K
420 lm


101217

€ 2,00



Vanity

Golden metal frame with matt black details. Cut crystals decorative elements. Velvet chain cover.



8,850 Kg / 0,2878 m³

E14 max 15 x 40W

€ 680

206639 Gold



3000 K
470 lm

101224

€ 2,00



4,940 Kg / 0,1454 m³

E14 max 8 x 40W

€ 420

206622 Gold



3000 K
470 lm


101224

€ 2,00



Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.



2,620 Kg / 0,0286 m³

E27 max 1 x 60W

€ 210

094786 Chrome

005911 Ant. Brass



3000 K
430 lm

101279

€ 2,00



094786


005911





Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.



IP20


8,550 Kg / 0,2571 m³
E27 max 9 x 42W

€ 1175

116006 Ant. Brass

3000 K
910 lm

119571 € 3,50



IP20

0,980 Kg / 0,0228 m³
E27 max 1 x 42W

€ 180

115979 Ant. Brass

3000 K
910 lm

119571 € 3,50




P. 446



Chalet

Metal frame and bearing structure.
Handcrafted and hand painted
resin decorative elements. An
accurate reproduction of horns and
carved wood.




P. 444



P. 484

Canapa

Metal varnished frame. Electrical cables and diffusers covered with natural hemp rope.



IP20

2,190 Kg / 0,0944 m³

E27 max 1x15W

€ 180

134833 Rope

3000 K
910 lm

119571

€ 3,50



IP20

0,650 Kg / 0,0063 m³

E27 max 2x15W


€ 60

134840 Rope

3000 K
910 lm

119571

€ 3,50



IP20

2,410 Kg / 0,0254 m³

E27 max 6x15W

€ 180

134826 Rope

3000 K
910 lm


119571

€ 3,50



Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.



IP20

4,500 Kg / 0,1402 m³

E27 max 6x60W


€ 430

180922 Wood

2200 K
370 lm

151687

€ 2,50



IP20

1,240 Kg / 0,0599 m³

E27 max 1x60W

€ 315

129600 Wood

2200 K
370 lm

151687

€ 2,50



P. 484



P. 526





Ceiling lamps

Indoors

Alphabetical index

| | | | | | |
|--------------|-----|-------------|-----|-------------------|-----|
| Admiral | 347 | Lana | 298 | Profilo | 320 |
| Angolo | 334 | Level | 276 | Rain | 352 |
| Arizona | 278 | Lika | 311 | Ray | 260 |
| Armony | 348 | Lingotto | 335 | Relax | 268 |
| Atlas | 332 | Look | 300 | Roma | 344 |
| Atrium | 279 | Lumiere | 341 | Royal | 352 |
| Binomio | 337 | Magnolia | 353 | Rudy | 318 |
| Birds | 327 | Mapa | 282 | Set Up | 292 |
| Candy | 280 | Maracas | 330 | Set Up Slim | 294 |
| Carlton | 355 | Martinez | 354 | Set Up Ultra Slim | 296 |
| Carta | 282 | Mix Up | 290 | Shell | 299 |
| Celine | 270 | Mood | 307 | Simply | 298 |
| Cloud | 284 | Moonlight | 351 | Sky | 301 |
| Compo | 343 | Mouse | 316 | Smarties | 277 |
| Corolla | 285 | Multiflex | 328 | Spike | 308 |
| Cosmopolitan | 333 | Neve | 350 | Spot | 316 |
| Cotton | 281 | Ninfea | 339 | Squish | 271 |
| Daisy | 342 | Nitro | 302 | Toby | 313 |
| Dubai | 353 | Nodi | 322 | Topico | 283 |
| Dynamite | 312 | Nodino | 323 | Totem | 268 |
| Fly | 248 | Oak | 310 | Tower | 310 |
| Frame | 247 | Oby | 317 | Triumph | 326 |
| Geko | 275 | Ocean | 270 | Universal R. | 264 |
| Gemini | 272 | Octopus | 329 | Universal S. | 266 |
| Gingle | 274 | Oracle Slim | 242 | Winery | 315 |
| Glim | 321 | Ovalino | 284 | Ziggy | 286 |
| Glory | 276 | Oz | 244 | | |
| Gourmet | 331 | Pasha' | 345 | | |
| Halo | 258 | Penta | 340 | | |
| Hermes | 338 | Perlage | 324 | | |
| Iride | 269 | Petit | 314 | | |
| Karol | 246 | Ping Pong | 336 | | |
| King | 346 | Planet | 288 | | |
| Kubiko | 306 | Play | 313 | | |



Topico

Pag 283

new



Oracle Slim 242

new



Oz 244



Relax 268



Totem 268



Glory 276



Level 276

new



Topico 283



Ovalino 284

new



SetUp UltraSlim 296



Simply 298



Mood 307

new



Spike 308



Winery 315



Mouse 316



Perlage 324



Triumph 326
























Ceiling lamps

Typology index

| | | | | | | |
|---|---|---|---|---|---|--|
|  |  new |  new |  |  |  new |  new |
| Karol 246 | Frame 247 | Fly 248 | Halo 258 | Ray 260 | Universal R. 264 | Universal S. 266 |
|  |  |  |  new |  new |  |  |
| Iride 269 | Celine 270 | Ocean 270 | Squish 271 | Gemini 272 | Gingle 274 | Geko 275 |
|  |  |  |  |  |  |  |
| Smarties 277 | Arizona 278 | Atrium 279 | Candy 280 | Cotton 281 | Mapa 282 | Carta 282 |
|  |  |  |  |  |  |  new |
| Cloud 284 | Corolla 285 | Ziggy 286 | Planet 288 | Mix Up 290 | Set Up 292 | Set Up Slim 294 |
|  |  |  |  |  new |  |  |
| Lana 298 | Shell 299 | Look 300 | Sky 301 | Nitro Round 302 | Nitro Square 304 | Kubiko 306 |
|  |  |  |  |  |  |  |
| Oak 310 | Tower 310 | Lika 311 | Dynamite 312 | Play 313 | Toby 313 | Petit 314 |
|  |  |  |  |  |  |  |
| Spot 316 | Oby 317 | Rudy 318 | Profilo 320 | Glim 321 | Nodi 322 | Nodino 323 |
|  |  |  |  |  |  |  |
| Birds 327 | Multiflex 328 | Octopus 329 | Maracas 330 | Gourmet 331 | Atlas 332 | Cosmopolitan 333 |

Ceiling lamps

Typology index

| | | | | | | |
|--|--|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Angolo 334 | Lingotto 335 | Ping Pong 336 | Binomio 337 | Hermes 338 | Ninfea 339 | Penta 340 |
|  |  |  |  |  |  |  |
| Lumiere 341 | Daisy 342 | Compo 343 | Roma 344 | Pashà 345 | King 346 | Admiral 347 |
|  |  |  |  |  |  |  |
| Armony 348 | Neve 350 | Moonlight 351 | Royal 352 | Rain 352 | Magnolia 353 | Dubai 353 |
|  |  | | | | | |
| Martinez 354 | Carlton 355 | | | | | |




Binomio

Pag 337

Oracle Slim new


Ceiling lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular model available in three different sizes. Integrated LEDs; available in 3000 K color temperature; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | CRI | ≥90 |
| Power | 29W / 37W / 53W | LED life | 50.000 h |
| Driver included | On/Off | Insulation class | II |
| Drivers available | No | IP | 20 |
| Beam | 115° | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |




LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| ø 500 | 29 W | On-Off | 2850 lm | 2700 K | White | | 341897 | 195 new |
| | | | | | Black | | 341880 | 195 new |
| | | | 3000 lm | 3000 K | White | | 265971 | 195 |
| | | | | | Black | | 265988 | 195 |
| | | | 3400 lm | 4000 K | White | | 341910 | 195 new |
| | | | | | Black | | 341903 | 195 new |



LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| ø 700 | 37 W | On-Off | 3800 lm | 2700 K | White | | 341934 | 260 new |
| | | | | | Black | | 341927 | 260 new |
| | | | 4250 lm | 3000 K | White | | 265995 | 260 |
| | | | | | Black | | 266008 | 260 |
| | | | 4350 lm | 4000 K | White | | 341958 | 260 new |
| | | | | | Black | | 341941 | 260 new |



LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| ø 900 | 53 W | On-Off | 5150 lm | 2700 K | White | | 341972 | 295 new |
| | | | | | Black | | 341965 | 295 new |
| | | | 5200 lm | 3000 K | White | | 266015 | 295 |
| | | | | | Black | | 266022 | 295 |
| | | | 5350 lm | 4000 K | White | | 341996 | 295 new |
| | | | | | Black | | 341989 | 295 new |






265971

265988

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 30.000 h |
| Power | 47W / 48W | Insulation class | II |
| Driver included | On/Off / DALI/Push | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |



LED SMD Driver included

| Power | Driver | Lumen | CCT | Finish | | Code | € |
|-------|-----------|---------|--------|--------|--|--------|--|
| 47 W | On-Off | 5000 lm | 2700 K | White | | 342283 | 215 new |
| | | | | Black | | 342290 | 215 new |
| | | | | Brass | | 342306 | 215 new |
| | | 5100 lm | 3000 K | White | | 253688 | 215 |
| | | | | Black | | 269412 | 215 |
| | | | | Brass | | 269429 | 215 |
| | | 5500 lm | 4000 K | White | | 342313 | 215 new |
| | | | | Black | | 342320 | 215 new |
| | | | | Brass | | 342337 | 215 new |
| 48 W | DALI/Push | 5100 lm | 3000 K | White | | 304519 | 370 |
| | | | | Black | | 304526 | 370 |
| | | | | Brass | | 304533 | 370 |



P. 064



P. 362



P. 452



253688



269412







269429




Karol

Matt white varnished metal body.
Opal colour plastic diffuser.

LED LED source 4000 K, 50.000 h life.


| | |
|--|--|
|  |  |
|  |  |
| 3,430 Kg / 0,1185 m³ LED 99W / 11000 lm | 2,300 Kg / 0,0901 m³ LED 78W / 9450 lm |
| € 515 | € 375 |
| 227832  White | 227825  White |



Frame ^{new}

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.


LED LED source 2700/3000 K, 30.000 h life.



■ ■ □ IP20

1,600 Kg / 0,0458 m³
LED 41W / 4550 lm / 5000 lm
€ 320


341309 White 2700K^{new}
255019 White 3000K
269825 ■ Black 3000K



■ ■ □ IP20

1,430 Kg / 0,0530 m³
LED 33W / 3800 lm / 4200 lm
€ 320

341316 White 2700K^{new}
230702 White 3000K
270678 ■ Black 3000K



■ ■ □ IP20

1,260 Kg / 0,0241 m³
LED 33W / 3400 lm / 3850 lm
€ 290

341323 White 2700K^{new}
230726 White 3000K
270661 ■ Black 3000K



P. 076



P. 501

Fly ^{new}

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated aluminum body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the uplight accessory module for the indirect light part. Integrated LED light source; available with 2700 K, 3000 K and 4000 K color temperatures; color rendering index CRI ≥ 90; starting binning ≤ 3Step MacAdam; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO

High-tech product with high quality materials, intended for professional use.

IP40


Protection degree IP40.

| | |
|-------------------|--------------------------|
| Source | LED SMD |
| Power | 18W / 26W / 53W / 68W |
| Driver included | On/Off |
| Drivers available | 1-10V / DALI / Push |
| MacAdam | SDCM 3 |
| CCT | 2700 k / 3000 K / 4000 K |
| CRI | ≥90 |
| UGR | <19 |
| LED life | 50.000 h |
| Insulation class | I |
| IP | 40 |
| Material | Aluminum |
| Warranty | 5 years |





Fly




3,000 Kg/0,0160 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 18 W | 87° | 2150 lm | 2700 K | White | | 341149 | 315 new |
| | | | | Black | | 341156 | 315 new |
| | | 2800 lm | 3000 K | White | | 270272 | 315 |
| | | | | Black | | 306575 | 315 |
| | | 3000 lm | 4000 K | White | | 270289 | 315 |
| | | | | Black | | 306582 | 315 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|------------|-------|--------|------------------|--------|----|
| 1-10V/Push | 20 W | 500 mA | 108 x 22 x 52 mm | 270333 | 65 |
| DALI | 20 W | 500 mA | 108 x 22 x 52 mm | 270364 | 85 |



3,700 Kg/0,0250 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 26 W | 87° | 3000 lm | 2700 K | White | | 341163 | 420 new |
| | | | | Black | | 341170 | 420 new |
| | | 3900 lm | 3000 K | White | | 254272 | 420 |
| | | | | Black | | 306599 | 420 |
| | | 4300 lm | 4000 K | White | | 270296 | 420 |
| | | | | Black | | 306605 | 420 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|------------|-------|--------|-----------------|--------|----|
| 1-10V/Push | 32 W | 700 mA | 94 x 21 x 67 mm | 270586 | 75 |
| DALI/Push | 38 W | 700 mA | 94 x 21 x 67 mm | 270593 | 95 |

UPLIGHT Not included/Optional



| Model | Power | Beam | Lumen | CCT | Code | € |
|-------|-------|------|---------|--------|--------|----|
| □ 35 | 11 W | 120° | 1000 lm | 3000 K | 270258 | 85 |
| | | | 1300 lm | 4000 K | 270395 | 85 |
| □ 45 | 11 W | 120° | 1350 lm | 3000 K | 270258 | 85 |
| | | | 1700 lm | 4000 K | 270395 | 85 |


KIT PENDANT




Light beam: WIDE




| Required | Finish | Code | € |
|----------|--------|--------|----|
| No | White | 254289 | 50 |
| | Black | 307244 | 50 |




| m | lx | dm |
|---|------|------|
| 1 | 2945 | 1,90 |
| 2 | 736 | 3,80 |
| 3 | 327 | 5,60 |
| 4 | 184 | 7,50 |
| 5 | 116 | 9,40 |




CRI≥80 18W 87° 2650lm 3000K




| m | lx | dm |
|---|------|------|
| 1 | 1562 | 1,90 |
| 2 | 390 | 3,70 |
| 3 | 174 | 5,60 |
| 4 | 98 | 7,50 |
| 5 | 62 | 9,40 |



CRI≥80 26W 87° 3700lm 3000K



Fly




7,200 Kg/0,0694 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 53 W | 87° | 5600 lm | 2700 K | White | | 341187 | 610 new |
| | | | | Black | | 341194 | 610 new |
| | | 7200 lm | 3000 K | White | | 270302 | 610 |
| | | | | Black | | 292205 | 610 |
| | | 7700 lm | 4000 K | White | | 270319 | 610 |
| | | | | Black | | 306612 | 610 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|-------------|-------|---------|------------------|--------|-----|
| 1-10V | 60 W | 1400 mA | 124 x 23 x 82 mm | 270340 | 112 |
| DALI / Push | 60 W | 1400 mA | 125 x 28 x 85 mm | 270371 | 135 |



13,000 Kg/0,1441 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----------------------|
| 68 W | 87° | 7350 lm | 2700 K | White | | 341200 | 1180 new |
| | | | | Black | | 341217 | 1180 new |
| | | 9000 lm | 3000 K | White | | 270326 | 1180 |
| | | | | Black | | 306629 | 1180 |
| | | 9550 lm | 4000 K | White | | 270241 | 1180 |
| | | | | Black | | 306636 | 1180 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|-------------|-------|---------|-------------------|--------|-----|
| 1-10V | 68 W | 1400 mA | 130 x 25 x 75 mm | 270357 | 125 |
| DALI / Push | 100 W | 1400 mA | 140 x 30 x 100 mm | 270388 | 180 |

UPLIGHT Not included/Optional



| Model | Power | Beam | Lumen | CCT | Code | € |
|-------|--------|------|---------|--------|--------|-----|
| □ 60 | 17,5 W | 120° | 2500 lm | 3000 K | 270401 | 150 |
| | | | 2650 lm | 4000 K | 270265 | 150 |
| □ 90 | 25 W | 120° | 3500 lm | 3000 K | 271002 | 225 |
| | | | 3650 lm | 4000 K | 270715 | 225 |


KIT PENDANT





Light beam: WIDE




| Required | Finish | Code | € |
|----------|--------|--------|----|
| No | White | 254289 | 50 |
| | Black | 307244 | 50 |



| m | lx | dm |
|---|------|------|
| 1 | 2945 | 1,90 |
| 2 | 736 | 3,80 |
| 3 | 327 | 5,60 |
| 4 | 184 | 7,50 |
| 5 | 116 | 9,40 |



| m | lx | dm |
|---|------|------|
| 1 | 3991 | 1,90 |
| 2 | 998 | 3,90 |
| 3 | 443 | 5,80 |
| 4 | 249 | 7,80 |
| 5 | 160 | 9,70 |




CRI≥80 53W 87° 7500lm 3000K

CRI≥80 65W 87° 9400lm 3000K



Fly Slim




2,700 Kg/0,0105 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 18 W | 87° | 2150 lm | 2700 K | White | | 341224 | 295 new |
| | | 2800 lm | 3000 K | White | | 306643 | 295 |
| | | 3000 lm | 4000 K | White | | 306650 | 295 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|------------|-------|--------|------------------|--------|----|
| 1-10V/Push | 20 W | 500 mA | 108 x 22 x 52 mm | 270333 | 65 |
| DALI | 20 W | 500 mA | 108 x 22 x 52 mm | 270364 | 85 |



3,750 Kg/0,0170 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 26 W | 87° | 3000 lm | 2700 K | White | | 341231 | 390 new |
| | | 3900 lm | 3000 K | White | | 292236 | 390 |
| | | 4300 lm | 4000 K | White | | 306667 | 390 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|------------|-------|--------|-----------------|--------|----|
| 1-10V/Push | 32 W | 700 mA | 94 x 21 x 67 mm | 270586 | 75 |
| DALI/Push | 38 W | 700 mA | 94 x 21 x 67 mm | 270593 | 95 |

UPLIGHT Not included/Optional




| Model | Power | Beam | Lumen | CCT | Code | € |
|-------|-------|------|---------|--------|--------|----|
| □ 35 | 11 W | 120° | 1000 lm | 3000 K | 270258 | 85 |
| | | | 1300 lm | 4000 K | 270395 | 85 |
| □ 45 | 12 W | 120° | 1350 lm | 3000 K | 270258 | 85 |
| | | | 1700 lm | 4000 K | 270395 | 85 |

KIT PENDANT



| Required | Finish | Code | € |
|----------|--------|--------|----|
| No | White | 254289 | 50 |




Light beam: WIDE



| m | lx | ø m |
|---|------|------|
| 1 | 1066 | 1,90 |
| 2 | 267 | 3,70 |
| 3 | 118 | 5,60 |
| 4 | 67 | 7,50 |
| 5 | 43 | 9,40 |



| m | lx | ø m |
|---|------|------|
| 1 | 1511 | 1,90 |
| 2 | 378 | 3,80 |
| 3 | 168 | 5,70 |
| 4 | 94 | 7,60 |
| 5 | 60 | 9,50 |




CRI≥80 18W 87° 2650lm 3000K

CRI≥80 26W 87° 3700lm 3000K



Fly Slim




6,500 Kg/0,0694 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 53 W | 87° | 5600 lm | 2700 K | White | | 341248 | 575 new |
| | | 7200 lm | 3000 K | White | | 292250 | 575 |
| | | 7700 lm | 4000 K | White | | 306674 | 575 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|-------------|-------|---------|------------------|--------|-----|
| 1-10V | 60 W | 1400 mA | 124 x 23 x 82 mm | 270340 | 112 |
| DALI / Push | 60 W | 1400 mA | 125 x 28 x 85 mm | 270371 | 135 |



13,000 Kg/0,1448 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----------------------|
| 68 W | 87° | 7350 lm | 2700 K | White | | 341255 | 1125 new |
| | | 9000 lm | 3000 K | White | | 306681 | 1125 |
| | | 9550 lm | 4000 K | White | | 306698 | 1125 |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | € |
|-------------|-------|---------|-------------------|--------|-----|
| 1-10V | 68 W | 1400 mA | 130 x 25 x 75 mm | 270357 | 125 |
| DALI / Push | 100 W | 1400 mA | 140 x 30 x 100 mm | 270388 | 180 |

UPLIGHT Not included/Optional




| Model | Power | Beam | Lumen | CCT | Code | € |
|-------|-------|------|---------|--------|--------|-----|
| □ 60 | 18 W | 120° | 2500 lm | 3000 K | 270401 | 150 |
| | | | 2650 lm | 4000 K | 270265 | 150 |
| □ 90 | 25 W | 120° | 3500 lm | 3000 K | 271002 | 225 |
| | | | 3650 lm | 4000 K | 270715 | 225 |

KIT PENDANT


| Required | Finish | Code | € |
|----------|--------|--------|----|
| No | White | 254289 | 50 |




Light beam: WIDE




| m | lx | Øm |
|---|------|------|
| 1 | 3000 | 1,90 |
| 2 | 750 | 3,80 |
| 3 | 333 | 5,70 |
| 4 | 187 | 7,60 |
| 5 | 120 | 9,50 |



CRI≥80 53W 87° 7500lm 3000K



| m | lx | Øm |
|---|------|------|
| 1 | 3857 | 1,90 |
| 2 | 964 | 3,90 |
| 3 | 429 | 5,80 |
| 4 | 241 | 7,80 |
| 5 | 154 | 9,70 |



CRI≥80 65W 87° 9400lm 3000K



Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning ≤ 2 -Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 80 ; LED useful life 35.000; protection IP20, insulation class I.



Up-light included.

| | | | |
|-------------------|-----------------|------------------|----------|
| Source | LED SMD | Insulation class | I |
| Power | 22W / 32W / 46W | IP | 20 |
| Driver included | On/Off | Material | Aluminum |
| Drivers available | No | | |
| CCT | 3000 K / 4000 K | | |
| CRI | ≥ 90 | | |
| LED life | 35.000 h | | |



LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 22 W | 110° | 2850 lm | 3000 K | White | | 223186 | 230 |
| | | 3100 lm | 4000 K | White | | 223193 | 230 |


2,750 Kg/0,0177 m³



LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 32 W | 110° | 3650 lm | 3000 K | White | | 223209 | 310 |
| | | 3800 lm | 4000 K | White | | 223216 | 310 |

4,430 Kg/0,0313 m³



LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 46 W | 110° | 5350 lm | 3000 K | White | | 223223 | 545 |
| | | 5600 lm | 4000 K | White | | 223230 | 545 |

6,600 Kg/0,0566 m³

KIT PENDANT



| Required | Finish | | Code | € |
|----------|--------|--|--------|----|
| No | White | | 223247 | 50 |





Ray

Family composed by ceiling lamps with circular base, available with three different diameters (300 mm, 400 mm, 600 mm). Body with white finish RAL 9016 or black finish RAL 9005, optics with PMMA microprismatic diffuser with glare control (UGR < 19, 22). Integrated LED light source; available with temperature CRI ≥90; LED useful life 50.000 L70B50 ; protection IP44, insulation class II. The lamp is equipped with an integrated switch to set up two different light emission tonality (color temperature 3000 k or 4000 k). Driver included, integrated in the body, dimmable options available. Product suitable for environments where a flexible, comfortable and uniform light is required, for example OFFICES and in the indoor spaces of the SERVICES SECTOR or RESIDENTIALS.

IP44 Protection degree IP44.



| | |
|--------------------------|-----------------|
| Source | LED SMD |
| Power | 13W / 26W / 43W |
| Driver included | On/Off |
| Drivers available | No |
| CCT | 3000 K / 4000 K |
| CRI | ≥90 |
| UGR | <19 / 22 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 44 |
| Material | Plastic |
| Warranty | 5 years |







1,620 Kg/0,0067 m³



LED SMD Driver TRIDONIC ON/OFF included - UGR <22



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|----------------|---------------|--------|---|--------|-----|
| 13 W | 77° | 2000 - 2100 lm | 3000 - 4000 K | White |  | 327570 | 185 |
| | | | | Black |  | 327563 | 185 |



2,160 Kg/0,0097 m³



LED SMD Driver TRIDONIC ON/OFF included - UGR <19





| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|----------------|---------------|--------|---|--------|-----|
| 26 W | 77° | 4050 - 4250 lm | 3000 - 4000 K | White |  | 318264 | 270 |
| | | | | Black |  | 327600 | 270 |



3,240 Kg/0,0251 m³

LED SMD Driver TRIDONIC ON/OFF included - UGR <19

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|----------------|---------------|--------|---|--------|-----|
| 44 W | 77° | 6850 - 7200 lm | 3000 - 4000 K | White |  | 327693 | 500 |
| | | | | Black |  | 327686 | 500 |






Universal Round new


Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 25.000 h |
| Power | 12W / 36W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Steel |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |




LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 12 W | 110° | 1100 lm | 2700K | White | | 342566 | 30 new |
| | | 1200 lm | 3000 K | White | | 138596 | 30 |
| | | 1300 lm | 4000 K | White | | 321776 | 30 |




LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 17 W | 110° | 1750 lm | 2700 K | White | | 342580 | 35 new |
| | | 1800 lm | 3000 K | White | | 138602 | 35 |
| | | 1900 lm | 4000 K | White | | 321752 | 35 |



LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 22 W | 110° | 2250 lm | 2700 K | White | | 342603 | 50 new |
| | | 2400 lm | 3000 K | White | | 138619 | 50 |
| | | 2550 lm | 4000 K | White | | 321738 | 50 |



LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 36 W | 110° | 3400 lm | 2700 K | White | | 342627 | 85 new |
| | | 3850 lm | 3000 K | White | | 240367 | 85 |
| | | 4200 lm | 4000 K | White | | 321684 | 85 |



Universal Square new

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 25.000 h |
| Power | 12W / 36W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Steel |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |



0,510 Kg/0,0015 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 12 W | 110° | 1100 lm | 2700 K | White | | 342573 | 30 new |
| | | 1200 lm | 3000 K | White | | 138633 | 30 |
| | | 1300 lm | 4000 K | White | | 321769 | 30 |



0,780 Kg/0,0024 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 17 W | 110° | 1750 lm | 2700 K | White | | 342597 | 35 new |
| | | 1800 lm | 3000 K | White | | 138640 | 35 |
| | | 1900 lm | 4000 K | White | | 321745 | 35 |



1,130 Kg/0,0043 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 22 W | 110° | 2250 lm | 2700 K | White | | 342610 | 50 new |
| | | 2400 lm | 3000 K | White | | 138657 | 50 |
| | | 2550 lm | 4000 K | White | | 321707 | 50 |



2,000 Kg/0,0068 m³

LED SMD Driver ON/OFF included







| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---|
| 36 W | 110° | 3400 lm | 2700 K | White | | 342634 | 85 new |
| | | 3850 lm | 3000 K | White | | 240374 | 85 |
| | | 4200 lm | 4000 K | White | | 321660 | 85 |



Relax

Metal frame finished with matt white varnish. Opal polycarbonate diffusers. Double light emission: primary and lateral. Replaceable LED source. Dimmable power supply integrated.

LED LED source 3000 K, 17.500 h life.













| | |
|--|--|
|  |  |
| 1100 | 900 |
|  IP20  |  IP20  |
| 8,190 Kg / 0,0740 m³ LED 84W / 5400 lm | 5,760 Kg / 0,0486 m³ LED 65W / 4250 lm |
| € 500 | € 450 |
| 255941 White | 255934 White |



Totem

Matt white varnished laser shaped metal base. Replaceable LED lighting sources.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936

| | | |
|--|--|--|
|  |  |  |
| 710 | 560 | 345 |
|  IP20  |  IP20  |  IP20  |
| 5,320 Kg / 0,0470 m³ GX53 max 6 x 15W | 3,890 Kg / 0,0322 m³ GX53 max 4 x 15W | 2,960 Kg / 0,0227 m³ GX53 max 3 x 15W |
| € 280 | € 240 | € 200 |
| 215785 White | 215778 White | 215761 White |
|  3000 K 910 lm |  3000 K 910 lm |  3000 K 910 lm |
| 123936 € 5,00 | 123936 € 5,00 | 123936 € 5,00 |





Iride


Matt varnished metal base and frame. Irregular opal polycarbonate diffuser. Color: white.

LED LED source 3000 K, 30.000 h life.

| | |
|---|---|
| | |
| | |
| 3,800 Kg / 0,0352 m³ LED 22W / 1750 lm | 2,810 Kg / 0,0246 m³ LED 18W / 1300 lm |
| € 193 | € 138 |
| 328362 White | 312491 White |

Celine

Enameled metal frame.
Sandblasted clear glass diffuser.
chrome metal glass holders.



3,600 Kg / 0,0467 m³
E27 max 4 x 60W

€ 105


044293 White



3000 K
340 lm

101286

€ 2,00



1,740 Kg / 0,0265 m³
E27 max 3 x 60W

€ 64


044286 White



3000 K
340 lm

101286

€ 2,00



1,120 Kg / 0,0149 m³
E27 max 2 x 60W

€ 49

044279 White




3000 K
340 lm

101286

€ 2,00

Ocean

Diffuser composed of two glass sheets: the back one with mirror edge and frosted in the middle, the front one with decorative serigraph and glass buttons.



2,930 Kg / 0,0281 m³
E27 max 3 x 60W

€ 110

081441 Clear


091013 Color



3000 K
340 lm

101286

€ 2,00



1,930 Kg / 0,0160 m³
E27 max 2 x 60W

€ 75

081434 Clear

091006 Color



3000 K
340 lm

101286

€ 2,00



091013












0801441



Squish new

Metal base. Double polycarbonate diffuser: satin opal the inner one, clear the external one.


LED LED source 3000 K, 25.000 h life.

| | | |
|---|---|---|
|  |  |  |
| ■ ■  IP20 | ■ ■  IP20 | ■ ■  IP20 |
| 2,100 Kg / 0,0934 m ³ LED 30W / 3350 lm | 2,190 Kg / 0,0429 m ³ LED 18W / 1700 lm | 0,760 Kg / 0,0228 m ³ LED 10W / 950 lm |
| € 208 | € 118 | € 88 |
| 332420  Clear new | 332413  Clear new | 332406  Clear new |

Gemini new


Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.

| | | | |
|-------------------|--------------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 24W / 42W | Insulation class | II |
| Driver included | On/Off / DALI/Push | IP | 20 |
| Drivers available | No | Material | Aluminum |
| Beam | 130° | | |
| CCT | 2700 K / 3000 K / | | |
| CRI | ≥90 | | |




LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| 425x425 | 24 W | On-Off | 2300 lm | 2700 K | White | | 341439 | 220 new |
| | | | | | Black | | 341446 | 220 new |
| | | | | | Brass | | 341453 | 220 new |
| | | | 2900 lm | 3000 K | White | | 328010 | 220 |
| | | | | | Black | | 328027 | 220 |
| | | | | | Brass | | 328034 | 220 |



LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|--|
| 610x610 | 30 W | On-Off | 3300 lm | 2700 K | White | | 341460 | 300 new |
| | | | | | Black | | 341477 | 300 new |
| | | | | | Brass | | 341484 | 300 new |
| | | | 3600 lm | 3000 K | White | | 328041 | 300 |
| | | | | | Black | | 328058 | 300 |
| | | | | | Brass | | 328065 | 300 |
| | 28 W | DALI/Push | 3100 lm | 3000 K | White | | 328942 | 380 |
| | | | | | Black | | 328959 | 380 |
| | | | | | Brass | | 328966 | 380 |



LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|-----------|---------|--------|--------|--|--------|--|
| 810x810 | 42 W | On-Off | 4150 lm | 2700 K | White | | 341491 | 390 new |
| | | | | | Black | | 341507 | 390 new |
| | | | | | Brass | | 341514 | 390 new |
| | | | 4450 lm | 3000 K | White | | 328072 | 390 |
| | | | | | Black | | 328089 | 390 |
| | | | | | Brass | | 328096 | 390 |
| | 42 W | DALI/Push | 4150 lm | 3000 K | White | | 328973 | 480 |
| | | | | | Black | | 328980 | 480 |
| | | | | | Brass | | 329260 | 480 |





328041



328058




328034



Gingle

Powder coated metal base and body. Integrated LED light source with mirrored light emission.

LED LED source 3000 K, 30.000 h life.




■ ■ □ IP20

1,540 Kg / 0,0233 m³
LED 35W / 2900 lm

€ 350

196220 White




■ ■ □ IP20

1,000 Kg / 0,0139 m³
LED 26W / 2200 lm

€ 250

196206 White



■ ■ □ IP20

0,730 Kg / 0,0153 m³
LED 19W / 1650 lm

€ 180

196190 White



Geko

White enameled metal frame.
Transparent silkscreened or white
glass diffuser. Chrome metal
central glass screw.



3,820 Kg / 0,0385 m³
E27 max 4 x 60W

€ 180

116112 White

3000 K
340 lm

101286 € 2,00




2,000 Kg / 0,0203 m³
E27 max 3 x 60W

€ 120

018508 White

3000 K
340 lm

101286 € 2,00



1,200 Kg / 0,0130 m³
E27 max 2 x 60W

€ 85


010861 White

3000 K
340 lm

101286 € 2,00

Glory

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.




■ □ IP20

4,810 Kg / 0,1789 m³
E27 max 5 x 60W

€ 350

019765 White

101286 3000 K
340 lm € 2,00




■ □ IP20

3,410 Kg / 0,0744 m³
E27 max 3 x 60W

€ 220

019758 White

101286 3000 K
340 lm € 2,00



■ □ IP20

2,100 Kg / 0,0700 m³
E27 max 2 x 60W

€ 195

101132 White

101286 3000 K
340 lm € 2,00




P. 153

Level

Powder coated metal base. White
acid-etched blown glass diffuser
with fastening system without
screws. Easily replaceable
integrated led source.

LED LED source 3000 K, 17.500 h life.




■ □ IP20

5,200 Kg / 0,0908 m³
LED 37,5W / 3100 lm

€ 320

261188 White



■ □ IP20

2,100 Kg / 0,0368 m³
LED 22,5W / 2000 lm

€ 190

261164 White





Smarties

White varnished metal frame.
White blown glass diffuser.

| | | | |
|---|---|---|---|
| | | | |
| ■ ■ (⊕) IP20 | ■ ■ (⊕) IP20 | ■ ■ (⊕) IP20 | ■ ■ (⊕) IP20 |
| 4,690 Kg / 0,1480 m³ E27 max 3 x 42W | 3,070 Kg / 0,1009 m³ E27 max 3 x 42W | 2,810 Kg / 0,0599 m³ E27 max 2 x 42W | 1,440 Kg / 0,0454 m³ E27 max 1 x 42W |
| € 280 | € 195 | € 170 | € 115 |
| 032023 White | 032030 White | 032047 White | 009223 White |
| 3000 K 340 lm | 3000 K 340 lm | 3000 K 340 lm | 3000 K 340 lm |
| 101286 € 2,00 | 101286 € 2,00 | 101286 € 2,00 | 101286 € 2,00 |



P. 154



P. 385



P. 469




Arizona

Metal frame with satin brass finish.
White acid-etched blown glass
diffuser with embossed decorative
stripes.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



7,680 Kg / 0,1299 m³
GX53 max 5 x 9W


€ 505

214511 White

3000 K
910 lm

123936

€ 5,00



3,050 Kg / 0,0744 m³
GX53 max 3 x 9W


€ 330

214504 White

3000 K
910 lm

123936

€ 5,00



2,960 Kg / 0,0452 m³
GX53 max 2 x 9W

€ 225

214498 White

3000 K
910 lm

123936

€ 5,00




P. 156



Atrium

Matt white varnished metal frame.
White acid-etched glass diffuser
with interlocking fastening system.

LED LED source 3000 K, 20.000 h life.




■ ■ □ IP20

4,8 Kg / 0,1113 m³
LED 26W / 2600 lm

€ 220

265841 White




■ ■ □ IP20

3,700 Kg / 0,0675 m³
LED 22,5W / 2250 lm

€ 160

265827 White



■ ■ □ IP20

2,300 Kg / 0,0425 m³
LED 15W / 1500 lm

€ 115

265803 White



Candy

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.



2,500 Kg / 0,0799 m³
E27 max 1x 42W

€ 197

086781 White

3000 K
900 lm
123899 € 3,50



P. 158




P. 469



Cotton

Metal base finished with white powder paint. Acid-etched white blown glass with screw fastening.

LED Bulbs LED G9 3W 3000 K included in model **297750**. Cod. **209043**



■ □ IP20

2,400 Kg / 0,0810 m³
E27 max 1x42W

€ 180

327891 White



3000 K
900 lm

123899

€ 3,50



■ □ IP20

0,810 Kg / 0,0369 m³
E27 max 1x42W

€ 125


297743 White



3000 K
900 lm

123899

€ 3,50



■ □ IP20 

0,200 Kg / 0,0060 m³
G9 max 1x4W

€ 50

297750 White



3000 K
510 lm

305486


€ 6,00



P. 159

Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.



IP20

2,590 Kg / 0,1290 m³
E27 max 1x 42W

€ 188

059839 White

3000 K
910 lm


119571 € 3,50



P. 168 P. 384 P. 470

Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper effect covering.



IP20


1,700 Kg / 0,0813 m³
E27 max 1x 25W

€ 225

317120 White

3000 K
910 lm

119571 € 3,50



IP20

1,150 Kg / 0,0370 m³
E27 max 1x 25W

€ 110

317113 White

3000 K
430 lm

101279 € 2,00



P. 170 P. 385 P. 468 P. 519



Topico new

Matt varnished metal frame.
Double glass diffuser: acid-etched
white inside, clear with smoked
shade on the upper part outside.
Color: black.

LED LED source 3000 K, 30.000 h life.




■ □ IP20

2,250 Kg / 0,0843 m³
LED 19W / 1850 lm

€ 160

333014 ■ Smok Gre. new



■ □ IP20

1,760 Kg / 0,0327 m³
LED 12W / 1450 lm

€ 100


333007 ■ Smok Gre. new



P. 148

Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.





■ IP20

7,700 Kg / 0,1448 m³
E27 max 8 x 60W

€ 320

094014 White




■ IP20

5,100 Kg / 0,1202 m³
E27 max 5 x 60W

€ 250

093963 White



123899 € 3,50

123899 € 3,50



P. 157



P. 382



Cloud

Metal frame and decorative elements with matt varnish finish. Acrylic opal color diffusers. Indirect light emission. Color: white.

LED LED source 3000 K, 17.500 h life.




■ IP20

4,700 Kg / 0,0792 m³
LED 46W / 3350 lm

€ 320

285207 White



■ IP20

3,200 Kg / 0,0647 m³
LED 33W / 2450 lm

€ 230

263519 White





Corolla

Matt white varnished metal frame.
Opal satin polycarbonate diffuser.

LED LED source 3000 K, 50.000 h life.




■ □ IP20

2,450 Kg / 0,0274 m³
LED 24W / 2750 lm

€ 180

297149 White



■ □ IP20

2,450 Kg / 0,0304 m³
LED 24W / 2750 lm

€ 180

297101 White



Ziggy

Powder-coated metal body. Satin opal color polycarbonate inner diffusing faces.

LED

LED source 3000 K, 50.000 h life.




■ □ IP20

6,660 Kg / 0,0953 m³
LED 62W / 7350 lm

€ 430

317908 White
321615 Black




■ □ IP20

4,000 Kg / 0,0553 m³
LED 43W / 4400 lm

€ 245

293790 White
307213 Black



■ □ IP20

2,500 Kg / 0,0324 m³
LED 30W / 3150 lm

€ 200

293783 White
307206 Black



■ □ IP20

1,350 Kg / 0,0096 m³
LED 21W / 2750 lm

€ 160


293776 White
293769 Black



Planet

Matt varnished metal base and central reflecting disc. Satin opal polycarbonate diffuser. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.




■ □ IP20

2,950 Kg / 0,0365 m³
LED 29W / 2650 lm

€ 165

312378 ■ White
312361 ■ Black




■ □ IP20

2,150 Kg / 0,0257 m³
LED 25W / 2250 lm

€ 132

312354 ■ White
328157 ■ Black




■ □ IP20

1,350 Kg / 0,0168 m³
LED 20W / 1850 lm

€ 110

312347 ■ White
312330 ■ Black





■ □ IP20

0,820 Kg / 0,0097 m³
LED 15W / 1350 lm

€ 88


312323 ■ White
328140 ■ Black



P. 130 P. 508

Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.




IP20

0,270 Kg / 0,005 m³
E27 max 1x60W

€ 35

292847 White
292830 Black



2,000 Kg / 0,0676 m³

€ 85


288437 White
288420 Black



1,100 Kg / 0,0446 m³

€ 55


307404 White
288475 Black



0,800 Kg / 0,0147 m³

€ 40


307411 White
288444 Black



0,500 Kg / 0,0174 m³

€ 35

307428 White
288451 Black

 3000 K
900 lm
123899 € 3,50



260457

304625

270012

260464

345895

Set Up new

Powder coated frames.
Lampshades in fireproof PVC
covered with fabric. Lampshade
colors: beige, dove grey, white, black
or wood.



2,000 Kg / 0,1384 m³

€ 172


345918 White
345932 Dove Grey
345925 Black
339269 Beige
339276 Wood



1,260 Kg / 0,0674 m³

€ 138


260471 White
304632 Dove Grey
270029 Black
260488 Beige
345901 Wood



0,770 Kg / 0,0221 m³

€ 92

260457 White
304625 Dove Grey
270012 Black
260464 Beige
345895 Wood



0,460 Kg / 0,0228 m³

€ 63

260433 White
304618 Dove Grey
270005 Black
260440 Beige
345888 Wood



IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80

320373 White




IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80

320373 White




IP20

0,850 Kg / 0,0041 m³
E27 max 3x 42W

€ 58

348278 White



IP20

0,300 Kg / 0,0010 m³
E27 max 1x 42W

€ 35


277288 White

123899 3000 K 900 lm € 3,50

123899 3000 K 900 lm € 3,50

123899 3000 K 900 lm € 3,50

123899 3000 K 900 lm € 3,50



0,500 Kg / 0,0423 m³

€ 80


339252 Clear



0,700 Kg / 0,0259 m³

€ 58


270050 Clear



0,280 Kg / 0,0108 m³

€ 35

270043 Clear



0,100 Kg / 0,0061 m³

€ 17

346847 Clear



Set Up Slim new

Powder coated frames.
Lampshades in fireproof PVC
covered with fabric. Lampshade
colors: beige, dove grey, white, black
or wood.



1,200 Kg / 0,1903 m³

€ 138

346069 White new
339283 Dove Grey new
346083 Black new
346052 Beige new
346076 Wood new



0,750 Kg / 0,1172 m³

€ 115


339290 White new
346045 Dove Grey new
346038 Black new
346014 Beige new
346021 Wood new



0,440 Kg / 0,0415 m³

€ 80

345987 White new
346007 Dove Grey new
345994 Black new
345970 Beige new
339306 Wood new



■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80


320373 White new



3000 K
900 lm

123899

€ 3,50



■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80


320373 White new



3000 K
900 lm

123899

€ 3,50



■ □ IP20

0,850 Kg / 0,0041 m³
E27 max 3x 42W

€ 58

348278 White new



3000 K
900 lm

123899

€ 3,50



0,500 Kg / 0,0423 m³

€ 80


339252 Clear new



0,700 Kg / 0,0259 m³

€ 58

270050 Clear



0,280 Kg / 0,0108 m³

€ 35

270043 Clear





346144

346168

346151

346137

339320

Set Up Ultra Slim ^{new}

Powder coated frames.
Lampshades in fireproof PVC
covered with fabric. Lampshade
colors: beige, dove grey, white, black
or wood.



0,800 Kg / 0,1124 m³

€ 126

346182 White new
346205 Dove Grey new
339313 Black new
346175 Beige new
346199 Wood new



0,600 Kg / 0,0613 m³

€ 103


346144 White new
346168 Dove Grey new
346151 Black new
346137 Beige new
339320 Wood new



0,500 Kg / 0,0265 m³

€ 69

339337 White new
346120 Dove Grey new
346113 Black new
346090 Beige new
346106 Wood new



■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80


320373 White new



3000 K
900 lm

123899

€ 3,50



■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80


320373 White new



3000 K
900 lm

123899

€ 3,50



■ □ IP20

0,850 Kg / 0,0041 m³
E27 max 3x 42W

€ 58


348278 White new



3000 K
900 lm

123899


€ 3,50



0,500 Kg / 0,0423 m³

€ 80


339252 Clear new



0,700 Kg / 0,0259 m³

€ 58

270050 Clear



0,280 Kg / 0,0108 m³


€ 35

270043 Clear



Simply


Transparent frosted glass diffuser.
Chrome metal glass holders with
cast-on cast-off mechanism.



■ □ ⊕ △ IP20

3,190 Kg / 0,0511 m³
E27 max 4 x 60W
€ 85
007991 White


101286 3000 K 340 lm € 2,00



■ □ ⊕ △ IP20

1,670 Kg / 0,0284 m³
E27 max 3 x 60W
€ 54
007984 White


101286 3000 K 340 lm € 2,00



■ □ ⊕ △ IP20

1,010 Kg / 0,0107 m³
E27 max 2 x 60W
€ 37
007977 White

101286 3000 K 340 lm € 2,00




■ □ ⊕ △ IP20

0,670 Kg / 0,0060 m³
E27 max 1 x 60W
€ 28
007960 White

101286 3000 K 340 lm € 2,00

Lana


Transparent glass diffuser with
silkscreen decorations inside and
sandblasted outside. Chrome metal
glass holders.



■ □ ⊕ △ IP20

1,500 Kg / 0,0279 m³
E27 max 3 x 60W
€ 68
068145 White

101286 3000 K 340 lm € 2,00



■ □ ⊕ △ IP20

0,800 Kg / 0,0168 m³
E27 max 2 x 60W
€ 46
068138 White

101286 3000 K 340 lm € 2,00





P. 153





 IP20


8,850 Kg / 0,0943 m³
E27 max 6 x 60W

€ 320

008622  Clear
140193  Amber

 **3000 K**
430 lm

101279 € 2,00











 IP20

6,150 Kg / 0,0647 m³
E27 max 4 x 60W

€ 240

008615  Clear
140186  Amber

 **3000 K**
430 lm


101279 € 2,00




 IP20

3,940 Kg / 0,0381 m³
E27 max 3 x 60W

€ 160

008608  Clear
140179 Amber

 **3000 K**
430 lm


101279 € 2,00



Look

Turned aluminum fixing base.
White, black or satin brass powder
coated metal cylindrical diffuser.


LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



3,070 Kg / 0,0053 m³
GU10 max 1x28W

€ 86

259260 White
259277 Black



123943


€ 3,50



1,380 Kg / 0,0043 m³
GU10 max 1x28W


€ 60

233352 White
233321 Black



123943


€ 3,50



0,740 Kg / 0,0025 m³
GU10 max 1x28W


€ 42

233215 White
233192 Black



123943


€ 3,50



0,400 Kg / 0,0013 m³
GU10 max 1x28W

€ 32

233079 White
233062 Black
285214 Brass



123943

€ 3,50



P. 078



P. 381



P. 506












P. 698



Sky

White, black powder coated metal diffuser and body. Fastening system without visible screws.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

| | | |
|--|---|--|
|  |  |  |
|  IP20 |  IP20 |  IP20 |
| 1,940 Kg / 0,0047 m³ GU10 max 1x28W | 1,090 Kg / 0,0027 m³ GU10 max 1x28W | 0,600 Kg / 0,0016 m³ GU10 max 1x28W |
| € 70 | € 65 | € 47 |
| 234007 White 233970 Black | 233833 White 233826 Black | 233772 White 233765 Black |
|  3000 K 540 lm |  3000 K 540 lm |  3000 K 540 lm |
| 123943 € 3,50 | 123943 € 3,50 | 123943 € 3,50 |



P. 083 P. 381

Nitro Round new


White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

| | | | |
|-------------------|-----------------|------------------|----------|
| Source | LED DOB / COB | Insulation class | I – II |
| Power | 4W / 25W | IP | 20 |
| Driver included | On/Off | Material | Aluminum |
| Drivers available | No | | |
| CCT | 2700 K / 3000 K | | |
| CRI | ≥90 | | |
| LED life | 50.000 h | | |




LED DOB

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|-------|--------|--|--------|---------------------|
| 4 W | 40° | 290 lm | 2700K | White | | 342788 | 45 new |
| | | | | Black | | 342795 | 45 new |
| | | 320 lm | 3000K | White | | 299419 | 45 |
| | | | | Black | | 299402 | 45 |




LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---------------------|
| 10 W | 28° | 900 lm | 2700 K | White | | 341781 | 65 new |
| | | | | Black | | 341798 | 65 new |
| | | 1000 lm | 3000 K | White | | 205991 | 65 |
| | | | | Black | | 206004 | 65 |



LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 15 W | 36° | 1400 lm | 3000 K | White | | 205977 | 90 |
| | | | | Black | | 205984 | 90 |



LED COB BRIDGELUX


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 25 W | 33° | 2350 lm | 3000 K | White | | 319568 | 115 |
| | | | | Black | | 322711 | 115 |



Nitro Square


White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

| | | | |
|-------------------|-----------------|------------------|----------|
| Source | LED DOB / COB | Insulation class | I – II |
| Power | 5W / 25W | IP | 20 |
| Driver included | On/Off | Material | Aluminum |
| Drivers available | No | | |
| CCT | 3000 K / 4000 K | | |
| CRI | ≥90 | | |
| LED life | 50.000 h | | |




LED DOB

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|-------|--------|--|--------|----|
| 5 W | 40° | 370 lm | 3000K | White | | 319797 | 67 |
| | | | | Black | | 319803 | 67 |




LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 10 W | 28° | 1000 lm | 3000 K | White | | 206035 | 65 |
| | | | | Black | | 206042 | 65 |



LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 15 W | 36° | 1400 lm | 3000 K | White | | 206011 | 90 |
| | | | | Black | | 206028 | 90 |



LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 25 W | 33° | 2350 lm | 3000 K | White | | 319575 | 115 |
| | | | | Black | | 319582 | 115 |






Kubiko

Powder coated aluminum body.
Shiny opal polycarbonate diffuser.
Magnetic fastening system.
Finishes: white, black.

LED LED source 3000 K, 30.000 h life.



■  IP20

0,660 Kg / 0,0020 m³
LED 10W / 1100 lm

€ 80

303321 ■ White
303314 ■ Black



303321

303314



Mood

Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.




Bulbs GU10 7W and GU10 10W 3000 K included.



140841

243924



1,210 Kg / 0,0061 m³
GU10 max 1 x 50W

€ 97

140872 White
243450 Black

3000 K
750 lm

189031 € 15,00




0,400 Kg / 0,0022 m³
GU10 max 1 x 28W

€ 64

140841 White
243924 Black

3000 K
540 lm

123943 € 3,50




1,420 Kg / 0,0068 m³
GU10 max 1 x 50W

€ 97

140933 White
243931 Black

3000 K
750 lm

189031 € 15,00



0,460 Kg / 0,0023 m³
GU10 max 1 x 28W

€ 64

140902 White
243948 Black

3000 K
540 lm

123943 € 3,50



Spike

Powder coated or plated aluminum body. Available with GX53 or integrated LED source with satin opal polycarbonate diffuser. Colors: white, black or satin brass.

Bulbs LED GX53 9W 3000 K included.

LED

Cod. **123936**. LED source 3000 K, 25.000 h life. Cod. **345468, 336008, 345475**



285238




310893



328799




317496



0,340 Kg / 0,0012 m³
LED 10W / 1100 lm

€ 40

345468 White new
336008 Black new
345475 Brass new



0,240 Kg / 0,0017 m³
GX53 max 1x15W


€ 80

277417 White
310886 Chrome
278704 Black
285238 Brass
310893 Copper

3000 K
910 lm

123936

€ 5,00



0,220 Kg / 0,0014 m³
GX53 max 1x15W

€ 85

317489 White
328799 Chrome
317496 Black
317502 Brass
328812 Copper

3000 K
910 lm

123936

€ 5,00




P. 697

Oak

Gypsum or concrete body.
Adjustable central bulb holder
made of varnished metal.



Item suitable for painting and
varnishing.



1,730 Kg / 0,0082 m³
GU10 max 1x 35W

€ 76

150420 White
150437 Concrete



3000 K
410 lm



108292 € 3,00 [P.082](#)



Tower

Plastic installing base with bayonet
system. Total gypsum body. It fits
replaceable GU10 bulbs.



Item suitable for painting and
varnishing.



0,430 Kg / 0,0023 m³
GU10 max 1x 35W


€ 39

155869 White



3000 K
410 lm

108292 € 3,00



0,620 Kg / 0,0023 m³
GU10 max 1x 35W

€ 39

155791 White



3000 K
410 lm

108292 € 3,00





Lika


Family of recessed rectangular LED modules in die-cast aluminium, painted black or white with polycarbonate reflector. Modules available with five lenses. Specially designed to avoid glare (UGR <16), best for installation in OFFICES and SHOPS.



LED source 3000 K, 50.000 h life.



P. 784



IP20

0,370 Kg / 0,0011 m³
LED 12,5W / 1200 lm

€ 90

248530 White
244884 Black



Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



0,430 Kg / 0,0037 m³
GU10 max 1x28W

€ 98

231495 White
231471 Black
244662 Brass

3000 K
540 lm
123943 € 3,50

Play

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuser. Available with black finish or white finish with black rear cover and front inner ring.

LED LED source 3000 K, 30.000 h life.



0,240 Kg / 0,0010 m³
LED 7W / 520 lm

€ 70

258287 White
268101 Black




P. 778



Toby

Powder coated die cast aluminum frame. Adjustable diffusers: they can be rotated or inclined. Colors: white or black.

LED Bulbs LED GU10 7W 3000 K included.
Cod. 123943



0,220 Kg / 0,0008 m³
GU10 max 1x 35W

€ 60

271538 White
271545 Black

3000 K
540 lm

123943 € 3,50






Petit

Plated or matt varnished metal body. Fastening system without visible screws. Available finishes: white, brass and black.

LED

Bulbs LED E27 8W Globo D95 3000 K included in models: **232966**, **232980** and **233031**. Cod. **101330**



0,790 Kg / 0,0071 m³
E27 max 1x 42W

€ 30

232966 **White**
232980 **Black**
233031 **Brass**



3000 K
950 lm

101330

€ 4,50



232966



232980




233031



Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.



IP20

0,290 Kg / 0,0004 m³
E27 max 1x 60W

€ 27

155227 White
155142 Black

3000 K
1050 lm
101323 € 4,50



155227




155142



P. 416

Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



■ ■ IP20

1,900 Kg / 0,0157 m³
GU10 max 4 x 50W

€ 260

073583 White
156712 Black



3000 K
410 lm

108292

€ 3,00



P. 412



P. 694



Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



■ ■ IP20

1,320 Kg / 0,0139 m³
GU10 max 4 x 28W

€ 100

156774 White
156781 Black



3000 K
410 lm

108292

€ 3,00



P. 412



P. 694





Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.

| | |
|----------------------|----------------------|
| | |
| 550 | 370 |
| | |
| 1,210 Kg / 0,0058 m³ | 0,870 Kg / 0,0038 m³ |
| LED 24W / 2800 lm | LED 18W / 2100 lm |
| € 260 | € 185 |
| 196718 White | 196701 White |





Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



229089 229065



294827 294810

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
| 1,230 Kg / 0,0057 m³ GU10 max 4 x 35W € 185 | | 1,080 Kg / 0,0041 m³ GU10 max 3 x 35W € 127 | | 1,230 Kg / 0,0057 m³ GU10 max 3 x 35W € 195 | | 1,080 Kg / 0,0041 m³ GU10 max 3 x 35W € 150 | |
| 229089 White 229072 Black | | 229065 White 229058 Black | | 294827 White 321523 Black | | 294810 White 321516 Black | |
| 3000 K 540 lm 123943 € 3,50 | | 3000 K 540 lm 123943 € 3,50 | | 3000 K 540 lm 123943 € 3,50 | | 3000 K 540 lm 123943 € 3,50 | |





Profilo

Base with recessed fastening and adjustable powder coated metal diffuser. Finishes: white, black.




Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



314716



314723




1,900 Kg / 0,0151 m³
GU10 max 4 x 28W

€ 185

328188 White
328195 Black

3000 K
540 lm

123943 € 3,50



0,940 Kg / 0,0078 m³
GU10 max 2 x 28W

€ 90

314716 White
314723 Black

3000 K
540 lm

123943 € 3,50



Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.



Bulbs LED GU10 10W 3000 K included.
Cod. **189031**



200194



200231




P. 695




1,270 Kg / 0,0202 m³
GU10 max 4 x 50W

€ 304

200217 White
200255 Black




3000 K
750 lm
189031 € 15,00




0,890 Kg / 0,0074 m³
GU10 max 2 x 50W

€ 166

200200 White
200248 Black



3000 K
750 lm
189031 € 15,00



0,480 Kg / 0,0034 m³
GU10 max 1 x 50W

€ 86

200194 White
200231 Black




3000 K
750 lm
189031 € 15,00



Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




IP20

3,200 Kg / 0,1012 m³
E14 max 5 x 28W

€ 231

200484 Chrome

101200 3000 K
480 lm
€ 2,00



IP20

3,200 Kg / 0,1012 m³
E14 max 5 x 28W


€ 231

073712 White
241050 Brass

101200 3000 K
480 lm
€ 2,00



P. 175




149622

133393

Nodino

Metal frame with chrome or matt white paint finish. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



3,160 Kg / 0,3975 m³
G9 max 9 x 15W

€ 567

149622 White
133393 Chrome

3000 K
510 lm
305486 € 6,00



Perlage

Metal frame with round section
linear structure or squared section
round structure. Blown glass
diffusers. Finishes: Matt black with
amber or smoky Pyrex glasses
or satin brass with etched white
glasses.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**




328423



328416



328409



7,520 Kg / 0,1314 m³
G9 max 18 x 15W

€ 851


328393 White
328386 Smok.Gra.
328379 Amber



2,780 Kg / 0,0605 m³
G9 max 10 x 15W

€ 518


327815 White
309286 Smok.Gra.
327808 Amber



3,870 Kg / 0,0622 m³
G9 max 9 x 15W

€ 437

328423 White
328416 Smok.Gra.
328409 Amber



1,550 Kg / 0,0385 m³
G9 max 6 x 15W

€ 265

309279 White
309262 Smok.Gra.
327822 Amber



P. 106




P. 423




P. 473




P. 498




305486 € 6,00



305486 € 6,00



305486 € 6,00




305486 € 6,00



Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,270 Kg / 0,0454 m³
E27 max 8 x 42W

€ 570

160313 Brass

2200 K
370 lm

151687 € 2,50



P. 098



P. 424




Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



2,800 Kg / 0,1535 m³
G9 max 5 x 15W

€ 278

273631 ■ Black

3000 K
510 lm

305486

€ 6,00



P. 105



P. 421



P. 473




P. 497



Multiflex

Metal structure finished with matt paint. Flexible metal arms covered with rubber.




■  IP20

4,330 Kg / 0,0353 m³
E14 max 8 x 28W

€ 410

159010  Color

 3000 K
420 lm

101217 € 2,00




Octopus

Metal base with matt finish.
Flexible arms covered with white
or multicolor rubber. Blown and
sandblasted clear glass diffusers.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



3,000 Kg / 0,0390 m³
G9 max 6 x 28W

€ 340

174921 White
174976 Color



3000 K
510 lm

305486

€ 6,00



Maracas

Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.



Bulbs LED G4 2W 3000 K included.
Cod. **222257**



1,280 Kg / 0,0242 m³
G4 max 6 x 2W

€ 374

200361 Brass

3000 K
200 lm

222257 € 4,00



0,960 Kg / 0,0142 m³
G4 max 4 x 2W

€ 269

200354 Brass

3000 K
200 lm

222257 € 4,00




P. 424



Gourmet

Matt varnished metal ceiling cap and frame. White blown acid-etched glass diffusers. Available finishes: black and satin brass.



■ □ IP20


5,400 Kg / 0,1765 m³
E14 max 9 x 28W

€ 615

289489 ■ Black

101217 3000 K
420 lm

€ 2,00



■ □ IP20

3,670 Kg / 0,1017 m³
E14 max 6 x 28W

€ 415

289496 ■ Black

101217 3000 K
420 lm

€ 2,00




Atlas

Matt varnished metal frame with adjustable arms. Acid-etched white blown glass diffusers. Finishes: white, black, gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




2,400 Kg / 0,0591 m³
G9 max 5 x 4W

€ 299

328225 White
328218 Black
311364 Gold

3000 K
510 lm
305486 € 6,00



1,500 Kg / 0,0397 m³
G9 max 3 x 4W

€ 195

328201 White
311357 Black
311340 Gold

3000 K
510 lm
305486 € 6,00



328201



311357




311340



Cosmopolitan

Metal frame with matt varnish finish. White acid-etched blown glass diffusers. Colors: black with satin brass details.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




7,600 Kg / 0,1787 m³
G9 max 12 x 15W

€ 700

273709 ■ Black

3000 K
510 lm
305486 € 6,00




6,500 Kg / 0,1397 m³
G9 max 10 x 15W

€ 600

273693 ■ Black

3000 K
510 lm
305486 € 6,00



3,040 Kg / 0,0579 m³
G9 max 8 x 15W

€ 330

328485 ■ Black

3000 K
510 lm
305486 € 6,00



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Available finishes: black or satin brass.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



284286

284330



IP20

1,650 Kg / 0,0377 m³
G9 max 3 x 28W

€ 185

284286 ■ Black
284330 ■ Brass

3000 K
510 lm
305486 **€ 6,00**



P. 476



P. 500



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.




5,580 Kg / 0,0540 m³
E14 max 4 x 28W

€ 315

327860 ■ Black
198156 ■ Brass

3000 K
420 lm
101217 € 2,00



3,370 Kg / 0,0451 m³
E14 max 2 x 28W

€ 210

304137 ■ Black
198149 ■ Brass

3000 K
420 lm
101217 € 2,00



1,810 Kg / 0,0183 m³
E14 max 1 x 28W

€ 125

327853 ■ Black
198132 ■ Brass

3000 K
420 lm
101217 € 2,00



P. 100



P. 477



328232

313283

328249

Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. Finishes: white, black, brushed brass.



LED LED source 3000 K, 50.000 h life.



1,290 Kg / 0,0119 m³
LED 18W / 1500 lm

€ 240

328256 White
313290 Black
328263 Brass



0,860 Kg / 0,0077 m³
LED 12W / 1000 lm

€ 170

328232 White
313283 Black
328249 Brass



P. 428



P. 472



P. 505



Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

| | |
|---|---|
| | |
| IP20 | IP20 |
| 1,550 Kg / 0,0240 m³ G9 max 3 x 4W | 1,200 Kg / 0,0145 m³ G9 max 2 x 4W |
| € 130 | € 90 |
| 328454 White 310688 Black 328461 Brass | 328430 White 310671 Black 328447 Brass |
| 3000 K 510 lm | 3000 K 510 lm |
| 305486 € 6,00 | 305486 € 6,00 |





Hermes

Plated metal base and frame. White blown acid-etched glass diffusers. Available finishes: white or satin brass.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**



316680

288277




2,500 Kg / 0,0296 m³
G9 max 5 x 28W

€ 350

316680 White
288277 Brass

305486 3000 K
510 lm

305486 € 6,00




1,700 Kg / 0,0252 m³
G9 max 3 x 28W

€ 250

322674 White
288260 Brass

305486 3000 K
510 lm

305486 € 6,00




2,700 Kg / 0,0209 m³
G9 max 5 x 28W

€ 320

322698 White
316697 Brass

305486 3000 K
510 lm

305486 € 6,00



2,500 Kg / 0,0209 m³
G9 max 3 x 28W

€ 220

322667 White
317007 Brass

305486 3000 K
510 lm

305486 € 6,00



Ninfea

Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



306957

293653



2,550 Kg / 0,0484 m³
GX53 max 3 x 15W

€ 275

306964 White
293660 Brass

3000 K
910 lm

123936 € 5,00



1,700 Kg / 0,0302 m³
GX53 max 2 x 15W

€ 195

306957 White
293653 Brass

3000 K
910 lm

123936 € 5,00



P. 431



P. 471



Penta

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




1,700 Kg / 0,0239 m³
G9 max 3 x 4W

€ 160

314822 Gold

3000 K
510 lm
305486 € 6,00



1,020 Kg / 0,0179 m³
G9 max 2 x 4W

€ 105

314815 Gold

3000 K
510 lm
305486 € 6,00



P. 431



Lumiere

Matt black varnished metal frame and details. White central tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

LED LED source 3000 K, 25.000 h life.




IP20

1,760 Kg / 0,0197 m³
LED 18W / 2250 lm

€ 160

314235 White



IP20

2,070 Kg / 0,0415 m³
LED 18W / 2250 lm

€ 180

314228 White



P. 178



P. 465




P. 496



Daisy

Metal base with gold leaf finish.
White acid-etched blown glass
diffusers with stripes in relief.



■ □ IP20

12,000 Kg / 0,1711 m³
E27 max 6 x 52W

€ 440

247779 ■ Gold

💡 3000 K
900 lm
123899 € 3,50



Compo

Chrome or matt white varnished metal frame. White overlay acid-etched or transparent smoky blown glass diffusing elements.



125503



172828




IP20

17,200 Kg / 0,3008 m³
E27 max 10 x 52W

€ 1000

125510 White
172804 SmokyGrey

3000 K
910 lm
119571 € 3,50



IP20

9,900 Kg / 0,1918 m³
E27 max 6 x 52W

€ 570

125503 White
172828 SmokyGrey

3000 K
910 lm
119571 € 3,50



Roma

Chrome metal frame and details.
Square-shaped crystal elements on
sides and sandblasted bottom glass
sheet.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**




9,600 Kg / 0,1220 m³
G9 max 12 x 40W

€ 715

087870 Chrome




305486 € 6,00




6,800 Kg / 0,0905 m³
G9 max 9 x 40W

€ 610

087863 Chrome




305486 € 6,00




4,800 Kg / 0,0588 m³
G9 max 6 x 40W

€ 400

000657 Chrome




305486 € 6,00



2,500 Kg / 0,0390 m³
G9 max 4 x 40W

€ 290

093093 Chrome



305486 € 6,00



P. 438



P. 486



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.



164991



165004



P. 205



P. 438



13,000 Kg / 0,1809 m³
E14 max 14 x 40W

€ 1145


164991 Chrome
165004 Gold



3000 K
480 lm

101200

€ 2,00



8,800 Kg / 0,1040 m³
E14 max 10 x 40W

€ 980


100746 Chrome
100791 Gold



3000 K
480 lm

101200

€ 2,00



6,200 Kg / 0,0529 m³
E14 max 6 x 40W

€ 780

100784 Chrome
100807 Gold



3000 K
480 lm

101200

€ 2,00



King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




073255



073262



P. 200





6,250 Kg / 0,0946 m³
G9 max 9 x 40W

€ 690

073255 Chrome
073262 Gold

3000 K
510 lm

305486 € 6,00





3,200 Kg / 0,0487 m³
G9 max 5 x 40W

€ 400

075419 Chrome
073187 Gold

3000 K
510 lm

305486 € 6,00



1,750 Kg / 0,0240 m³
G9 max 3 x 40W

€ 235

075389 Chrome
075402 Gold

3000 K
510 lm

305486 € 6,00



Admiral

Diffuser composed of metal rings welded together and of cut crystal parts set inside.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



| | | |
|--|--|--|
| | | |
| | | |
| 7,050 Kg / 0,0731 m³ G9 max 8 x 40W | 4,580 Kg / 0,0486 m³ G9 max 6 x 40W | 3,000 Kg / 0,0318 m³ G9 max 4 x 40W |
| € 855 | € 555 | € 355 |
| 080352 Chrome | 080345 Chrome | 080338 Chrome |
| 3000 K 510 lm | 3000 K 510 lm | 3000 K 510 lm |
| 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 |









Armony

Matt varnished metal frame.
Hanging decorative elements
in metal wire with transparent
chromed glass beads. Finishes:
white.

LED LED source 3000 K, 30.000 h life.



| | | |
|--|--|--|
| | | |
|  IP20  |  IP20  |  IP20  |
| 10,500 Kg / 0,0961 m ³ LED 70W / 6700 lm | 7,830 Kg / 0,0634 m ³ LED 56W / 5450 lm | 5,050 Kg / 0,0393 m ³ LED 48W / 4700 lm |
| € 600 | € 450 | € 315 |
| 315812 White | 315805 White | 328492 White |




Neve

Plated metal frame. Decorative glass balls fixed to nylon strings.
Frame Color: chrome. Glasses color: clear.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**













| | | |
|--|---|--|
| | | |
| 800 | 630 | 405 |
| | | |
| 11,250 Kg / 0,1524 m³ G9 max 15 x 40W | 7,420 Kg / 0,0920 m³ G9 max 12 x 40W | 3,590 Kg / 0,0344 m³ G9 max 8 x 40W |
| € 760 | € 510 | € 305 |
| 030784 Chrome | 022239 Chrome | 022222 Chrome |
| 3000 K 510 lm | 3000 K 510 lm | 3000 K 510 lm |
| 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 |



Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**


| | | | |
|--|--|---|--|
|  |  |  |  |
| 800 800 360 | 600 600 360 | 400 400 360 | 260 260 200 |
|  IP20 |  IP20 |  IP20 |  IP20 |
| 11,800 Kg / 0,1524 m³ G9 max 15 x 40W | 6,000 Kg / 0,0933 m³ G9 max 12 x 40W | 2,900 Kg / 0,0398 m³ G9 max 8 x 40W | 1,500 Kg / 0,0144 m³ G9 max 5 x 40W |
| € 875 | € 605 | € 338 | € 170 |
| 077819 Chrome 082790 Gold | 077802 Chrome 082783 Gold | 077796 Chrome 080932 Gold | 094649 Chrome 094663 Gold |
|  3000 K 510 lm |  3000 K 510 lm |  3000 K 510 lm |  3000 K 510 lm |
| 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 | 305486 € 6,00 |

Royal

Chrome metal circular frame and bulb socket. Squared, rectangular and octagonal cut crystal pendants and final drops.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**




5,900 Kg / 0,0881 m³
G9 max 12 x 40W

€ 590

053004 Chrome




305486 € 6,00



2,840 Kg / 0,0379 m³
G9 max 8 x 40W

€ 310

052991 Chrome




305486 € 6,00



Rain


Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops.




3,820 Kg / 0,0225 m³
E14 max 5 x 40W

€ 340

008455 Chrome




101224 € 2,00



1,800 Kg / 0,0094 m³
E14 max 3 x 40W

€ 170

008370 Chrome



101224 € 2,00




P. 201



Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




9,780 Kg / 0,0984 m³

G9 max 7 x 15W

€ 620


241296 **Gold**



305486 € 6,00

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.




14,290 Kg / 0,3881 m³


E14 max 24 x 28W

€ 1430

243566 **Chrome**
243498 **Brass**



101224 € 2,00




6,310 Kg / 0,1413 m³


E14 max 6 x 28W

€ 950

207186 **Chrome**
201016 **Brass**



101224 € 2,00




3,010 Kg / 0,0392 m³

E14 max 3 x 28W

€ 475

207162 **Chrome**
200996 **Brass**



101224 € 2,00



P. 208



P. 439



207186



201016



Martinez


Chromed or golden metal frame.
Decorative elements with fob-
chains composed of octagons and
transparent cut-crystals bars.



166285



213569



IP20

17,500 Kg / 0,0807 m³
E14 max 8 x 40W

€ 770

166285 Chrome
213569 Gold



3000 K
470 lm

101224

€ 2,00



P. 202



Carlton


Chromed or golden metal frame.
Decorative elements with fob-
chains composed of octagons and
transparent cut-crystals bars.



168937



213507



■ IP20


13,840 Kg / 0,1563 m³
E14 max 12 x 40W

€ 725

168937 ■ Chrome
213507 ■ Gold

101224 3000 K
470 lm

101224 € 2,00



■ IP20

10,200 Kg / 0,1066 m³
E14 max 8 x 40W

€ 625

168920 ■ Chrome

101224 3000 K
470 lm

101224 € 2,00



Wall lamps

Indoors

Alphabetical index

| | | | | | | | |
|------------|-----|-----------|-----|-----------|-----|---------|-----|
| Ali | 387 | Filo | 392 | Oby | 415 | Spot | 412 |
| Alma | 394 | Firenze | 444 | Opera | 440 | Strauss | 443 |
| Balance | 371 | Fix | 366 | Ovalino | 382 | Swan | 440 |
| Barber | 415 | Flash | 380 | Oz | 362 | Theo | 393 |
| Bean | 402 | Florian | 442 | Page | 403 | Tick | 432 |
| Binomio | 429 | Focus | 398 | Pan | 430 | Triplo | 386 |
| Birds | 421 | Frida | 419 | Pasha' | 438 | Triumph | 424 |
| Bonne Nuit | 406 | Gea | 436 | Paul | 382 | Tudor | 387 |
| Book | 411 | Gim | 414 | Pegaso | 441 | Winery | 416 |
| Bow | 396 | Gioconda | 443 | Peggy | 365 | Zig Zag | 378 |
| Box | 367 | Goose | 400 | Penta | 431 | | |
| Camerino | 388 | Harem | 446 | Perlage | 423 | | |
| Cantina | 426 | Hotel | 437 | Peter | 445 | | |
| Carlton | 439 | Igor | 420 | Piano | 409 | | |
| Carta | 385 | Io | 399 | Ping Pong | 428 | | |
| Chalet | 444 | Kepler | 422 | Pipe | 404 | | |
| Click | 370 | Komodo | 408 | Posta | 368 | | |
| Clip | 369 | Linus | 375 | Pouche | 365 | | |
| Corte | 441 | Lite | 405 | Pretty | 388 | | |
| Cover | 364 | Look | 381 | Prive' | 389 | | |
| Craft | 374 | Make-Up | 395 | Probe | 410 | | |
| Cube | 370 | Mapa | 384 | Radio | 417 | | |
| Delta | 372 | Maracas | 424 | Retro' | 397 | | |
| Desk | 374 | Minimal | 418 | Riflesso | 395 | | |
| Dodo | 414 | Mirror-10 | 396 | Roma | 438 | | |
| Dubai | 439 | Mirror-20 | 397 | Rudy | 413 | | |
| Dynamo | 401 | Moris | 366 | Santa | 447 | | |
| Echo | 376 | Mouse | 412 | Set Up | 434 | | |
| Eclissi | 433 | Negresco | 442 | Shower | 427 | | |
| Edison | 416 | Newton | 426 | Sky | 381 | | |
| Equinoxe | 425 | Ninfea | 431 | Smarties | 385 | | |
| Essence | 390 | Nordik | 436 | Soda | 383 | | |

Carta

Pag 385



new



Oz 362



Cover 364



Click 370



Cube 370



FlashGesso 380



Sky 381



Tripla 386



Ali 387



Alma 394



Make Up 395



Goose 400



Dynamo 401



Probe 410



Book 411



























































Winery 416



Edison 416





























Indoors

Typology index

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Peggy 365 | Pouche 365 | Fix 366 | Moris 366 | Box 367 | Posta 368 | Clip 369 |
|  |  |  |  |  |  |  |
| Balance 371 | Delta 372 | Desk 374 | Craft 374 | Linus 375 | Echo 376 | Zig Zag 378 |
|  |  |  |  |  |  |  |
| Look 381 | Paul 382 | Ovalino 382 | Soda 383 | Mapa 384 | Smarties 385 | Carta 385 |
|  |  |  |  |  |  |  |
| Tudor 387 | Camerino 388 | Pretty 388 | Privè 389 | Essence 390 | Filo 392 | Theo 393 |
|  |  |  |  |  |  |  |
| Riflesso 395 | Bow 396 | Mirror-10 396 | Mirror-20 397 | Retrò 397 | Focus 398 | IO 399 |
|  |  |  |  |  |  |  |
| Bean 402 | Page 403 | Pipe 404 | Lite 405 | Bonne Nuit 406 | Komodo 408 | Piano 409 |
|  |  |  |  |  |  |  |
| Mouse 412 | Spot 412 | Rudy 413 | Gim 414 | Dodo 414 | Oby 415 | Barber 415 |
|  |  |  |  |  |  |  |
| Radio 417 | Minimal 418 | Frida 419 | Igor 420 | Birds 421 | Kepler 422 | Perlage 423 |

Indoors

Typology index

| | | | | | | |
|--|---|---|--|--|--|---|
|  |  |  new |  |  |  |  new |
| Triumph 424 | Maracas 424 | Equinoxe 425 | Cantina 426 | Newton 426 | Shower 427 | Ping Pong 428 |
|  |  new |  |  |  |  |  |
| Penta 431 | Ninfea 431 | Tick 432 | Eclissi 433 | Set Up 434 | Nordik 436 | Gea 436 |
|  |  |  |  |  |  |  |
| Pashà 438 | Carlton 439 | Dubai 439 | Opera 440 | Swan 440 | Corte 441 | Pegaso 441 |
|  |  |  |  |  |  |  |
| Gioconda 443 | Strauss 443 | Firenze 444 | Chalet 444 | Peter 445 | Harem 446 | Santa 447 |



Binomio [429](#)



Pan [430](#)



Hotel [437](#)



Roma [438](#)



Negresco [442](#)



Florian [442](#)




Binomio

Pag 429

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 30.000 h |
| Power | 26W / 28W | Insulation class | II |
| Driver included | On/Off / DALI/Push | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |



LED SMD Driver included

| Power | Driver | Lumen | CCT | Finish | Code | € |
|-------|-----------|---------|--------|--------|--------|---------|
| 26 W | On-Off | 2450 lm | 2700 K | White | 342221 | 150 new |
| | | | | Black | 342238 | 150 new |
| | | | | Brass | 342245 | 150 new |
| | | 2500 lm | 3000 K | White | 253695 | 150 |
| | | | | Black | 269399 | 150 |
| | | | | Brass | 269405 | 150 |
| | | 2650 lm | 4000 K | White | 342252 | 150 new |
| | | | | Black | 342269 | 150 new |
| | | | | Brass | 342276 | 150 new |
| 28 W | DALI/Push | 2500 lm | 3000 K | White | 304489 | 230 |
| | | | | Black | 304496 | 230 |
| | | | | Brass | 304502 | 230 |



P. 064



P. 244



P. 452



253695



269399




269405



Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.

LED LED source 3000 K, 30.000 h life.




■ ■ □ IP20

0,690 Kg / 0,0028 m³
LED 11W / 1000 lm

€ 100

195711 ■ White
195759 ■ Black




■ ■ □ IP20

0,860 Kg / 0,0028 m³
LED 11W / 1000 lm

€ 100

195735 ■ White
195773 ■ Black




■ ■ □ IP20

0,390 Kg / 0,0018 m³
LED 9,5W / 730 lm

€ 88

195704 ■ White
195742 ■ Black



■ ■ □ IP20

0,510 Kg / 0,0018 m³
LED 9,5W / 730 lm

€ 88


195728 ■ White
195766 ■ Black

Peggy

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.

LED

LED source 3000 K, 50.000 h life.



■  IP20

0,710 Kg / 0,0068 m³
LED 15W / 1500 Lm

€ 170

257242 White



■  IP20

0,520 Kg / 0,0030 m³
LED 10,5W / 1080 Lm

€ 110

257235 White



Pouche

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.

LED

LED source 3000 K, 20.000 h life.




■  IP20

1,440 Kg / 0,0055 m³
LED 15W / 2000 Lm

€ 110

259352 White



■  IP20

1,120 Kg / 0,0055 m³
LED 15W / 2000 Lm

€ 110


259345 White



Fix

Matt white metal frame. Light diffuser-expander made of 6 mm-thick aluminum sheet. Integrated LED sources.

LED LED source 3000 K, 20.000 h life.



■ □ IP20

0,390 Kg / 0,0050 m³

LED 5,5W / 440 lm

€ 100

117867 White



Moris

Chrome metal frame. Blown glass diffuser available in white color.

LED Bulbs LED G9 3W 3000 K included.
Cod. 209043



■ ⊕ IP20

0,520 Kg / 0,0071 m³

G9 max 2 x 40W

€ 90

034546 White

3000 K
510 lm

305486 € 6,00






Box

Chrome metal frame. Overlay and acid-etched glass diffuser. Color: white.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,660 Kg / 0,0100 m³
G9 max 2 x 4W

€ 80

009537 White

3000 K
510 lm
305486 € 6,00



Posta

Metal frame available with brushed aluminum or white enamel finish.
Diffuser composed of three frosted transparent glass elements.



051963



009940




620



1,560 Kg / 0,0156 m³
E14 max 4 x 40W

€ 95

051987 White
009957 Aluminum



101200 3000 K 480 lm € 2,00




500




1,270 Kg / 0,0136 m³
E14 max 3 x 40W

€ 87

051970 White
009933 Aluminum



101200 3000 K 480 lm € 2,00




360



0,950 Kg / 0,0098 m³
E14 max 2 x 40W

€ 75

051963 White
009940 Aluminum



101200 3000 K 480 lm € 2,00










Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.

LED


Bulbs LED G9 3W 3000 K included in models: **049236, 091136, 049229, 091129** and **170923**. Cod. **209043**

| | | | |
|---|---------------|--|---|
|  | 014166 |  |  |
|  | 088273 | 440 | 250 |
|  | 031361 | 125 | 90 |
|  | 088266 | 110 | 80 |
|  | 187365 | IP20 | IP20 |
| | | 1,210 Kg / 0,0161 m³ | 0,680 Kg / 0,0035 m³ |
| | | E27 max 2 x 60W | G9 max 2 x 40W |
| | | € 107 | € 95 |
| | | 014166 White | 049236 White |
| | | 088273 Silver | 091136 Silver |
| | | 031361 Chrome | 049229 Chrome |
| | | 088266 Gold | 091129 Gold |
| | | 187365 Coffee | 170923 Coffee |
| | | 3000 K | 3000 K |
| | | 430 lm | 510 lm |
| | | 101279 € 2,00 | 305486 € 6,00 |

Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.

LED LED source 3000 K, 20.000 h life.




■  IP20

0,600 Kg / 0,0040 m³
LED 12W / 1200 lm

€ 84

017518 White



■  IP20

0,400 Kg / 0,0019 m³
LED 6W / 520 lm

€ 62

051444 White



Cube

Heat sink body made of aluminum sheet of 6 mm thickness. Powder coated. Integrated LED.

LED LED source 3000 K, 30.000 h life.




■  IP20

1,390 Kg / 0,0055 m³
LED 14,5W / 1800 lm

€ 195

161792 White



■  IP20

0,800 Kg / 0,0028 m³
LED 8W / 900 lm

€ 145

161785 White





Balance

Powder coated aluminum frame.
Adjustable diffuser with clear glass,
frosted inside. Finishes: white,
black.

LED LED source 3000 K, 30.000 h life.




■  IP20

2,200 Kg / 0,0111 m³
LED 24W / 3100 lm

€ 230

287584 ■ White
321561 ■ Black




■  IP20

1,600 Kg / 0,0073 m³
LED 17W / 2200 lm

€ 170

287577 ■ White
321554 ■ Black



■  IP20

1,200 Kg / 0,0056 m³
LED 12W / 1450 lm

€ 135


287560 ■ White
321547 ■ Black

Delta

Powder-coated aluminum body.
Shiny opal polycarbonate diffusers.
Upward and downward light
emission. Colours: black and white.

| | | | |
|-------------------|-----------------|------------------|----------|
| Source | LED SMD | Insulation class | I |
| Power | 10W / 37W | IP | 20 |
| Driver included | On/Off | Material | Aluminum |
| Drivers available | No | | |
| CCT | 3000 K / 4000 K | | |
| CRI | ≥90 | | |
| LED life | 35.000 h | | |


LED SMD



0,450 Kg/0,0030 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|-----------|---------|--------|--------|--|--------|---------------------|
| 10 W | 120°+120° | 1700 lm | 3000K | White | | 345154 | 64 new |
| | | | | Black | | 336510 | 64 new |
| | | 1800 lm | 4000 K | White | | 345161 | 64 new |
| | | | | Black | | 345178 | 64 new |


LED SMD



0,580 Kg/0,0042 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|-----------|---------|--------|--------|--|--------|---------------------|
| 14 W | 120°+120° | 1550 lm | 3000K | White | | 316789 | 81 new |
| | | | | Black | | 345185 | 81 new |
| | | 1650 lm | 4000 K | White | | 345192 | 81 new |
| | | | | Black | | 345208 | 81 new |


LED SMD



0,950 Kg / 0,0058 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|--------|-----------|---------|--------|--------|--|--------|-----|
| 19,5 W | 120°+120° | 2200 lm | 3000 K | White | | 287645 | 110 |
| | | | | Black | | 287638 | 110 |
| | | 2250 lm | 4000 K | White | | 307015 | 110 |
| | | | | Black | | 307022 | 110 |


LED SMD



0,900 Kg / 0,0078 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|-----------|---------|--------|--------|--|--------|-----|
| 30 W | 120°+120° | 3350 lm | 3000 K | White | | 287621 | 160 |
| | | | | Black | | 287614 | 160 |
| | | 3500 lm | 4000 K | White | | 307039 | 160 |
| | | | | Black | | 307046 | 160 |

LED SMD



2,400 Kg / 0,0102 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|-----------|---------|--------|--------|--|--------|-----|
| 37 W | 120°+120° | 4300 lm | 3000 K | White | | 287607 | 185 |
| | | | | Black | | 287591 | 185 |
| | | 4550 lm | 4000 K | White | | 307053 | 185 |
| | | | | Black | | 307060 | 185 |



345154



287645



287638

Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

LED LED source 3000 K, 30.000 h life.



■  IP20

0,640 Kg / 0,0045 m³

LED 12,5W / 900 lm

€ 125

138251 White

173252 Black



P. 090



Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Downward light emission.

LED LED source 3000 K, 20.000 h life.



■  IP20

0,800 Kg / 0,0057 m³

LED 12W / 1350 lm

€ 145

284477 Wood



P. 091





P. 510





Linus

Linear aluminum lamp with direct and indirect light for wall installation. The lamp is modular and can be used individually or in a continuous line. White or black finish available. Integrated LED, starting binning ≤ 3 -Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 80 . Dimmable power supply 1-10V integrated as standard.



1,250 Kg / 0,0158 m³
LED 32W / 3000/3500 lm

€ 210

| | | |
|--------|-------|-------|
| 233840 | White | 3000K |
| 268095 | White | 4000K |
| 242019 | Black | 3000K |
| 268071 | Black | 4000K |

Connector
Not included
Optional

€ 6

233666



LED source 3000/4000 K, 50.000 h life.



Lamp with dimmer.



P. 624




Echo

Powder coated or plated total aluminum base and diffuser.
Indirect light emission. Colors: white, black, satin brass.

LED LED source 3000 K, 50.000 h life.




| | |
|---|--|
|  <p>600</p> <p>IP20</p> <p>0,930 Kg / 0,0051 m³ LED 30W / 3250 lm</p> <p>€ 160</p> <p>273945 White 285306 Black 285313 Brass</p> |  <p>400</p> <p>IP20</p> <p>0,640 Kg / 0,0032 m³ LED 20W / 2200 lm</p> <p>€ 140</p> <p>273914 White 285283 Black 285290 Brass</p> |
|---|--|

Zig Zag new

Plated or powder coated aluminum body. 360° indirect light emission. Colors: white, black or brushed brass.

LED LED source 2700 / 3000 / 4000 K, 50.000 h life.


| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 12,5W / 23W / 30W | Insulation class | I |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |



0,450 Kg / 0,0020 m³

LED SMD Driver included


| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|--------|--------|---------|--------|--------|--|--------|---|
| 290x50 | 12,5 W | On-Off | 1450 lm | 2700 K | White | | 342641 | 95 new |
| | | | 1550 lm | 3000 K | White | | 179292 | 95 |
| | | | | | Black | | 179315 | 95 |
| | | | | | Brass | | 282121 | 95 |
| | | | 1600 lm | 4000 K | White | | 277233 | 95 |



0,770 Kg / 0,0033 m³

LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| 530x50 | 23 W | On-Off | 2800 lm | 2700 K | White | | 342658 | 110 new |
| | | | 3000 lm | 3000 K | White | | 179308 | 110 |
| | | | | | Black | | 179322 | 110 |
| | | | | | Brass | | 282138 | 110 |
| | | | 3200 lm | 4000 K | White | | 277240 | 110 |



1,040 Kg / 0,0047 m³

LED SMD Driver included

| Measure | Power | Driver | Lumen | CCT | Finish | | Code | € |
|---------|-------|--------|---------|--------|--------|--|--------|--|
| 750x50 | 30 W | On-Off | 3950 lm | 2700 K | White | | 342665 | 140 new |
| | | | 4250 lm | 3000 K | White | | 277219 | 140 |
| | | | | | Black | | 277226 | 140 |
| | | | | | Brass | | 287072 | 140 |
| | | | 4550 lm | 4000 K | White | | 277257 | 140 |



179315



282121



Flash Gesso

Enameled metal base. Total gypsum body. Double light emission: upward and downward.




Item suitable for painting and varnishing.



214689



214696




■  IP20

0,710 Kg / 0,0049 m³
G9 max 1x 40W

€ 55

214689 White

 3000 K
510 lm

305486 € 6,00




■  IP20


0,770 Kg / 0,0024 m³
G9 max 1x 40W

€ 54

214672 White

 3000 K
510 lm

305486 € 6,00




■  IP20

0,950 Kg / 0,0034 m³
G9 max 1x 40W

€ 50

214696 White


 3000 K
510 lm

305486 € 6,00

Sky

Metal base and diffuser: plated, matt varnished or decorated with gold leaf.


LED Bulbs LLED GU10 7W 3000 K included.
Cod. **123943**



0,940 Kg / 0,0049 m³
GU10 max 2x28W

€ 116

126883 White
126890 Black
136899 Gold



123943 € 3,50



P. 083



P. 301



126883 126890 136899



Look

Metal body with copper, chrome, antique brass, matt white or black finish.


LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



0,500 Kg / 0,0028 m³
GU10 max 2x28W

€ 80

096018 White
094182 Chrome
095998 Black
164847 Copper
164823 Ant. Brass



123943 € 3,50



096018 095998 164823



094182 164847




P. 078 P. 300 P. 506 P. 698

Paul

Metal base with matt varnish finish.
Blown acid-etched and overlay glass
diffuser. Available with white finish.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,560 Kg / 0,0064 m³

G9 max 2 x 40W

€ 65

060620 White



3000 K
510 lm


305486

€ 6,00



Ovalino

Diffuser composed of circular
elements created from curved and
acid-etched glass sheet.



1,800 Kg / 0,0563 m³

E27 max 2 x 60W

€ 125

038025 White



3000 K
340 lm

101286

€ 2,00



P. 157

P. 284





Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.



Item suitable for painting and varnishing.

| | |
|---|---|
| | |
| IP20 | IP20 |
| 2,630 Kg / 0,0154 m³ E14 max 2 x 40W | 1,100 Kg / 0,0068 m³ E14 max 1 x 40W |
| € 100 | € 65 |
| 105727 White | 105710 White |
| 3000 K 420 lm | 3000 K 420 lm |
| 101217 € 2,00 | 101217 € 2,00 |




Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in models: **059808** and **310787**.
Cod. **209043**




IP20

1,660 Kg / 0,0647 m³
E27 max 1x42W

€ 88

059822 White




IP20

0,900 Kg / 0,0259 m³
E27 max 1x42W

€ 50

059815 White




IP20

0,380 Kg / 0,0115 m³
G9 max 1x15W

€ 44

059808 White



IP20

0,230 Kg / 0,0025 m³
G9 max 1x4W

€ 35

310787 White




P. 168




P. 282




P. 470




€ 2,00



€ 2,00



€ 6,00




€ 6,00

Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,440 Kg / 0,0079 m³

G9 max 1x15W

€ 46

014814 White



3000 K
510 lm

305486

€ 6,00



P. 154



P. 277



P. 469





Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.



Bulbs LED G9 3W 3000 K included in model **317090**. Cod. **209043**



0,500 Kg / 0,0127 m³

E27 max 1x25W

€ 85


317106 White



3000 K
430 lm

101279

€ 2,00



0,200 Kg / 0,0027 m³

G9 max 1x15W

€ 65

317090 White



3000 K
510 lm

305486

€ 6,00



P. 170



P. 282



P. 468




P. 519



Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.




■  IP20


2,170 Kg / 0,0181 m³
E27 max 2 x 60W

€ 70

026480 White

 3000 K
340 lm

101286 € 2,00




■  IP20

1,260 Kg / 0,0141 m³
E27 max 1 x 60W

€ 48


026473 White

 3000 K
340 lm

101286 € 2,00

Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.




1,410 Kg / 0,0157 m³

E27 max 2 x 60W

€ 57

026558 White




101286 € 2,00



Tudor

Chrome metal base. Diffuser composed of cut clear glass sheet and half tube of Pyrex glass, sandblasted in the middle.




1,900 Kg / 0,0214 m³


E14 max 4 x 40W

€ 100

051864 Clear



101217 € 2,00




1,130 Kg / 0,0088 m³


E14 max 2 x 40W

€ 70

051857 Clear



101217 € 2,00




0,700 Kg / 0,0077 m³

E14 max 1 x 40W

€ 50

051840 Clear












101217 € 2,00



Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.

| | | |
|---|---|---|
|  |  |  |
| 650 | 520 | 370 |
| ■  IP20 | ■  IP20 | ■  IP20 |
| 1,170 Kg / 0,0157 m³ E14 max 4 x 40W | 0,960 Kg / 0,0123 m³ E14 max 3 x 40W | 0,780 Kg / 0,0097 m³ E14 max 2 x 40W |
| € 110 | € 100 | € 90 |
| 027104 White | 027098 White | 027081 White |
|  3000 K 420 lm |  3000 K 420 lm |  3000 K 420 lm |
| 101217 € 2,00 | 101217 € 2,00 | 101217 € 2,00 |



Pretty

Powder-coated aluminum base and side elements. Shiny opal color polycarbonate cylindrical diffuser. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.

| | | |
|--|--|--|
|  |  |  |
| 1070 | 807 | 605 |
| ■  IP54 | ■  IP54 | ■  IP54 |
| 1,250 Kg / 0,0169 m³ LED 24W / 3050 lm | 1,120 Kg / 0,0137 m³ LED 18W / 2200 lm | 0,960 Kg / 0,0105 m³ LED 11,5W / 1500 lm |
| € 145 | € 125 | € 100 |
| 287768 White | 287775 White | 287782 White |





Privé

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.

159423



045627



159508



179681



IP20

1,420 Kg / 0,0143 m³

E14 max 8 x 40W

€ 128

159522 White

045634 Chrome

3000 K
420 lm

101217

€ 2,00



IP20

1,100 Kg / 0,0095 m³

E14 max 6 x 40W

€ 100

159423 White

045627 Chrome

159508 Black

179681 Brass

3000 K
420 lm

101217

€ 2,00




Essence ^{new}

Powder coated aluminum base and body. Opal color acrylic diffuser. Indirect lighting emission. Color: white or black.




LED source 2700/3000/4000 K, 30.000 h life.



1,040 Kg / 0,0163 m³
LED 19W / 2150/2300/2350 lm
€ 240

| | | |
|--------|-------|----------------------|
| 265575 | White | 3000K |
| 341019 | Black | 2700K ^{new} |
| 285108 | Black | 3000K |
| 341026 | Black | 4000K ^{new} |



0,800 Kg / 0,0205 m³
LED 12W / 1300/1400/1450 lm
€ 182

| | | |
|--------|-------|----------------------|
| 285115 | White | 3000K |
| 340999 | Black | 2700K ^{new} |
| 265643 | Black | 3000K |
| 341002 | Black | 4000K ^{new} |





Filo

Powder coated or plated aluminum base and frame. Matt opal polycarbonate diffuser, 45° reclined. Finishes: white, black, brushed brass.



LED source 3000 K, 20.000 h life.




310138



310145



327792



IP20

0,610 Kg / 0,0138 m³
LED 16W / 1950 lm

€ 220

327778 White
310152 Black
327785 Brass

IP20

0,500 Kg / 0,0093 m³
LED 13W / 1400 lm

€ 190

310138 White
310145 Black
327792 Brass



P. 084



P. 456




P. 502



Theo

Powder coated aluminum base and frame. Shiny opal polycarbonate diffuser. Finishes: white, black

LED LED source 3000 K, 30.000 h life.




| | |
|---|--|
| | |
| IP20 | IP20 |
| 0,600 Kg / 0,0168 m³ LED 20,5W / 1350 lm | 0,520 Kg / 0,0112 m³ LED 13,5W / 900 lm |
| € 145 | € 125 |
| 327945 White 311784 Black | 311777 White 311760 Black |



Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

LED LED source 3000 K, 30.000 h life.



■ □ IP20

0,660 Kg / 0,0264 m³
LED 18W / 2050 lm

€ 170

225029 White
224992 Chrome
225005 Brass

■ □ IP20

0,650 Kg / 0,0162 m³
LED 12,5W / 1350 lm

€ 135

224985 White
224930 Chrome
224954 Brass

Make Up

Powder-coated aluminium base and body. Satin clear acrylic diffuser. Downward light emission. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.

| | | |
|---|---|---|
| | | |
| ■ IP54 | ■ IP54 | ■ IP54 |
| 1,400 Kg / 0,0129 m³ LED 27W / 3250 lm | 1,200 Kg / 0,0088 m³ LED 18W / 2200 lm | 1,000 Kg / 0,0067 m³ LED 12W / 1350 lm |
| € 160 | € 120 | € 100 |
| 287676 White | 287669 White | 287652 White |



Riflesso new

Matt painted or plated metal frame. Satin clear acrylic diffuser inclined at 45°. Colors: white, chrome or black.

LED LED source 3000 K, 20.000 h life.

IP54 Protection degree IP54.

| | | |
|---|---|---|
| | | |
| ■ IP54 | ■ IP54 | ■ IP54 |
| 0,980 Kg / 0,0050 m³ LED 19W / 2150 lm | 0,750 Kg / 0,0192 m³ LED 16W / 1750 lm | 0,600 Kg / 0,0143 m³ LED 10W / 1050 lm |
| € 225 | € 190 | € 155 |
| 331690 White new 345130 Chrome new 345147 Black new | 142289 White 142265 Chrome 302232 Black | 142296 White 142272 Chrome 302225 Black |




Bow

Metal frame available with antique brass, chrome or satin brass finish. Reclining LED diffuser. Switch button on the base.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




■ IP20

0,860 Kg / 0,0328 m³
LED 8W / 1050 lm

€ 195

007021 Chrome
121130 Brass
121147 Ant. Brass




■ IP20

0,790 Kg / 0,0207 m³
LED 4,6W / 580 lm

€ 145

007045 Chrome
121178 Brass
121161 Ant. Brass



■ IP20

0,640 Kg / 0,0117 m³
LED 3,5W / 410 lm

€ 125


005386 Chrome
121154 Brass
121338 Ant. Brass



Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.

LED Bulbs LED G9 3W 3000 K included.
Cod. 209043



■ IP20

1,090 Kg / 0,0181 m³
G9 max 4 x 40W

€ 138

017303 Chrome
017297 Nickel
017310 Ant. Brass


3000 K
510 lm

305486 € 6,00



Retrò

Totally metal base, arm and diffuser with brass finish.
Adjustable diffuser.




■  IP20

0,790 Kg / 0,0152 m³

E14 max 2 x 28W

€ 120

144917 ■ Ant. Brass

 3000 K
470 lm

101224 € 2,00




Mirror-20

Plated metal frame. Adjustable diffuser. Colors: antique brass or chrome.

LED

Bulbs LED G9 3W 3000 K included.

Cod. 209043



■  IP20 


0,550 Kg / 0,0077 m³

G9 max 2 x 40W

€ 94

017334 ■ Chrome

017327 ■ Ant. Brass

 3000 K
510 lm

305486 € 6,00



017334

017327



Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.

LED

LED source 3000 K, 20.000 h life.

**ON
OFF**

Lamp with integrated switch.



097183



097206



097190




203171



203188



203195




■ IP20

0,400 Kg / 0,0025 m³
LED 4W / 310 lm

€ 65

097183 White
097206 Chrome
097190 Black



■ IP20

0,410 Kg / 0,0020 m³
LED 3,5W / 280 lm

€ 70

203171 White
203188 Chrome
203195 Black



IO

Recessed fitting with powder coated metal frame. Flexible arm coated with rubber. Diffuser with knurled clear acrylic screen. Integrated switch. Colors: white or black.

LED LED source 3000 K, 30.000 h life.


ON OFF Lamp with integrated switch.



285320



272030



IP20

0,240 Kg / 0,0027 m³
LED 3W / 300 lm

€ 130

285320 White
272030 Black



Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.



LED source 3000 K, 30.000 h life.



Lamp with integrated switch.



142708

142692



0,430 Kg / 0,0040 m³
LED 3W / 190 lm

€ 145

142708 ■ White
142692 ■ Black



Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

LED LED source 4000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.




031460



031477



121352



IP20

0,500 Kg / 0,0031 m³
LED 3,5W / 190 lm

€ 88

031460 Chrome
031477 Nickel
121352 Ant. Brass



Bean


Directable plated or powder coated metal base and diffuser. White, black, brass or nichel color with black switch and junction.

LED

LED source 3000 K, 30.000 h life.


**ON
OFF**

Lamp with integrated switch.



0,180 Kg / 0,0008 m³
LED 3W / 260 lm
€ 55

260648 White
260679 Nickel
260655 Black
260662 Brass



0,180 Kg / 0,0005 m³
LED 3W / 260 lm
€ 55

260600 White
260631 Nickel
260617 Black
260624 Brass



Page

White or black powder coated aluminum body. Adjustable diffuser with lens and jointed chrome metal piece.


LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

142586



142579




IP20

0,320 Kg / 0,0025 m³
LED 3W / 140 lm

€ 100

142586 ■ White
142579 ■ Black



IP20

0,420 Kg / 0,0023 m³
LED 3W / 140 lm

€ 105

142258 ■ White
142241 ■ Black



Pipe

Powder coated aluminum body.
Adjustable diffuser with knurled
acrylic screen secured with ring.
Integrated switch. Colors: white or
black.

LED LED source 3000 K, 20.000 h life.


**ON
OFF** Lamp with integrated switch.



280998



281001



■ □ IP20

0,400 Kg / 0,0009 m³
LED 7W / 580 lm

€ 100

280998 ■ White
281001 ■ Black



ONLY BOX 502

Lite

Aluminium base and body with white, black, nickel or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




250106



250113



250120



■  IP20

0,340 Kg / 0,0008 m³
LED 3W / 200 lm

€ 61

250106  White
250113  Black
250120  Brass



Bonne Nuit new

Plated or powder coated metal frame. Double light source: one is fixed and the other is positioned on an adjustable cylinder. Two integrated switches for separate ignitions. Colors: white, black, brass and nickel.

LED LED source 3000 K, 50.000 h life.

ON
OFF Lamp with integrated switch.



336770




336787



336800




336794



0,360 Kg / 0,0015 m³
LED 6,5W / 830 lm

€ 75



0,360 Kg / 0,0015 m³
LED 6,5W / 830 lm

€ 75

| | | | | | |
|--------|--------|-----|--------|--------|-----|
| 336794 | White | new | 345499 | White | new |
| 336770 | Nickel | new | 345482 | Nickel | new |
| 336787 | Black | new | 336817 | Black | new |
| 336800 | Brass | new | 345505 | Brass | new |



Komodo

Powder-coated metal frame.
Adjustable diffuser. Integrated
switch and USB socket. Available
finishes: white or black.

LED


LED source 3000 K, 20.000 h life.

**ON
OFF**

Lamp with integrated switch.

USB

Lamp with integrated USB socket.




291789

■ □ IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

291789 ■ White
291796 ■ Black



■ □ IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

306810 ■ White
306827 ■ Black



Piano

Total powder painted aluminium frame. Opal polycarbonate diffuser with emission on the back. Adjustable frontal projector. Colours: white or black

LED LED source 3000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.


USB Lamp with integrated USB socket.



287317



287300



■ □ IP20

0,800 Kg / 0,0047 m³
LED 10W / 1150 lm

€ 165

287317 ■ White
287300 ■ Black



Probe

White or black powder coated aluminum body. Double diffuser: upper diffuser made of acrylic, lower diffuser with flexible arm.

LED

LED source 3000 K, 20.000 h life.

**ON
OFF**

Lamp with integrated switch.


USB

Lamp with integrated USB socket.



243160

237930



■  IP20

0,870 Kg / 0,0021 m³
LED 9,5W / 750 lm

€ 150

243160 ■ White
237930 ■ Black




Book

Powder painted metal frame. Satin glass diffuser. Flexible arm coated with rubber with LED source. Double switch. USB socket.

LED LED source 3000 K, 15.000 h life.

ON/OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.




IP20

1,570 Kg / 0,0125 m³
G9 max 1x 28W +
LED 3W / 220 lm

€ 180

174792 ■ White
174808 ■ Black

3000 K
510 lm
305486 € 6,00



IP20

1,570 Kg / 0,0125 m³
G9 max 1x 28W +
LED 3W / 220 lm



€ 180

174822 ■ White
174846 ■ Black

3000 K
510 lm
305486 € 6,00

Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



0,910 Kg / 0,0067 m³
GU10 max 2x 50W

€ 127

073545 White
156705 Black

0,450 Kg / 0,0034 m³
GU10 max 1x 50W

€ 72

073521 White
073569 Black



3000 K
410 lm

108292 € 3,00



3000 K
410 lm

108292 € 3,00



P. 316




P. 694



Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



0,610 Kg / 0,0060 m³
GU10 max 2x 28W

€ 52

156736 White
156743 Black

0,410 Kg / 0,0037 m³
GU10 max 1x 28W

€ 32

156729 White
115481 Black



3000 K
410 lm

108292 € 3,00



3000 K
410 lm

108292 € 3,00



P. 316



P. 694









Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.




Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



0,570 Kg / 0,0046 m³
GU10 max 2 x 35W

€ 100

229041 White
229034 Black




123943 € 3,50



0,270 Kg / 0,0017 m³
GU10 max 1 x 35W

€ 50

229027 White
229010 Black




123943 € 3,50



0,570 Kg / 0,0046 m³
GU10 max 2 x 35W

€ 105

294803 White
321509 Black




123943 € 3,50



0,270 Kg / 0,0017 m³
GU10 max 1 x 35W

€ 55

294766 White
321530 Black



123943 € 3,50



P. 318

Gim

Powder painted aluminum frame.
Rotating diffuser with satin
acrylic screen. Integrated switch.
Integrated LED source.

LED LED source 3000 K, 15.000 h life.

**ON
OFF** Lamp with integrated switch.



■  IP20

0,450 Kg / 0,0034 m³

LED 6,5W / 480 lm

€ 80

167152 White

167121 Black




167152

167121

Dodo

Powder coated or plated metal base
and body. Adjustable diffuser with
replaceable LED source. Finishes:
white, black, brushed brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



■  IP20  INCLUSA

0,930 Kg / 0,0035 m³


GX53 max 2 x 15W

€ 68

314136 White

327938 Black

327921 Brass



■  IP20  INCLUSA

0,450 Kg / 0,0015 m³

GX53 max 1 x 15W

€ 36

314105 White

314099 Black

314129 Brass



3000 K
910 lm

123936

€ 5,00



3000 K
910 lm

123936

€ 5,00



314105

314129


314099

Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.



LED source 3000 K, 20.000 h life.




■ ■ IP20

0,620 Kg / 0,0030 m³
LED 12W / 1400 lm

€ 120

196695 White



■ ■ IP20

0,310 Kg / 0,0020 m³
LED 6W / 700 lm

€ 61

196688 White




P. 317

Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available version antique brass.



Bulbs LED GU10 7W 3000 K included.
Cod. 123943



■ ■ IP20

0,230 Kg / 0,0025 m³
GU10 max 1x28W

€ 75

159997 Ant. Brass


3000 K
540 lm

123943 € 3,50



Winery

Totally white or black enamelled ceramic body with integrated bulb socket. AP model with downward orientation.



■ ■ □ IP20

0,250 Kg / 0,0004 m³
E27 max 1x 60W

€ 30

180298 White
180304 Black


3000 K
1050 lm

101323 € 4,50 [P. 315](#)



Edison

Chrome metal frame with white or black matt enamel finish. Electrical cable coated with fabric. Adjustable diffuser.



■ ⚡ IP20

0,410 Kg / 0,0134 m³
E27 max 1x 42W

€ 65

138374 White
148908 Black

3000 K
1050 lm

101347 € 6,00 [P. 120](#)






Radio

Metal ceiling rose and frame.
Adjustable diffuser. Electrical
cable coated with fabric. Available
with chrome or matt white or black
varnish finish.

LED Bulbs LED E27 8W Globo D125
trasparente 3000 K included.
Cod. **101347**



IP20

0,450 Kg / 0,0119 m³
E27 max 1x60W

€ 60

119465 White
119427 Chrome
119502 Black

3000 K
1050 lm
101347 € 6,00



Minimal

Metal frame with colored varnish finish. Power cable with fabric coating.


LED

Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**

045191



045214




■  IP20 

0,720 Kg / 0,0164 m³
E27 max 1x 60W

€ 70

045191 ■ White

045214 ■ Black

 **3000 K**
1020 lm

101347 **€ 6,00**



Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.



IP20

0,430 Kg / 0,0092 m³
E27 max 1x60W

€ 47

163338 Copper
163321 Ant. Brass

2200 K
500 lm

151717 € 6,00



P. 120



Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.



■  IP20

1,590 Kg / 0,0136 m³
E27 max 1x 42W

€ 95

092836 ■ Black



2200 K
440 lm

151694

€ 4,00



P. 101




Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,670 Kg / 0,0192 m³
G9 max 1x 15W

€ 73

273655 ■ Black



3000 K
510 lm

305486

€ 6,00



P. 105



P. 327



P. 473




P. 497



Kepler

Matt black varnished metal frame.
Amber transparent blown glass
diffusers.



■ □ IP20

0,900 Kg / 0,0428 m³
E27 max 3 x 42W

€ 150

187006 ■ Black

● 3000 K
430 lm

101279 € 2,00



P. 111



Perlage

Metal frame. Blown glass diffusers.
Finishes: Matt black with amber or
smoky Pyrex glasses or satin brass
with etched white glasses.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**


317809



292403



292410




0,800 Kg / 0,0173 m³
G9 max 3 x 15W

€ 175

283784 White
271439 Smok Gra.
322742 Amber

3000 K
510 lm

305486 € 6,00



0,400 Kg / 0,0062 m³
G9 max 1 x 15W

€ 75

292410 White
292403 Smok Gra.
317809 Amber

3000 K
510 lm

305486 € 6,00



P. 106



P. 324



P. 473





P. 498

Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



Lamp with integrated switch.



0,710 Kg / 0,0067 m³
E27 max 2x 42W

0,490 Kg / 0,0083 m³
E27 max 1x 42W

€ 160

€ 105

160245 Brass

160214 Brass



2200 K
370 lm



2200 K
370 lm



151687

€ 2,50

151687

€ 2,50

P. 098


P. 326

Maracas

Plated metal base and body.
Adjustable borosilicate clear blown
glass diffusers. Color: satin brass.



Bulbs LED G4 2W 3000 K included.
Cod. 222257



0,280 Kg / 0,0034 m³
G4 max 1x 2W

€ 72

200330 Brass



3000 K
200 lm



222257

€ 4,00


P. 330



Equinoxe ^{new}

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**



IP20

0,990 Kg / 0,0243 m³
G4 max 1x2W

€ 145

200132 Chrome
200149 Brass
345338 Shaded Sm ^{new}
345321 Shad. amb. ^{new}

3000 K
200 lm
222257 € 4,00




P. 108



P. 499

Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.



■  IP20

0,520 Kg / 0,0184 m³

E14 max 1x 40W

€ 90

112695 ■ Copper

112626 ■ Ant. Brass



3000 K
480 lm



101200 € 2,00 [P. 137](#)




112695



112626

Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



■  IP20

0,600 Kg / 0,0093 m³

E27 max 1x 42W

€ 62

016399 ■ Nickel

027852 ■ Black

027876 ■ Ant. Brass



3000 K
900 lm



123899 € 3,50 [P. 516](#)



016399



027852



027876



Shower

Black matt varnished metal frame.
Articulated chrome element.
Adjustable diffuser. Power cable
coated with fabric with switch and
plug included.



Lamp with integrated switch.



0,760 Kg / 0,0391 m³
E27 max 1x60W

€ 130

179643 ■ Black



3000 K
900 lm

123899

€ 3,50



Ping Pong

Powder coated or plated metal frame. Satin acrylic sphere diffuser. Model with adjustable cylindrical diffuser, with independent switching. Colors: white, black, brushed brass.



LED

LED source 3000 K, 50.000 h life.

**ON
OFF**

Lamp with integrated switch.
Cod. **336534**, **336664**, **336671**




IP20

0,680 Kg / 0,0025 m³
LED 6W / 600 lm

€ 110

336534 White
336664 Black
336671 Brass



IP20

0,540 Kg / 0,0021 m³
LED 6W / 500 lm

€ 100

new 328270 White
new 313252 Black
new 328287 Brass



P. 336



P. 472



P. 505



Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,500 Kg / 0,0081 m³
G9 max 1x 4W

€ 55

328478 White
310664 Black
311319 Brass

3000 K
510 lm

305486

€ 6,00




P. 337



Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.



■  IP20

6,340 Kg / 0,0461 m³
E14 max 2x 40W

€ 450

208794  Gold



3000 K
470 lm

101224

€ 2,00




P. 191

Penta

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




0,600 Kg / 0,0060 m³

G9 max 1x 4W

€ 60

314334 **Gold**



305486


€ 6,00

P. 340

Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




0,800 Kg / 0,0063 m³

G9 max 2 x 4W


€ 132

327716 **White**
346533 **Brass**



305486

€ 6,00




0,800 Kg / 0,0084 m³

GX53 max 1x 15W

€ 105

new 306940 **White**
new 293646 **Brass**



123936

€ 5,00



P. 339



P. 471





Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.

LED

LED source 3000 K, 30.000 h life.



238951



238975



238944



IP20

0,440 Kg / 0,0029 m³
LED 7,5W / 700 lm

€ 70

238975 White
238951 Silver
238944 Gold




Eclissi

Metal frame with powder coated and golden leaf finish. By changing the position of the upper diffuser, the refraction of the light can be whiter or more golden.

LED

LED source 3000 K, 17.500 h life.




■ □ IP20

5,600 Kg / 0,0615 m³
LED 30W / 2550 lm

€ 380

259062 ■ Gold



■ □ IP20

1,400 Kg / 0,0131 m³
LED 11W / 950 lm

€ 115

259048 ■ Gold



Set up ^{new}

Powder coated or plated metal frame. Two-light version with rubber-coated flexible arm and independent switches. Lampshades made of fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, white, black, dove grey, wood.



LED LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

ON OFF Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.



IP20

0,900 Kg / 0,0063 m³
E27 max 1x42W +
LED 3W / 200 lm

€ 133

259819 White
259833 Nickel
259826 Black
259857 Brass




IP20

0,370 Kg / 0,0032 m³
E27 max 1x42W

€ 63

259765 White
259796 Nickel
259772 Black
259802 Brass



0,460 Kg / 0,0228 m³

€ 63


260433 White
304618 Dove Grey
270005 Black
260440 Beige
345888 Wood



0,120 Kg / 0,0180 m³

€ 32

260327 White
304601 Dove Grey
269986 Black
260334 Beige
345871 Wood



0,130 Kg / 0,0180 m³

€ 34

260068 White
304113 Dove Grey
260075 Black
260082 Beige
345956 Wood



0,110 Kg / 0,0180 m³

€ 29

260341 White
293004 Dove Grey
270036 Black
260358 Beige
345949 Wood



3000 K
900 lm

123899 € 3,50



3000 K
900 lm

123899 € 3,50

Nordik

Matt black varnished metal frame. One single switch to control independently both lighting sources.

LED LED source 3000 K, 20.000 h life.

IP20

0,630 Kg / 0,0156 m³
E14 max 1x 40W +
LED 1,5W / 130 lm


€ 110

158242 ■ Black

3000 K
480 lm

101200

€ 2,00



P. 189

P. 480

P. 532





Gea

White or black powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



IP20

0,500 Kg / 0,0022 m³
E27 max 1x 60W +
LED 3W / 230 lm

€ 125

239521 ■ White
239545 ■ Black

0,140 Kg / 0,0180 m³

€ 17

239576 ■ White
239590 ■ Black
239606 ■ Canvas

3000 K
900 lm

123899

€ 3,50






Hotel

Fabric shade with satin glasses.
Double light model with adjustable
external light and separated
ignition. Colors: total white, total
black, chrome body with white,
canvas or black shade.

LED LED source 3000 K, 20.000 h life.

**ON
OFF** Lamp with integrated switch.



IP20

1,410 Kg / 0,0166 m³
E27 max 1x60W +
LED 1,5W / 50 lm

€ 125


215693 Total White
035949 White
215709 Total Black
035956 Black
103204 Canvas

3000 K
900 lm
123899 € 3,50

Roma

Chrome metal frame and details.
Square-shaped crystal elements on
sides and sandblasted bottom glass
sheet.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



■  IP20 

1,200 Kg / 0,0147 m³
G9 max 2 x 40W

€ 175

093086  Chrome

 **3000 K / 510 Lm**
305486 € 6,00



[P. 344](#)




[P. 486](#)

Pashà

Metal Frame. Diffuser composed of
cut crystal pearl strings.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




■  IP20 

1,110 Kg / 0,0057 m³
G9 max 3 x 40W

€ 210

082264  Chrome
082288  Gold

 **3000 K / 510 Lm**
305486 € 6,00



[P. 205](#)



[P. 345](#)




082264



082288

Carlton


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



2,570 Kg / 0,0154 m³
E14 max 3 x 40W

€ 170

168913 Chrome
213491 Gold



101224

€ 2,00



P. 203



P. 355

Dubai


Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



1,190 Kg / 0,0084 m³
E14 max 2 x 28W

€ 210

207155 Chrome
201023 Brass



101224

€ 2,00



P. 208



P. 353



168913



213491



207155



201023

Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



LED source 3000 K, 15.000 h life.



Lamp with integrated switch.




1,550 Kg / 0,0220 m³

E14 max 1x40W +

LED 1,5W / 50 Lm

€ 180

068268 White



101217

€ 2,00



[P. 198](#)



[P. 486](#)




[P. 534](#)



Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade.




2,470 Kg / 0,0517 m³

E14 max 2x40W

€ 210

035864 White



101217

€ 2,00



[P. 199](#)



Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.



1,060 Kg / 0,0329 m³

E14 max 2 x 40W

€ 90

028460 White

057200 Rust



3000 K
470 lm



101224


€ 2,00

P. 215



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



1,600 Kg / 0,0302 m³

E14 max 2 x 28W

€ 165

059211 White

197708 Brass



3000 K
370 lm



101231

€ 2,00


P. 212

P. 489



Negresco

Plated metal frame and details.
Clear blown glass arms with golden
inner part. Decorative elements in
clear glass and cut crystal. Color:
gold.



■  IP20

2,380 Kg / 0,0189 m³

E14 max 2x 28W

€ 160

087757  Gold



3000 K
430 lm




101248

€ 2,00

[P. 218](#)

Florian

Metal frame with decorative glass
elements. Pendants composed
of cut crystal octagons and final
drops. Available versions: clear
glass with golden or silvery metal.



■  IP20

1,430 Kg / 0,0189 m³

E14 max 2x 40W

€ 155

035642  Chrome

035659  Gold



3000 K
470 lm



101224

€ 2,00

[P. 220](#)



035642



035659

Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.



IP20

1,310 Kg / 0,0111 m³

E14 max 2 x 40W

€ 215

044910 Silver

060491 Gold



3000 K
470 lm



101224

€ 2,00

P. 224




044910



060491

Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.



IP20

2,080 Kg / 0,0431 m³

E14 max 2 x 40W

€ 145

140599 Gold



3000 K
430 lm



101248

€ 2,00

P. 225



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



■  IP20

2,050 Kg / 0,0405 m³

E14 max 2x 40W

€ 165

012902 White

020846 Gold



3000 K
430 lm

101248

€ 2,00



P. 230



P. 485



P. 535




012902



020846

Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



■  IP20

1,770 Kg / 0,0759 m³

E14 max 2x 40W

€ 205

115511 Beige



3000 K
470 lm

101224

€ 2,00



P. 234



P. 484





Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.



IP20

4,160 Kg / 0,0371 m³
E14 max 2 x 40W

€ 230

075211 Canvas



3000 K
480 lm


101200

€ 2,00



Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.



■ □ IP20

0,900 Kg / 0,0273 m³
E27 max 1x 42W

€ 210

115962 ■ Ant. Brass



3000 K
910 lm

119571

€ 3,50



P. 233



Santa


Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.



087368



087375



IP20

2,900 Kg / 0,0380 m³
E14 max 1x 40W

€ 230


087368 Clear
087375 Gold



3000 K
470 lm

101224

€ 2,00



IP20

1,200 Kg / 0,0184 m³
E14 max 1x 40W

€ 100

013060 Clear
013046 Gold



3000 K
470 lm

101224

€ 2,00



Table lamps

Indoors

Alphabetical index

| | | | |
|-----------|-----|-----------|-----|
| Angolo | 476 | Nordik | 480 |
| Axel | 478 | Opera | 486 |
| Birds | 473 | Oz | 452 |
| Candy | 469 | Pegaso | 489 |
| Carta | 468 | Perlage | 473 |
| Chalet | 484 | Ping Pong | 472 |
| Diamond | 466 | Pivot | 455 |
| Diesis | 459 | Prato | 474 |
| Driftwood | 484 | Queen | 488 |
| Duchessa | 487 | Roma | 486 |
| Easy | 458 | Sally | 463 |
| Edo | 475 | Set Up | 482 |
| Filo | 456 | Smarties | 469 |
| Firenze | 485 | Wally | 463 |
| Futura | 460 | Yoko | 457 |
| Gru | 454 | | |
| Kali | 481 | | |
| Kelly | 462 | | |
| Lawyer | 464 | | |
| Lingotto | 477 | | |
| London | 479 | | |
| Lumiere | 465 | | |
| Mapa | 470 | | |
| Mignon | 467 | | |
| Ninfea | 471 | | |











































Mignon

Pag 467

Indoors

Typology index


| | | | | | | | |
|--------------------|---|---|---|---|---|--|--|
| <small>new</small> |  |  |  |  |  |  |  |
| | Oz 452 | Gru 454 | Pivot 455 | Filo 456 | Yoko 457 | Easy 458 | Diesis 459 |
| |  |  |  |  |  |  | <small>new</small>  |
| | Futura 460 | Kelly 462 | Sally 463 | Wally 463 | Lawyer 464 | Lumiere 465 | Diamond 466 |
| <small>new</small> |  |  |  |  |  | <small>new</small>  |  |
| | Mignon 467 | Carta 468 | Smarties 469 | Candy 469 | Mapa 470 | Ninfea 471 | Ping Pong 472 |
| |  |  |  |  |  |  |  |
| | Birds 473 | Perlage 473 | Prato 474 | Edo 475 | Angolo 476 | Lingotto 477 | Axel 478 |
| |  |  |  |  |  |  |  |
| | London 479 | Nordik 480 | Kali 481 | Set Up 482 | Driftwood 484 | Chalet 484 | Firenze 485 |
| | | |  |  |  |  |  |
| | | | Roma 486 | Opera 486 | Duchessa 487 | Queen 488 | Pegaso 489 |

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 30.000 h |
| Power | 22W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | | |
| CRI | ≥90 | | |



LED SMD Driver included

| Power | Driver | Lumen | CCT | Finish | | Code | € |
|-------|--------|---------|--------|--------|--|--------|---------|
| 22 W | On-Off | 2500 lm | 2700 K | White | | 342467 | 140 new |
| | | | | Black | | 342474 | 140 new |
| | | | | Brass | | 342481 | 140 new |
| | | 2600 lm | 3000 K | White | | 269474 | 140 |
| | | | | Black | | 269481 | 140 |
| | | | | Brass | | 269498 | 140 |
| | | 2800 lm | 4000 K | White | | 342498 | 140 new |
| | | | | Black | | 342504 | 140 new |
| | | | | Brass | | 342511 | 140 new |



P. 064



P. 244



P. 362



269474



269481



269498



Gru

Total metal structure. Pole finished in chrome. Base and diffuser with matt white or black enamel. Swivel and adjustable in height diffuser.

LED

LED source 3000 K, 15.000 h life.

**ON
OFF**


Lamp with integrated switch.



147642



147659



IP20

2,220 Kg / 0,0084 m³
LED 7W / 400 lm

€ 185

147642 ■ White
147659 ■ Black



Pivot


Matt varnished aluminium frame. Base coated with plastic with dimmer. Adjustable diffuser with satin opal color PC screen. PVC cable with driver and plug.

LED LED source. Settable CCT: 3000, 4000, 6500 K. 25.000 h life.

ON OFF Lamp with integrated switch.

+ **-** **O** **+** Lamp with dimmer.

Hand icon Lamp with touch dimmer.



0,700 Kg / 0,0135 m³
LED 7W / 1150 lm

€ 85

289168 White
289151 Black



Filo

Metal base, powder coated or plated aluminum body. Matt opal polycarbonate diffuser. PVC cable with switch and driver integrated in the plug. Finishes: white, black, brushed brass.

LED

LED source 3000 K, 20.000 h life.

**ON
OFF**

Lamp with integrated switch.



IP20

0,500 Kg / 0,0093 m³
LED 10W / 1100 lm

€ 150

310107 White
310114 Black
310121 Brass



P. 084



P. 392



P. 502



Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED LED source 3000 K, 30.000 h life.


ON/OFF Lamp with integrated switch.



 IP20

0,860 Kg / 0,0247 m³
LED 5W / 500 lm

€ 85

258881  White
258911  Black



P. 089



P. 503



Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.



295510



295534



295541



IP20

1,200 Kg / 0,0193 m³
LED 3,5W / 420 lm

€ 90

295510 White
295534 Black
295541 Brass



LED source 3000 K, 50.000 h life.



Lamp with integrated switch.




P. 511




Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.



P. 126



P. 511




291093



283333






291109



 IP20  

1,700 Kg / 0,0637 m³
LED 6,5W / 500 lm

€ 150

291093  Nickel
283333  Black
291109  Brass




Futura


Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



LED LED source 4000 K, 25.000 h life.

ON OFF Lamp with integrated switch.




 Lamp with dimmer.

 Lamp with touch dimmer.



1,830 Kg / 0,0069 m³
LED 12,5W / 1050 lm

€ 150

272078  White
204895  Aluminum
204888  Black





Kelly

Metal technical lamp with white or matt black finish. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.



108117



108094



IP20

1,510 Kg / 0,0065 m³
E27 max 1x 42W

€ 45

108117 White


108094 Black



3000 K
340 lm

101286

€ 2,00





Sally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.



193946

265285


061160

2,600 Kg / 0,0132 m³
E27 max 1x42W

€ 85

193946 White
265285 Black
061160 Black Copper

123899 3000 K
900 lm
€ 3,50



Wally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.



193991

265278


061191

2,450 Kg / 0,0111 m³
E27 max 1x42W

€ 95

193991 White
265278 Black
061191 Black Copper

101286 3000 K
340 lm
€ 2,00



P. 517



Lawyer

Metal frame available with brass, chrome or antique brass finish. Blown overlay glass diffuser.



Lamp with integrated switch.



IP20

1,850 Kg / 0,0373 m³
E27 max 1x 60W

€ 120

045047 Chrome
013657 Brass
045030 Ant. Brass

3000 K
910 lm
119571 € 3,50





Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON/OFF Lamp with integrated switch.



P. 178



P. 341



P. 496



IP20

2,800 Kg / 0,0290 m³
LED 18W / 2250 lm

€ 180

314204 **White**



Diamond new

Table lamp with rechargeable battery. Clear acrylic diffuser with cut crystal processing effect. Integrated tactile switch.




LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

Hand icon Lamp with touch dimmer.



P. 102




IP20

0,800 Kg / 0,0041 m³
LED 2W / 240 lm

€ 90

343488 **Clear** new



Mignon new

Portable lamp with rechargeable battery. Powder coated or plated metal base. Satin opal acrylic diffuser. Switch with dimmer. Colors: white, black, coffee, brass, nickel and copper.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

Hand icon Lamp with touch dimmer.



334998



335001



334974



335018



334981



335025



IP20

0,360 Kg / 0,0012 m³
LED 5W / 460 lm

€ 40

| | | |
|--------|--------|-----|
| 334998 | White | new |
| 335001 | Nickel | new |
| 334974 | Black | new |
| 335018 | Coffee | new |
| 334981 | Brass | new |
| 335025 | Copper | new |



Carta


Matt white painted metal frame.
Polycarbonate diffuser with paper
effect covering.



Bulbs LED G9 3W 3000 K included in
317151 model. Cod. **209043**



Lamp with integrated switch.



IP20

0,950 Kg / 0,0127 m³
E27 max 1x 25W

€ 80

317168 White



P. 170




P. 282



P. 385



P. 519



IP20

0,400 Kg / 0,0025 m³
G9 max 1x 15W

€ 60

317151 White



305486

3000 K
510 Lm

€ 6,00

Smarties


Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.



Bulbs LED G9 3W 3000 K included in **032078** model. Cod. **209043**




Lamp with integrated switch.




2,600 Kg / 0,0810 m³
E27 max 1x42W

€ 190

327914 White




101279 € 2,00




1,400 Kg / 0,0392 m³
E27 max 1x42W

€ 130

327907 White




101279 € 2,00




0,470 Kg / 0,0079 m³
G9 max 1x15W

€ 50

032078 White



305486 € 6,00



Candy


Metal frame with satin nickel finish. White acid-etched blown glass diffuser.



Bulbs LED G9 3W 3000 K included. Cod. **209043**




Lamp with integrated switch.



1,200 Kg / 0,0287 m³
G9 max 1x40W

€ 102

086804 White



305486 € 6,00



P. 158 **P. 280**





Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.



Bulbs LED G9 3W 3000 K included in **310817** model. Cod. **209043**




Lamp with integrated switch.



3,520 Kg / 0,1354 m³
E27 max 1x 42W

€ 165

000206 White



1,880 Kg / 0,0515 m³
E27 max 1x 42W

€ 85


009131 White



1,050 Kg / 0,0214 m³
E27 max 1x 42W

€ 50

009155 White



0,280 Kg / 0,0026 m³
G9 max 1x 4W

€ 45

310817 White



P. 168



P. 282



P. 384



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571

€ 3,50



3000 K
510 Lm

305486

€ 6,00



Ninfea ^{new}

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. PVC cable with switch and plug. Available finishes: white or satin brass.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




Lamp with integrated switch.



346526



318325



IP20

1,100 Kg / 0,0158 m³
GX53 max 1x15W

€ 99

318325 White ^{new}
346526 Brass ^{new}

3000 K
910 lm

123936

€ 5,00



P. 339



P. 431



Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED

LED source 3000 K, 50.000 h life.

**ON
OFF**

Lamp with integrated switch.

328294

313320

328300



IP20

1,150 Kg / 0,0232 m³
LED 6W / 500 lm

€ 130

328294 White
313320 Black
328300 Brass



P. 336



P. 428



P. 505

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON
OFF Lamp with integrated switch.

130x160




0,900 Kg / 0,0163 m³

G9 max 1x 15W

€ 86

273679 ■ Black



305486 € 6,00



Perlage

Metal frame. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON
OFF Lamp with integrated switch.

240




2,000 Kg / 0,0227 m³

G9 max 3 x 15W

€ 200

292472 ■ White
292465 ■ Smok. Gra.
322759 ■ Amber



305486 € 6,00

100




0,600 Kg / 0,0062 m³

G9 max 1x 15W

€ 85

292458 ■ White
292441 ■ Smok. Gra.
317823 ■ Amber



305486 € 6,00



317823



292441



292458





Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.



Lamp with integrated switch.




1,380 Kg / 0,0219 m³
E27 max 1x 60W

€ 80

074702 White

3000 K
340 lm

101286 € 2,00



0,650 Kg / 0,0099 m³
E14 max 1x 40W

€ 51

074726 White

3000 K
420 lm

101217 € 2,00



Edo

Chrome metal frame inside. White acid-etched overlay blown glass diffuser.



Lamp with integrated switch.



1,150 Kg / 0,0172 m³
E27 max 1x60W

€ 66

044590 White

3000 K
900 lm

123899

€ 3,50



0,730 Kg / 0,0082 m³
E27 max 1x60W

€ 58

044606 White

3000 K
340 lm

101286

€ 2,00



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



Lamp with integrated switch.



284316



284361



IP20

0,600 Kg / 0,0063 m³
G9 max 1x28W

€ 75

284316 ■ Black
284361 ■ Brass



P. 334



P. 500



3000 K
510 lm

305486

€ 6,00



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in models: **304151** and **259222**.
Cod. **209043**

**ON
OFF**

Lamp with integrated switch.



259222



304151



IP20

1,320 Kg / 0,0199 m³
E14 max 1x 28W

€ 125

327877 ■ Black
251127 ■ Brass

3000 K
420 lm

101217

€ 2,00



IP20

0,750 Kg / 0,0084 m³
G9 max 1x 4W

€ 90

304151 ■ Black
259222 ■ Brass

3000 K
510 lm

305486

€ 6,00



P. 100



P. 335




Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



IP20

1,970 Kg / 0,0183 m³
E27 max 1 x 60W

€ 140

282091 ■ White
272238 ■ Black

3000 K
910 lm
119571 € 3,50



P. 526



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.



Lamp with integrated switch.




110530



032368



110554



1,910 Kg / 0,0645 m³
E27 max 1x60W

€ 110

110448 White
032375 Chrome
110455 Black



3000 K
910 lm

119571

€ 3,50



1,270 Kg / 0,0253 m³
E27 max 1x60W

€ 80

110530 White
032368 Chrome
110554 Black



3000 K
910 lm

119571

€ 3,50



P. 529




Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with
black fabric.



Lamp with integrated switch.



1,220 Kg / 0,0504 m³
E27 max 1x60W

€ 115

161686 ■ Black



P. 189



P. 436



P. 532



3000 K
910 lm

119571

€ 3,50



Kali

Ceramic body with decorations in relief. PVC shade coated with fabric. PVC cable with integrated switch.



Lamp with integrated switch.



0,660 Kg / 0,0092 m³
E14 max 1x40W

€ 28

245331 White



3000 K
420 lm

101217

€ 2,00



0,620 Kg / 0,0037 m³
E14 max 1x40W

€ 28

245348 White



3000 K
420 lm

101217

€ 2,00



0,660 Kg / 0,0055 m³
E14 max 1x40W

€ 28

245393 White



3000 K
420 lm

101217

€ 2,00



Set up ^{new}

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey, wood.



Lamp with integrated switch.



259918



259949



259925



259956



260068



304113



260075



260082




345956



1,130 Kg / 0,0055 m³
E27 max 1x42W

€ 90


259918 White
259949 Nickel
259925 Black
259956 Brass



0,680 Kg / 0,0061 m³
E27 max 1x42W

€ 70

259864 White
259895 Nickel
259871 Black
259901 Brass



0,460 Kg / 0,0228 m³

€ 63

260433 White
304618 Dove Grey
270005 Black
260440 Beige
345888 Wood



0,120 Kg / 0,0180 m³

€ 32

260327 White
304601 Dove Grey
269986 Black
260334 Beige
345871 Wood



0,130 Kg / 0,0180 m³

€ 34

260068 White
304113 Dove Grey
260075 Black
260082 Beige
345956 Wood



0,110 Kg / 0,0180 m³

€ 29

260341 White
293004 Dove Grey
270036 Black
260358 Beige
345949 Wood



3000 K
900 lm

123899 € 3,50



3000 K
900 lm


123899 € 3,50

Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



2,450 Kg / 0,0709 m³

E27 max 1x 60W

€ 220

129570 Wood



2200 K
370 Lm



151687

€ 2,50

[P. 235](#)

[P. 526](#)




Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



Lamp with integrated switch.



3,500 Kg / 0,1650 m³

E27 max 1x 60W

€ 280

128207 Beige



3000 K
910 lm



119571

€ 3,50

[P. 234](#)

[P. 444](#)





Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



012889



020853



1,220 Kg / 0,0216 m³
E14 max 1x 40W

€ 140

012889 White
020853 Gold

3000 K
480 lm

101200 € 2,00



P. 230



P. 444



P. 535

Roma


Chrome metal frame and details.
Square-shaped crystal elements on
sides and sandblasted bottom glass
sheet.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



Lamp with integrated switch.



1,930 Kg / 0,0182 m³

G9 max 1x40W

€ 160

114620 Chrome



3000 K
510 lm



305486

€ 6,00

[P. 344](#)

[P. 438](#)




Opera

Chrome frame. PVC foil shade
covered with metallic filaments. Cut
crystal pendants.



Lamp with integrated switch.



1,750 Kg / 0,0392 m³

E27 max 1x60W

€ 145

068305 White



3000 K
900 lm



123899

€ 3,50

[P. 198](#)

[P. 440](#)

[P. 534](#)





Duchessa

Chrome metal base and details.
Blown and hand finished glass
elements. Pleated organza shade.



Lamp with integrated switch.




3,000 Kg / 0,0652 m³
E27 max 1x60W

€ 155

044491 Clear

123899 3000 K
900 lm € 3,50



1,900 Kg / 0,0610 m³
E27 max 1x60W

€ 135

051406 Clear

123899 3000 K
900 lm € 3,50




Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.



Lamp with integrated switch.



2,300 Kg / 0,0886 m³
E27 max 1x60W

€ 210


077758 Gold



3000 K
910 lm

119571

€ 3,50



1,360 Kg / 0,0460 m³
E27 max 1x60W

€ 140


077741 Gold



3000 K
910 lm

119571

€ 3,50



0,900 Kg / 0,0137 m³
E27 max 1x60W

€ 120

077734 Gold



3000 K
910 lm

119571

€ 3,50



P. 534



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.




Lamp with integrated switch.



059266



197753



2,000 Kg / 0,0705 m³
E27 max 1x 60W

€ 215

059259 White

3000 K
900 lm

123899



1,450 Kg / 0,0117 m³
E14 max 1x 28W

€ 110

059266 White
197753 Brass

3000 K
420 lm

101217

€ 2,00



P. 212



P. 441



Floor lamps

Indoors

Alphabetical index

| | | | |
|-----------|-----|-----------|-----|
| Angolo | 500 | Look | 506 |
| Axel | 526 | Lumiere | 496 |
| Birds | 497 | Mix Up | 508 |
| Carta | 519 | Newton | 516 |
| Colonna | 533 | Nordik | 532 |
| Comet | 520 | Opera | 534 |
| Comfort | 512 | Pagoda | 525 |
| Craft | 510 | Perlage | 498 |
| Cylinder | 532 | Ping Pong | 505 |
| Daddy | 524 | Polly | 518 |
| Diesis | 511 | Queen | 534 |
| Dorsale | 522 | Regol | 528 |
| Driftwood | 526 | Set Up | 530 |
| Easy | 511 | Wally | 517 |
| Ego | 494 | Yoko | 503 |
| Equinoxe | 499 | York | 527 |
| Eva | 504 | | |
| Filo | 502 | | |
| Firenze | 535 | | |
| Frame | 501 | | |
| Futura | 514 | | |
| Ginger | 515 | | |
| Klimt | 527 | | |
| Lift | 514 | | |
| London | 529 | | |

Indoors

Typology index

new



Ego 494



Lumiere 496



Birds 497



Perlage 498

new



Equinoxe 499



Angolo 500



Frame 501



Look 506



Mix Up 508

new



Craft 510



Easy 511



Diesis 511

new



Comfort 512



Lift 514



Polly 518



Carta 519



Comet 520



Dorsale 522



Daddy 524



Klimt 527



Regol 528



London 529



Set Up 530



Cylinder 532



Nordik 532



Colonna 533

new



Filo 502

Yoko 503

Eva 504

Ping Pong 505



Futura 514

Ginger 515

Newton 516

Wally 517



Pagoda 525

Axel 526

Driftwood 526


York 527



Opera 534

Queen 534

Firenze 535



Look

Pag 506



Ego ^{new}


Powder painted aluminum body and structure. Modular sources with light modules from the Ego series (maximum consumption 95 W, maximum total length 1250 mm), non-dimmable or dimmable 1-10 V. Dimmer included, integrated on the track. Plastic profile cover included, which can be cut to size. PVC cable. Black color.



High-tech product with high quality materials, intended for professional use.



Luminaire with dimmer.



IP20

10,600 Kg / 0,0259 m³

€ 300

344775 ■ Black ^{new}



Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED

LED source 3000 K, 25.000 h life.

**ON
OFF**

Lamp with integrated switch.



P. 178



P. 341



P. 465



IP20

10,500 Kg / 0,1515 m³
LED 58W / 7550 lm

€ 510

314198 White



Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



Lamp with integrated switch.



P. 105




P. 327



P. 421



P. 473



5,640 Kg / 0,1536 m³
G9 max 5 x 15W

€ 340

273662 ■ Black



3000 K
510 lm

305486

€ 6,00



Perlage

Metal frame. Blown glass diffusers.
Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




Lamp with integrated switch.

317816

277967

306988



4,800 Kg / 0,0612 m³
G9 max 4 x 15W

€ 325

277967 White
306988 Smok. Gra.
317816 Amber

3000 K
510 lm
305486 € 6,00



P. 106



P. 324



P. 423



P. 473



Equinoxe ^{new}

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**

ON OFF Lamp with integrated switch.



290959




290966



348292



348285



6,500 Kg / 0,0882 m³
G4 max 4 x 2W

€ 550

290959 Chrome
290966 Brass
348292 Shaded sm ^{new}
348285 Shad. amb. ^{new}

3000 K
200 lm

222257

€ 4,00



P. 108



P. 425



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




Lamp with integrated switch.



P. 334



P. 476



2,700 Kg / 0,1772 m³
G9 max 5 x 28W

€ 280

284309 ■ Black
284354 ■ Brass

3000 K
510 lm
305486 **€ 6,00**



Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

LED LED source 3000 K, 30.000 h life.

ON/OFF Lamp with integrated switch.



P. 076




P. 247



299624



299617



IP20

10,300 Kg / 0,0525 m³
LED 30W / 3100 lm

€ 450

299624 ■ White
299617 ■ Black



Filo new

Plated or powder-coated metal ceiling cap, body and floor base. Satin opal color PVC diffuser. Black PVC supporting cable. Powered from base by a black PVC cable with plug. Available finishes: white, black or brass.



IP20

1,200 Kg / 0,0124 m³
LED 14W / 1500 lm / 1550 lm

€ 250

| | | | |
|--------|-------|-------|-----|
| 341118 | White | 2700K | new |
| 301051 | White | 3000K | |
| 341125 | Black | 2700K | new |
| 301068 | Black | 3000K | |
| 341132 | Brass | 2700K | new |
| 301075 | Brass | 3000K | |

LED LED source 2700/3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.



P. 084



P. 392



P. 456



Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



P. 089



P. 457

258874



258904



IP20

1,650 Kg / 0,0534 m³
LED 16W / 1700 lm

€ 150

258874 White
258904 Black



Eva

Marble base. Powder-coated metal frame. PVC cable with switch and plug. Available finishes: black.



Lamp with integrated switch.



8,500 Kg / 0,0680 m³
E27 max 1x 60W

€ 275

295213 ■ Black



3000 K
1020 lm

101347

€ 6,00



Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



328317



313313



328324



IP20

2,500 Kg / 0,0916 m³

LED 12W / 1000 lm

€ 250

328317 White

313313 Black

328324 Brass



P. 336



P. 428




P. 472





Look

Powder coated metal base and aluminum body. Clear glass diffusers. PVC cable. Ground driver with dimmer. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with integrated switch.



5,080 Kg / 0,0809 m³
LED 24W / 2750 lm

€ 250

304922 ■ White
304915 ■ Black



Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.



Lamp with integrated switch.



288451




307428



8,500 Kg / 0,0326 m³
E27 max 1x42W

€ 200

328164 White
328171 Black



2,000 Kg / 0,0676 m³

€ 85

288437 White
288420 Black



1,100 Kg / 0,0446 m³

€ 55


307404 White
288475 Black



0,800 Kg / 0,0147 m³

€ 40

307411 White
288444 Black



0,500 Kg / 0,0174 m³

€ 35

307428 White
288451 Black

3000 K
900 lm
123899 € 6,60



Craft

Matt black varnished metal base.
Natural wood body. Satin opal color
polycarbonate diffuser. Black PVC
cable with dimmer and plug.



LED source 3000 K, 20.000 h life.



Lamp with dimmer.




Lamp with integrated switch.



P. 091



P. 374



3,500 Kg / 0,0586 m³
LED 26W / 2150 lm

€ 395

284484 ■ Wood



Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.



Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.



IP20

3,000 Kg / 0,0175 m³
LED 3,5W / 420 lm

€ 130

295473 White
295497 Black
295503 Brass



P. 458



IP20

3,500 Kg / 0,0222 m³
LED 4,5W / 280 lm

€ 180

285337 Nickel
279800 Black
285344 Brass



P. 126



P. 459



296685



336220




336220

Comfort new


Powder-coated aluminum structure. Double source: uplight with diffused emission, downlight available with diffused or concentrated emission. Light sensor. PVC cable with plug. Colors: black or white.

LED LED source 3000/4000 K, 50.000 h life.

 Lamp with dimmer.

USB Lamp with integrated USB socket.
Cod. **296685, 306452, 296678, 306469**

UGR Product with UGR <16.



19,500 Kg / 0,0638 m³
LED 76W / 9800 lm
€ 1060

345307 White new
336220 Black new

12,700 Kg / 0,0326 m³
LED 76W / 9700/10800 lm
€ 680

296685 White **3000K**
306452 White **4000K**
296678 Black **3000K**
306469 Black **4000K**



Lift

Matt varnished metal frame. Adjustable in height diffuser and directable with opal polycarbonate screen. PVC cable with driver and ground switch. Finishes: white, black.



LED LED source 3000 K, 50.000 h life.

ON/OFF Lamp with integrated switch.



IP20

5,150 Kg / 0,0195 m³
LED 17W / 1950 lm

€ 196

321585 White
305592 Black

Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



LED LED source 4000 K, 25.000 h life.

Lamp with touch dimmer.



IP20


4,440 Kg / 0,0095 m³
LED 12,5W / 1050 lm

€ 215

272085 White
204956 Aluminum
204949 Black



P. 460



Ginger new

Powder coated metal base and frame. Adjustable diffuser. PVC cable with switch and plug. Two lights version with double switch for separate ignitions. Colors: white, black.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



Lamp with integrated switch.

| | |
|--|--|
| <p>100x55 2155 180x320</p> <p>IP20</p> | <p>100x55 1220 150x220</p> <p>IP20</p> |
| <p>5,600 Kg / 0,0260 m³ GU19 max 2x 28W</p> <p>€ 200</p> | <p>2,650 Kg / 0,0246 m³ GU19 max 1x 28W</p> <p>€ 100</p> |
| <p>345314 White 326672 Black</p> | <p>326665 White 326658 Black</p> |
| <p> 3000 K 540 lm</p> <p>123943 € 3,50</p> | <p> 3000 K 540 lm</p> <p>123943 € 3,50</p> |



015286

003528




Newton

Chrome metal frame and diffuser. Available with satin nickel or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



Lamp with integrated switch.



5,270 Kg / 0,0323 m³
E27 max 1 x 42W

€ 120

015286 ■ Nickel
003528 ■ Black



3000 K
900 lm

123899

€ 3,50



P. 426



Wally

Powder coated metal frame with black finish, nickel-plated metal details. Adjustable articulated arm structure. Switch integrated in the head of the shade. PVC cable.



Lamp with integrated switch.



8,500 Kg / 0,0771 m³
E27 max 1x 42W

€ 250

265292 ■ Black

3000 K
950 lm

101330

€ 4,50



P. 463



Polly

Diffusers and base in chrome, silver or black enameled metal. Chrome metal details and joints. Adjustable diffusers.



Lamp with integrated switch.



IP20

3,500 Kg / 0,0207 m³
E27 max 2x 60W

€ 125

061122 Chrome
061115 Silver
061139 Black

3000 K
910 lm
119571 € 3,50



Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper
effect covering.




Lamp with integrated switch.



3,150 Kg / 0,0813 m³
E27 max 1x25W

€ 225

317144 White



119571

3000 K
910 lm


€ 3,50



1,900 Kg / 0,0370 m³
E27 max 1x25W

€ 110

317137 White



119571

3000 K
910 lm

€ 3,50



P. 170



P. 282



P. 385




P. 468





Comet

Powder coated varnished metal base and body. Opal silicon diffuser. Touch switch integrated on the body. Pvc cable with driver and plug. Finishes: white, black.

LED LED source 3000 K, 20.000 h life.


 Lamp with dimmer.

 Lamp with touch dimmer.

 Lamp with integrated switch.

304168

304649



3,800 Kg / 0,0574 m³
LED 30W / 2850 lm

€ 295

304649 ■ White
304168 ■ Black



Dorsale

Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.



Lamp with integrated switch.



046471



046723



041742



12,000 Kg / 0,0856 m³
E27 max 1x60W

€ 600

286686 White
286662 Chrome
286679 Black

0,430 Kg / 0,0709 m³

€ 75

046723 White
041742 Chrome
046471 Black



3000 K
1050 lm

101347

€ 6,00



Daddy

Metal frame. Available in black and matt white color with fabric coated shade.



Lamp with integrated switch.



110356

110363

IP20

7,250 Kg / 0,1287 m³
E27 max 1 x 60W

€ 340

110356 White
110363 Black



3000 K
1050 lm

101347

€ 6,00



Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.



Lamp with integrated switch.



051741

051765

IP20

10,870 Kg / 0,1732 m³
E27 max 1x 60W

€ 390

051741 ■ White
051765 ■ Black

3000 K
1050 lm

101347

€ 6,00




Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



5,200 Kg / 0,0818 m³
E27 max 1x60W

€ 230

272245 White
282084 Black



3000 K
1050 lm

101347

€ 6,00



P. 478

272245

282084



Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



5,830 Kg / 0,3487 m³
E27 max 1x60W

€ 645

148939 Wood



2200 K
370 lm

151687

€ 2,50



24,000 Kg / 0,1753 m³
E27 max 2x60W

€ 720

180946 Wood



2200 K
370 lm

151687

€ 2,50



P. 235



P. 484




York

Natural wooden tripod stand with metal details. PVC foil shade coated with fabric. Power cable coated with fabric. Available also with white or black shades and frame.



Lamp with integrated switch.



121406



121437



089805



2,810 Kg / 0,0247 m³
E27 max 1x 42W

€ 230

121406 White
121437 Black
089805 Wood



3000 K
1050 lm


101347 € 6,00

Klimt

Natural wood tripod. PVC foil shade covered with fabric, chrome metal support.



Lamp with integrated switch.



3,870 Kg / 0,1284 m³
E27 max 1x 60W

€ 400

137827 Wood



3000 K
1050 lm

101347 € 6,00




Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.



Lamp with integrated switch.



5,420 Kg / 0,0702 m³
E27 max 1x60W

€ 280

014609 White

3000 K
1050 lm

101347 € 6,00



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.



Lamp with integrated switch.




110233



032382



110240



7,120 Kg / 0,1879 m³
E27 max 1x60W

€ 300

110233 White
032382 Chrome
110240 Black



3000 K
1050 lm

101347

€ 6,00



P. 479



Set up ^{new}

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey, wood.



Lamp with integrated switch.



259963



259994



259970



260006



260136



304120



260235



260242



345956



2,640 Kg / 0,0251 m³
E27 max 1x 42W

€ 166

259963 White
259994 Nickel
259970 Black
260006 Brass



0,470 Kg / 0,0221 m³

€ 92

260457 White
304625 Dove Grey
270012 Black
260464 Beige
345895 Wood



0,460 Kg / 0,0709 m³

€ 75

260136 White
304120 Dove Grey
260235 Black
260242 Beige
345963 Wood ^{new}



3000 K
900 lm

123899

€ 3,50



P. 192



P. 292



P. 434



P. 482



Cylinder

Matt white varnished metal base.
White blown overlay and acid-etched glass diffuser.




Lamp with integrated switch.

Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with black fabric.



Lamp with integrated switch.



10,010 Kg / 0,1145 m³
E27 max 2x 60W

€ 260

111452 ■ White




3000 K
900 lm



123899

€ 3,50

P. 190



3,620 Kg / 0,0897 m³
E27 max 1x 60W

€ 240

161716 ■ Black



3000 K
1050 lm



101347

€ 6,00

P. 189

P. 436

P. 480



Colonna

Matt white or black varnished metal frame. Glass diffuser. Power cable coated with fabric. The lamp fits replaceable LED bulbs.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




177199



177205



Lamp with integrated switch.



7,740 Kg / 0,0710 m³
GX53 max 4 x 15W

€ 350

177199 ■ White
177205 ■ Black

3000 K
910 lm

123936

€ 5,00




Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



Lamp with integrated switch.



5,720 Kg / 0,0770 m³
E27 max 1x60W

€ 315

068275 White



3000 K
950 lm

101354

€ 6,00



P. 198



P. 440



P. 486




Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.



Lamp with integrated switch.



4,900 Kg / 0,0979 m³
E27 max 1x60W

€ 370

077765 Gold



3000 K
1050 lm

101347

€ 6,00



P. 488



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



002880



020877



IP20

5,600 Kg / 0,1089 m³
E27 max 1x 60W

€ 350

002880 White
020877 Gold

3000 K
1050 lm

101347

€ 6,00



P. 230



P. 444



P. 485































Linear systems

Indoors

Alphabetical index

| | |
|--------|-----|
| Arca | 612 |
| Deva | 538 |
| Ego | 558 |
| Fluo | 626 |
| Linus | 624 |
| Office | 640 |
| Steel | 634 |
| Stick | 598 |


Typology index

| | | | | |
|---|---|--|---|---|
| <small>new</small>  | <small>new</small>  | <small>new</small>  | <small>new</small>  | <small>new</small>  |
| Deva Track 540 | Deva Disc 542 | Deva Accent 544 | Deva Wide Inner 546 | Deva Wide Outer 548 |
| <small>new</small>  | <small>new</small>  | <small>new</small>  | <small>new</small>  |  |
| Deva Pendant 550 | Ego Single 560 | Ego Double 566 | Ego Zoom 570 | Ego Big 572 |
|  | <small>new</small>  | <small>new</small>  |  | <small>new</small>  |
| Ego Flat 574 | Ego Accent 576 | Ego Wide 578 | Ego Flexible 580 | Ego Pendant 582 |
| <small>new</small>  | <small>new</small>  | <small>new</small>  | <small>new</small>  | |
| Stick Single 600 | Stick Double 602 | Stick Accent 604 | Stick Wide 606 | |
|  |  |  |  | |
| Arca Track 614 | Arca Accent 616 | Arca Wide 618 | Linus 624 | |
|  |  |  | <small>new</small>  |  |
| Fluo Wide 628 | Fluo Biemission 630 | Steel 636 | Steel Slim 638 | Office 640 |

Deva ^{new}


Linear system composed of an extruded aluminum profile and magnetic lighting fixtures. The system is available in coated or anodized matt black, ceiling or suspended installation (SURFACE), quick recessed plasterboard installation (RECESSED EASY) or edgeless recessed installation between two plasterboard panels (RECESSED). Small dimensions of the electrified profile, 10 mm wide and 15 mm high, available in the two lengths, 1000 mm and 2000 mm, or with a 90° horizontal curved connection. Possibility of composition with different light modules, in white or black finish depending on the desired arrangement, modifiable if necessary: fixed or adjustable TRACK modules for spot lighting; ACCENT modules for focused lighting; PENDANT TUBE module for focused lighting; WIDE INNER linear modules hidden inside the profile, WIDE OUTER linear modules showing outside the profile or DISC circular modules, for diffused and uniform lighting. Integrated LED technology with colour temperature of 3000 K with high color rendering CRI ≥ 90 , IP20 protection, insulation class III, 24 Vdc power supply, non-dimmable, LED useful life 30,000 h L70B50. Ideal for lighting small environments where minimal size, wide application flexibility and high lighting quality are required, for example RESIDENTIAL, MUSEUM and RETAIL spaces.

| | |
|-------------------|---------------|
| Source | LED COB / SMD |
| Driver included | No |
| Drivers available | On/Off |
| MacAdam | SDCM 3 |
| CCT | 3000 K |
| CRI | ≥ 90 |
| LED life | 30.000h |
| Insulation class | III |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |






Deva Track



0,030 Kg/0,0002 m³

LED COB OSRAM


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|---------------------|
| 2,5 W | 37° | On-Off | 150 lm | 3000 K | White | | 332772 | 35 new |
| | | | | | Black | | 332765 | 35 new |



0,050 Kg/0,0003 m³

LED COB BRIDGELUX

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|---------------------|
| 4,5 W | 34° | On-Off | 450 lm | 3000 K | White | | 332796 | 40 new |
| | | | | | Black | | 332789 | 40 new |



0,090 Kg/0,0004 m³

LED COB BRIDGELUX


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|---------------------|
| 8 W | 30° | On-Off | 750 lm | 3000 K | White | | 332826 | 45 new |
| | | | | | Black | | 332819 | 45 new |



Light beam: ACCENT



LENS



| m | lx | ø m |
|---|-----|------|
| 1 | 913 | 0,51 |
| 2 | 228 | 1,00 |
| 3 | 101 | 1,50 |
| 4 | 57 | 2,10 |
| 5 | 37 | 2,60 |




CRI≥90 4,5W 38° 450lm 3000K

540

| Required | Beam | Model | Code | € |
|----------|------|------------|--------|--------------------|
| No | 15° | TRACK 2,5W | 332543 | 5 new |
| | | TRACK 4,5W | 332505 | 5 new |
| | | TRACK 8W | 332468 | 5 new |



Deva Disc




0,110 Kg/0,0004 m³

LED COB BRIDGELUX


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|---------------------|
| 5 W | 38° | On-Off | 500 lm | 3000 K | White | | 332857 | 40 new |
| | | | | | Black | | 332840 | 40 new |

LED SMD



0,330 Kg/0,0020 m³

LED SMD



0,430 Kg/0,0020 m³


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|---------------------|
| 15 W | 98° | On-Off | 1750 lm | 3000 K | White | | 332918 | 55 new |
| | | | | | Black | | 332901 | 55 new |



Light beam: ACCENT




Light beam: WIDE




| m | lx | øm |
|---|-----|------|
| 1 | 764 | 0,68 |
| 2 | 191 | 1,40 |
| 3 | 85 | 2,00 |
| 4 | 48 | 2,70 |
| 5 | 31 | 3,40 |



CRI≥90 5W 38° 500lm 3000K




| m | lx | øm |
|---|-----|-------|
| 1 | 309 | 3,30 |
| 2 | 77 | 6,60 |
| 3 | 34 | 9,80 |
| 4 | 19 | 13,00 |
| 5 | 12 | 16,00 |



CRI≥90 15W 98° 1750lm 3000K



332840




332901

Deva Accent



LED SMD

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|---|--------|-----------------------|
| 5 W | 34° | On-Off | 350 lm | 3000 K | Black | ■ | 332758 | 30 <small>new</small> |




0,070 Kg/0,0002 m³



LED SMD OSRAM

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|---|--------|-----------------------|
| 10 W | 34° | On-Off | 900 lm | 3000 K | Black | ■ | 332734 | 40 <small>new</small> |




0,140 Kg/0,0003 m³



LED SMD OSRAM


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----------------------|
| 14 W | 34° | On-Off | 1400 lm | 3000 K | Black | ■ | 332710 | 50 <small>new</small> |



0,230 Kg/0,0005 m³




Light beam: **ACCENT**



| m | lx | ø m |
|---|-----|------|
| 1 | 913 | 0,51 |
| 2 | 228 | 1,00 |
| 3 | 101 | 1,50 |
| 4 | 57 | 2,10 |
| 5 | 37 | 2,60 |



CRI≥90 5W 34° 350lm 3000K



| m | lx | ø m |
|---|------|------|
| 1 | 2698 | 0,51 |
| 2 | 675 | 1,00 |
| 3 | 300 | 1,50 |
| 4 | 169 | 2,10 |
| 5 | 108 | 2,60 |



CRI≥90 14W 34° 1400lm 3000K



Deva Accent 145 mm




Deva Accent 241 mm



Deva Accent 335 mm




Deva Wide Inner




LED SMD

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|---|--------|-----------------------|
| 6 W | 100° | On-Off | 700 lm | 3000 K | Black | ■ | 332949 | 25 <small>new</small> |



LED SMD

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----------------------|
| 11 W | 100° | On-Off | 1400 lm | 3000 K | Black | ■ | 332925 | 35 <small>new</small> |




LED SMD


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----------------------|
| 16 W | 100° | On-Off | 2100 lm | 3000 K | Black | ■ | 332895 | 50 <small>new</small> |



Light beam: WIDE



| m | lx | ø m |
|---|-----|-----|
| 1 | 161 | 6,0 |
| 2 | 40 | 12 |
| 3 | 18 | 18 |
| 4 | 10 | 24 |
| 5 | 6,4 | 30 |



CRI≥90 11W 100° 1400lm 3000K



Deva Wide Inner 300 mm




Deva Wide Inner 600 mm



Deva Wide Inner 900 mm




Deva Wide Outer




LED SMD

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|---|--------|-----------------------|
| 8 W | 100° | On-Off | 900 lm | 3000 K | Black | ■ | 332871 | 25 <small>new</small> |



LED SMD

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----------------------|
| 12 W | 100° | On-Off | 1350 lm | 3000 K | Black | ■ | 332833 | 35 <small>new</small> |




LED SMD


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----------------------|
| 21 W | 100° | On-Off | 2700 lm | 3000 K | Black | ■ | 332802 | 50 <small>new</small> |



Light beam: WIDE



| m | lx | ø m |
|---|-----|------|
| 1 | 257 | 1,90 |
| 2 | 64 | 3,70 |
| 3 | 29 | 5,60 |
| 4 | 16 | 7,50 |
| 5 | 10 | 9,40 |



CRI≥90 12W 100° 1350lm 3000K



Deva Wide Outer 346 mm




Deva Wide Outer 646 mm




Deva Wide Outer 945 mm



Deva Pendant




LED COB BRIDGELUX

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|---|--------|-----------------------|
| 6 W | 34° | On-Off | 550 lm | 3000 K | Black |  | 332932 | 45 <small>new</small> |

0,280 Kg/0,0009 m³



Light beam: **ACCENT**



| m | lx | ø m |
|---|-----|------|
| 1 | 742 | 0,68 |
| 2 | 186 | 1,40 |
| 3 | 82 | 2,00 |
| 4 | 46 | 2,70 |
| 5 | 30 | 3,40 |



CRI≥90 6W 34° 550lm 3000K




Deva Surface




PROFILE SURFACE No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|----------|-----------|--------|--|--------|---------------------|
| 1000 mm | 0,280 Kg | 0,0003 m³ | Black | | 332475 | 20 new |
| 2000 mm | 0,470 Kg | 0,0007 m³ | Black | | 332482 | 40 new |




SURFACE CORNER ROUND Optional

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,056 Kg | 0,0014 m³ | On-Off | Black | | 339375 | 91 new |




SURFACE CORNER L Optional

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,020 Kg | 0,0002 m³ | On-Off | Black | | 339382 | 41 new |



LINEAR CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,009 Kg | 0,0001 m³ | On-Off | Black | | 339368 | 18 new |



MAIN CONNECTOR Required - 1 Kit x power source max 140W

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,001 Kg | 0,0002 m³ | On-Off | Black | | 332581 | 15 new |

Cable length 1500 mm

DRIVER ON/OFF Required



| Power | Output | Class | Measure (LxHxW) | Code | € |
|-------|--------|-------|-----------------|--------|---------------------|
| 75 W | 24 Vdc | | 168x30x38 mm | 332659 | 65 new |
| 150 W | 24 Vdc | | 227x30x38 mm | 332628 | 95 new |



END CAP (2pcs. incl.)


| Required | Measure (LxHxW) | Finish | | Code | € |
|----------|-----------------|--------|--|--------|--------------------|
| Yes | 10 x 7 x 15 mm | Black | | 332635 | 3 new |




KIT PENDANT

| Required | Measure (LxHxW) | Finish | | Code | € |
|----------|-----------------|--------|--|--------|---------------------|
| Yes | 8 x 7 x 2050 mm | Black | | 332703 | 15 new |

Deva - Assembly plans




Deva - Recessed




PROFILE RECESSED No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|----------|-----------|--------|--|--------|---------------------|
| 1000 mm | 0,370 Kg | 0,0017 m³ | Black | | 332529 | 20 new |
| 2000 mm | 0,670 Kg | 0,0034 m³ | Black | | 332536 | 40 new |




RECESSED CORNER ROUND Optional

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,267 Kg | 0,0023 m³ | On-Off | Black | | 339405 | 91 new |




RECESSED CORNER L Optional

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,030 Kg | 0,0003 m³ | On-Off | Black | | 339412 | 41 new |



RECESSED LINEAR CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,020 Kg | 0,0001 m³ | On-Off | Black | | 339399 | 18 new |



MAIN CONNECTOR Required - 1 Kit x power source max 140W

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|--|--------|---------------------|
| 0,060 Kg | 0,0002 m³ | On-Off | Black | | 332581 | 15 new |

Cable length 1500 mm

DRIVER ON/OFF Required





| Power | Output | Class | Measure(LxHxW) | Code | € |
|-------|--------|-------|----------------|--------|---------------------|
| 75 W | 24 Vdc | | 168x30x38 mm | 332659 | 65 new |
| 150 W | 24 Vdc | | 227x30x38 mm | 332628 | 95 new |




END CAP (2pcs. incl.)

| Required | Measure (L x H x W) | Finish | | Code | € |
|----------|---------------------|--------|--|--------|---|
| Yes | 10x7x15 mm | Black | | 332635 | 3 |

Deva - Assembly plans



Deva - Recessed Easy



PROFILE


RECESSED EASY

No mounting kit required, direct ceiling installation

Maximum length per power source: 10 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|----------|-----------|--------|---|--------|---------------------|
| 1000 mm | 0,370 Kg | 0,0017 m³ | Black | ■ | 332499 | 25 new |
| 2000 mm | 0,870 Kg | 0,0034 m³ | Black | ■ | 332512 | 50 new |

RECESSED EASY CORNER L Optional



| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|---|--------|---------------------|
| 0,030 Kg | 0,0004 m³ | On-Off | Black | ■ | 339429 | 41 new |

RECESSED

LINEAR CONNECTOR


Required - 1 Kit x linear connection



| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|---|--------|---------------------|
| 0,020 Kg | 0,0001 m³ | On-Off | Black | ■ | 339399 | 18 new |

MAIN CONNECTOR

Required - 1 Kit x power source max 140W



| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|---------|--------|---|--------|---------------------|
| 0,060 Kg | 0,0002 m³ | On-Off | Black | ■ | 332581 | 15 new |

Cable length 1500 mm

DRIVER ON/OFF Required




| Power | Output | Class | Measure (LxHxW) | Code | € |
|-------|--------|-------|-----------------|--------|---------------------|
| 75 W | 24 Vdc | □ | 168x30x38 mm | 332659 | 65 new |
| 150 W | 24 Vdc | □ | 227x30x38 mm | 332628 | 95 new |



END CAP (2pcs. incl.)

| Required | Measure (L x H x W) | Finish | | Code | € |
|----------|---------------------|--------|---|--------|--------------------|
| Yes | 10 x 7 x 15 mm | Black | ■ | 332635 | 3 new |

Deva - Assembly plans



Ego ^{new}

Linear system composed of an extruded aluminum profile and magnetically fastened lighting elements with mechanical safety lock. The system is available in matt black RAL 9005, matt white RAL 9016 or anodized satin brass, in the ceiling or suspension installation mode (LOW and HIGH), recessed without edge that disappears into the plasterboard (RECESSED), rapid recessed into the plasterboard (RECESSED EASY) or recessed with edges for plasterboard or paneled false ceilings (RECESSED TRIM). Reduced section of the profile 26 mm, 27 mm or 52 mm wide, available in two lengths 1000 mm and 2000 mm. Possibility of composition with different light modules depending on the desired arrangement, modifiable if necessary: the TRACK SINGLE, DOUBLE and FLAT SINGLE modules for spot lighting, the TRACK ZOOM module for targeted lighting with adjustment of the beam opening without tools, the ACCENT module with glare control ($UGR < 19$), the PENDANT TUBE modules for localized lighting and WIDE or PENDANT BALL modules for diffused and uniform lighting. Integrated LED technology with color temperature of 2700K, 3000K or 4000K; color rendering index $CRI \geq 90$, initial binning ≤ 3 Step MacAdam; IP20 protection, insulation class III, 48 Vdc power supply, LED useful life 50,000 h L70B50; system also available in dimmable 1-10V or DALI-2 version. Ideal for lighting small and large environments where ample flexibility and high quality lighting is required, for example MUSEUM, COMMERCIAL, RESIDENTIAL and RETAIL spaces.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with $UGR < 19$ (Accent, Pendant).

| | |
|-------------------|--------------------------|
| Source | LED COB / SMD |
| Driver included | No |
| Drivers available | On/Off |
| Control | 1-10V / DALI |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥ 90 |
| UGR | < 19 (Accent, Pendant) |
| LED life | 50.000h |
| Insulation class | III |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |






Ego Track Single



LED SMD OSRAM



| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|-----|
| 3 W | 30° | On-Off | 200 lm | 3000 K | White | | 282978 | 80 |
| | | | | | Black | | 257617 | 80 |
| | | | 220 lm | 4000 K | Black | | 317977 | 80 |
| | | 1-10V | 200 lm | 3000 K | White | | 303673 | 100 |
| | | | | | Black | | 303666 | 100 |
| | | DALI | 200 lm | 3000 K | White | | 286402 | 125 |
| | | | | | Black | | 286396 | 125 |



FILTER HONEYCOMB




LENS

| Model | Required | Beam | Finish | | Code | € |
|---------|----------|------|--------|--|--------|--------------------|
| Ego 3 W | No | | Black | | 260853 | 5 |
| Ego 3 W | No | 18° | Clear | | 332062 | 5 new |
| | | 45° | Clear | | 332079 | 5 new |




Light beam: ACCENT




| m | lx | Øm |
|---|-----|------|
| 1 | 537 | 0,46 |
| 2 | 134 | 0,92 |
| 3 | 60 | 1,40 |
| 4 | 34 | 1,80 |
| 5 | 21 | 2,30 |




CRI≥90 3W 30° 200lm 3000K



Ego Track Single




LED COB CITIZEN



| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|----------------------|
| 8 W | 30° | On-Off | 720 lm | 2700 K | Black | | 340388 | 95 new |
| | | | 850 lm | 3000 K | White | | 282985 | 95 |
| | | | | | Black | | 257631 | 95 |
| | | | 900 lm | 4000 K | Black | | 317984 | 95 |
| | | | 850 lm | 3000 K | White | | 303697 | 110 |
| | | DALI | | | Black | | 303680 | 110 |
| | | | 720 lm | 2700 K | Black | | 340364 | 135 new |
| | | | 850 lm | 3000 K | White | | 286426 | 135 |
| | | | | | Black | | 286419 | 135 |
| | | | | | | | | |



LED COB CITIZEN



| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|----------------------|
| 12 W | 30° | On-Off | 1000 lm | 2700 K | Black | | 340425 | 95 new |
| | | | 1200 lm | 3000 K | White | | 282992 | 95 |
| | | | | | Black | | 257655 | 95 |
| | | | 1250 lm | 4000 K | Black | | 321967 | 95 |
| | | | 1200 lm | 3000 K | White | | 303710 | 110 |
| | | DALI | | | Black | | 303703 | 110 |
| | | | 1000 lm | 2700 K | Black | | 340401 | 140 new |
| | | | 1200 lm | 3000 K | White | | 286440 | 140 |
| | | | | | Black | | 286433 | 140 |
| | | | | | | | | |



FILTER HONEYCOMB




LENS*

| Model | Required | Beam | Finish | | Code | € |
|-------------|----------|------|--------|--|--------|--------------------|
| TRACK8W/12W | No | | Black | | 260860 | 5 |
| TRACK8W/12W | No | 18° | Clear | | 332086 | 5 new |
| | | 45° | Clear | | 332093 | 5 new |




Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 2393 | 0,49 |
| 2 | 598 | 0,98 |
| 3 | 266 | 1,50 |
| 4 | 150 | 2,00 |
| 5 | 96 | 2,50 |



CRI≥90 8W 30° 850lm 3000K



| m | lx | ø m |
|---|------|------|
| 1 | 2877 | 0,51 |
| 2 | 719 | 1,00 |
| 3 | 320 | 1,50 |
| 4 | 180 | 2,10 |
| 5 | 115 | 2,60 |




CRI≥90 12W 30° 1200lm 3000K



563




Ego Track Single



LED COB CITIZEN

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|-----|
| 19 W | 35° | On-Off | 2200 lm | 3000 K | White | | 307558 | 140 |
| | | | | | Black | | 305608 | 140 |
| | | | 2350 lm | 4000 K | Black | | 321998 | 140 |
| | | | | | White | | 307527 | 155 |
| | | 1-10V | 2200 lm | 3000 K | White | | 307527 | 155 |
| | | | | | Black | | 307510 | 155 |
| | | | 2200 lm | 3000 K | White | | 307541 | 185 |
| | | | | | Black | | 307534 | 185 |

LED COB CITIZEN



| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|-----|
| 26 W | 35° | On-Off | 3050 lm | 3000 K | White | | 307602 | 140 |
| | | | | | Black | | 305615 | 140 |
| | | | 3150 lm | 4000 K | Black | | 317991 | 140 |
| | | | | | White | | 307572 | 155 |
| | | 1-10V | 3050 lm | 3000 K | White | | 307572 | 155 |
| | | | | | Black | | 307565 | 155 |
| | | | 3050 lm | 3000 K | White | | 307596 | 185 |
| | | | | | Black | | 307589 | 185 |




LENS


| Model | Required | Beam | Finish | | Code | € |
|---------------|----------|------|--------|--|--------|---------------------|
| TRACK 19W/26W | No | 20° | Clear | | 332109 | 10 new |
| | | 55° | Clear | | 332116 | 10 new |



Light beam: ACCENT



| m | lx | Øm |
|---|------|------|
| 1 | 4476 | 0,57 |
| 2 | 1119 | 1,10 |
| 3 | 497 | 1,70 |
| 4 | 280 | 2,30 |
| 5 | 179 | 2,90 |




| m | lx | Øm |
|---|------|------|
| 1 | 6816 | 0,56 |
| 2 | 1704 | 1,10 |
| 3 | 757 | 1,70 |
| 4 | 426 | 2,20 |
| 5 | 273 | 2,80 |



CRI≥90 19W 35° 2200lm 3000K


CRI≥90 26W 35° 3050lm 3000K



Ego Track Double



LED SMD OSRAM



| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|-----|
| 5 W | 30° | On-Off | 400 lm | 3000 K | White | | 282947 | 100 |
| | | | | | Black | | 257624 | 100 |
| | | | 430 lm | 4000 K | Black | | 321714 | 100 |
| | | 1-10V | 400 lm | 3000 K | White | | 303611 | 115 |
| | | | | | Black | | 303604 | 115 |
| | | | 400 lm | 3000 K | White | | 286341 | 145 |
| | | DALI | 400 lm | 3000 K | Black | | 286334 | 145 |



FILTER HONEYCOMB




LENS*

| Model | Required | Beam | Finish | | Code | € |
|----------|----------|------|--------|--|--------|--------------------|
| TRACK5 W | No | | Black | | 260853 | 5 |
| TRACK5 W | No | 18° | Clear | | 332062 | 5 new |
| | | 45° | Clear | | 332079 | 5 new |



Light beam: ACCENT




| m | lx | ø m |
|---|-----|------|
| 1 | 508 | 0,46 |
| 2 | 127 | 0,92 |
| 3 | 56 | 1,40 |
| 4 | 32 | 2,80 |
| 5 | 20 | 2,30 |



CRI≥90 5W 30° 400lm 3000K




Ego Track Double



LED COB CITIZEN

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|----------------------|
| 16 W | 30° | On-Off | 1400 lm | 2700 K | Black | | 340265 | 135 new |
| | | | 1500 lm | 3000 K | White | | 282954 | 135 |
| | | | | | Black | | 257648 | 135 |
| | | | 1550 lm | 4000 K | Black | | 321806 | 135 |
| | | | 1500 lm | 3000 K | White | | 303635 | 150 |
| | | 1-10V | | | Black | | 303628 | 150 |
| | | | | | White | | 303635 | 150 |
| | | | | | Black | | 303628 | 150 |
| | | | | | White | | 303635 | 150 |
| | | | | | Black | | 303628 | 150 |
| | | DALI | 1400 lm | 2700 K | Black | | 340241 | 180 new |
| | | | 1500 lm | 3000 K | White | | 286365 | 180 |
| | | | | | Black | | 286358 | 180 |



LED COB CITIZEN

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|-----|
| 24 W | 30° | On-Off | 2400 lm | 3000 K | White | | 282961 | 145 |
| | | | | | Black | | 257662 | 145 |
| | | | 2500 lm | 4000 K | Black | | 321844 | 145 |
| | | | 2400 lm | 3000 K | White | | 303659 | 155 |
| | | 1-10V | | | Black | | 303642 | 155 |
| | | | | | White | | 303659 | 155 |
| | | | | | Black | | 303642 | 155 |
| | | | | | White | | 303659 | 155 |
| | | DALI | 2400 lm | 3000 K | White | | 286389 | 185 |
| | | | | | Black | | 286372 | 185 |



FILTER HONEYCOMB




LENS*

| Model | Required | Beam | Finish | | Code | € |
|--------------|----------|------|--------|--|--------|--------------------|
| TRACK16W/24W | No | | Black | | 260860 | 5 |
| TRACK16W/24W | No | 18° | Clear | | 332086 | 5 new |
| | | 45° | Clear | | 332093 | 5 new |




Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 2451 | 0,49 |
| 2 | 613 | 1,98 |
| 3 | 272 | 1,50 |
| 4 | 153 | 2,00 |
| 5 | 98 | 2,50 |



CRI≥90 16W 30° 14501m 3000K





| m | lx | ø m |
|---|------|------|
| 1 | 3051 | 0,51 |
| 2 | 763 | 1,00 |
| 3 | 339 | 1,50 |
| 4 | 191 | 2,10 |
| 5 | 122 | 2,60 |



CRI≥90 24W 30° 20001m 3000K







Ego Track Zoom




0,500 Kg/0,0035 m³

LED COB CITIZEN


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|---------|---------|---------|--------|--------|--|--------|----------------------|
| 10 W | 20°-40° | On-Off | 1000 lm | 3000 K | Black |  | 330730 | 120 new |
| | | | 1100 lm | 4000 K | Black |  | 340197 | 120 new |
| | | DALI | 1000 lm | 3000 K | Black |  | 330754 | 175 new |
| | | | 1100 lm | 4000 K | Black |  | 340180 | 175 new |



Light beam: from SPOT to
WIDE




| m | lx | øm |
|---|------|------|
| 1 | 2185 | 0,67 |
| 2 | 546 | 1,30 |
| 3 | 243 | 2,00 |
| 4 | 137 | 2,70 |
| 5 | 87 | 3,30 |



CRI≥90 10W 20°-40° 1000lm 3000K






Ego Track Big



0,470 Kg/0,0026 m³



LED COB CITIZEN UGR <19

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----|
| 10 W | 38° | On-Off | 1000 lm | 3000 K | White |  | 327556 | 110 |
| | | | | | Black |  | 300764 | 110 |




0,750 Kg/0,0026 m³

LED COB CITIZEN UGR <19

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|---|--------|-----|
| 20 W | 38° | On-Off | 2000 lm | 3000 K | White |  | 327549 | 190 |
| | | | | | Black |  | 316307 | 190 |




Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 1296 | 0,76 |
| 2 | 324 | 1,50 |
| 3 | 144 | 2,30 |
| 4 | 81 | 3,00 |
| 5 | 52 | 3,80 |



CRI≥90 10W 38° 1000lm 3000K




| m | lx | ø m |
|---|------|------|
| 1 | 2964 | 0,71 |
| 2 | 741 | 1,40 |
| 3 | 329 | 2,10 |
| 4 | 185 | 2,80 |
| 5 | 119 | 3,60 |



CRI≥90 20W 38° 2000lm 3000K



Ego Track Flat




LED COB CITIZEN

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|-----|
| 9 W | 36° | On-Off | 1100 lm | 3000 K | White | | 300504 | 105 |
| | | | | | Black | | 290614 | 105 |
| | | 1-10V | 1100 lm | 3000 K | White | | 303741 | 120 |
| | | | | | Black | | 303727 | 120 |
| | | DALI | 1100 lm | 3000 K | White | | 300535 | 150 |
| | | | | | Black | | 300528 | 150 |



Light beam: **ACCENT**




| m | lx | Øm |
|---|------|------|
| 1 | 2242 | 0,60 |
| 2 | 560 | 1,20 |
| 3 | 249 | 1,80 |
| 4 | 140 | 2,40 |
| 5 | 90 | 3,00 |



CRI≥90 9W 36° 1100lm 3000K













Ego Accent



0,140 Kg/0,0013 m³





LED SMD OSRAM UGR <19

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € | | |
|-------|------|---------|---|--------|--------|---|---|---|--------|-----|
| 7 W | 35° | On-Off | 630 lm | 2700 K | Black |  | 340067 | 100 new | | |
| | | | | | White |  | 282633 | 100 | | |
| | | | | | Black |  | 257792 | 100 | | |
| | | | 730 lm | 4000 K | Black |  | 323596 | 100 | | |
| | | | | | 700 lm | 3000 K | White |  | 303505 | 135 |
| | | Black |  | 303499 | | | 135 | | | |
| | | DALI | 630 lm | 2700 K | Black |  | 340043 | 145 new | | |
| | | | | | 700 lm | 3000 K | White |  | 286068 | 145 |
| | | | | | Black | |  | 286051 | 145 | |




0,330 Kg/0,0010 m³

LED SMD OSRAM UGR <19

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|---|---------|---|--------|---|---|--------|---|
| 13 W | 35° | On-Off | 1250 lm | 2700 K | Black |  | 340104 | 140 new |
| | | | | | White |  | 282640 | 140 |
| | | | | | Black |  | 257686 | 140 |
| | | | 1450 lm | 4000 K | Black |  | 317953 | 140 |
| | | | | | 1400 lm | 3000 K | White |  |
| | | Black |  | 303512 | | | 170 | |
| | | DALI | 1250 lm | 2700 K | Black |  | 340081 | 200 new |
| | | | | | White |  | 286082 | 200 |
| | | | | | Black |  | 286075 | 200 |
| | | 1400 lm | 3000 K | White |  | 286082 | 200 | |
| Black |  | | | 286075 | 200 | | | |



Light beam: ACCENT



| m | lx | øm |
|---|------|------|
| 1 | 3121 | 0,61 |
| 2 | 780 | 1,20 |
| 3 | 347 | 1,80 |
| 4 | 195 | 2,40 |
| 5 | 125 | 3,00 |



CRI≥90 13W 35° 1400lm 3000K




Ego Accent 192 mm



Ego Accent 284 mm




Ego Wide




LED SMD SAMSUNG

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|-----|
| 7 W | 110° | On-Off | 850 lm | 3000 K | White | | 283029 | 75 |
| | | | | | Black | | 257709 | 75 |
| | | | 880 lm | 4000 K | Black | | 317960 | 75 |
| | | 1-10V | 850 lm | 3000 K | White | | 303796 | 120 |
| | | | | | Black | | 303789 | 120 |
| | | | 850 lm | 3000 K | White | | 286501 | 120 |
| | | | | | Black | | 286495 | 120 |



LED SMD SAMSUNG

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|----------------------|
| 13 W | 110° | On-Off | 1450 lm | 2700 K | Black | | 340586 | 100 new |
| | | | 1700 lm | 3000 K | White | | 283036 | 100 |
| | | | | | Black | | 257716 | 100 |
| | | 1-10V | 1750 lm | 4000 K | Black | | 322056 | 100 |
| | | | 1700 lm | 3000 K | White | | 303819 | 130 |
| | | | | | Black | | 303802 | 130 |
| | | DALI | 1450 lm | 2700 K | Black | | 340562 | 145 new |
| | | | 1700 lm | 3000 K | White | | 286525 | 145 |
| | | | | | Black | | 286518 | 145 |




LED SMD SAMSUNG


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|----------------------|
| 26 W | 110° | On-Off | 2900 lm | 2700 K | Black | | 340623 | 145 new |
| | | | 3400 lm | 3000 K | White | | 283043 | 145 |
| | | | | | Black | | 257730 | 145 |
| | | 1-10V | 3500 lm | 4000 K | Black | | 322070 | 145 |
| | | | 3400 lm | 3000 K | White | | 303833 | 160 |
| | | | | | Black | | 303826 | 160 |
| | | DALI | 2900 lm | 2700 K | Black | | 340609 | 185 new |
| | | | 3400 lm | 3000 K | White | | 286549 | 185 |
| | | | | | Black | | 286532 | 185 |



Light beam: WIDE



| m | lx | ø m |
|---|-----|-------|
| 1 | 619 | 2,50 |
| 2 | 155 | 4,90 |
| 3 | 69 | 7,40 |
| 4 | 39 | 9,80 |
| 5 | 25 | 12,00 |



CRI≥90 26W 110° 3400lm 3000K



Ego Wide 284 mm




Ego Wide 560 mm



Ego Wide 1120 mm




Ego Flexible



LED SMD OSRAM UGR <19

| Power | Beam | Lumen | CCT | Control | Finish | | Code | € |
|-------|------|---------|--------|---------|--------|--|--------|-----|
| 13 W | 35° | 1400 lm | 3000 K | On-Off | White | | 282718 | 175 |
| | | | | | Black | | 257846 | 175 |
| | | | | DALI | White | | 286105 | 215 |
| | | | | | Black | | 286099 | 215 |




LED SMD SAMSUNG

| Power | Beam | Lumen | CCT | Control | Finish | | Code | € |
|-------|------|--------|--------|---------|--------|--|--------|-----|
| 7 W | 110° | 850 lm | 3000 K | On-Off | White | | 282725 | 120 |
| | | | | | Black | | 257839 | 120 |
| | | | | DALI | White | | 286129 | 160 |
| | | | | | Black | | 286112 | 160 |



Light beam: ACCENT




| m | lx | ø m |
|---|------|------|
| 1 | 3112 | 0,61 |
| 2 | 778 | 1,20 |
| 3 | 346 | 1,80 |
| 4 | 194 | 2,40 |
| 5 | 124 | 3,00 |




CRI≥90 13W 35° 1400lm 3000K



Light beam: WIDE



| m | lx | ø m |
|---|-----|-------|
| 1 | 231 | 2,90 |
| 2 | 58 | 5,80 |
| 3 | 26 | 8,60 |
| 4 | 14 | 12,00 |
| 5 | 9 | 14,00 |



CRI≥90 7W 110° 850lm 3000K




EGO FLEXIBLE ACCENT



EGO FLEXIBLE WIDE


Ego Pendant



0,150 Kg/0,0020 m³

LED COB CITIZEN UGR <19


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--------|--|--------|----------------------|
| 5,5W | 66° | On-Off | 530 lm | 3000 K | Black | | 332451 | 90 new |
| | | 1-10V | 530 lm | 3000 K | Black | | 344782 | 110 new |
| | | DALI | 530 lm | 3000 K | Black | | 344799 | 140 new |



0,550 Kg/0,0023 m³

LED COB CITIZEN UGR <19

| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|-----|
| 12 W | 30° | On-Off | 1050 lm | 3000 K | White | | 282879 | 145 |
| | | | | | Black | | 257747 | 145 |
| | | | | | Black | | 321653 | 145 |
| | | 1-10V | 1050 lm | 3000 K | Black | | 321653 | 145 |
| | | | | | White | | 303598 | 155 |
| | | | | | Black | | 303574 | 155 |
| | | DALI | 1050 lm | 3000 K | White | | 286327 | 185 |
| | | | | | Black | | 286310 | 185 |



0,900 Kg/0,0125 m³

LED COB CITIZEN


| Power | Beam | Control | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|---------|--------|--------|--|--------|-----|
| 10 W | - | On-Off | 1050 lm | 3000 K | White | | 327532 | 130 |
| | | | | | Black | | 327525 | 130 |





Light beam: ACCENT



Light beam: WIDE



| m | lx | Øm |
|---|------|------|
| 1 | 2877 | 0,51 |
| 2 | 719 | 1,00 |
| 3 | 320 | 1,50 |
| 4 | 180 | 2,10 |
| 5 | 115 | 2,60 |



CRI≥90 12W 30° 1050lm 3000K

CRI≥90 10W 1050lm 3000K




Ego - Low




TRACK LOW No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|----|
| 1000 mm | 0,68 Kg | 0,0013 m³ | White | 282909 | 45 |
| | | | Black | 257877 | 45 |
| 2000 mm | 1,36 Kg | 0,0026 m³ | White | 282916 | 95 |
| | | | Black | 266121 | 95 |




CONNECTOR HORIZONTAL LOW Optional

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|-----|
| 0,21 Kg | 0,0009 m³ | On-Off | White | 282848 | 95 |
| | | | Black | 257990 | 95 |
| | | 1-10V / DALI | White | 286266 | 100 |
| | | | Black | 286259 | 100 |



LINEAR CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|----|
| 0,16 Kg | 0,0005 m³ | On-Off | White | 285993 | 40 |
| | | | Black | 283104 | 40 |
| | | 1-10V / DALI | White | 285993 | 40 |
| | | | Black | 283104 | 40 |



Cable length 2000 mm

MAIN CONNECTOR Required - 1 Kit x power source max 210 W

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|----|
| 0,12 Kg | 0,0007 m³ | On-Off | White | 282862 | 36 |
| | | | Black | 265896 | 36 |
| | | 1-10V / DALI | White | 286303 | 50 |
| | | | Black | 286297 | 50 |



END CAP NO HOLE



END CAP WITH HOLE



SUSPENSION KIT





KIT SINGLE CABLE



BLINDED COVER

| Required | Measure (L x H x W) | Finish | Code | € |
|--------------------------------------|---------------------|--------|--------|--------|
| Yes | 26 x 11 x 27 mm | White | 282688 | 6 |
| | | Black | 267241 | 6 |
| Yes | 26 x 11 x 27 mm | White | 282671 | 6 |
| | | Black | 267258 | 6 |
| Yes - 1 Kit x power source max 210 W | 2000 mm | White | 282749 | 55 |
| | | Black | 276328 | 55 |
| Yes - 1 kit x 900 mm | 2000 mm | White | 282756 | 17 |
| | | Black | 259376 | 17 |
| No | 1000 x 17 x 18 mm | White | 344768 | 10 new |
| | | Black | 344751 | 10 new |


Ego - Assembly plans



PROFILE LOW




Ego - High




TRACK HIGH No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|-----|
| 1000 mm | 0,90 Kg | 0,0023 m³ | White | 282886 | 50 |
| | | | Black | 258027 | 50 |
| 2000 mm | 1,80 Kg | 0,0046 m³ | White | 282893 | 120 |
| | | | Black | 266145 | 120 |




CONNECTOR HORIZONTAL HIGH Optional

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|-----|
| 0,26 Kg | 0,0013 m³ | On-Off | White | 282824 | 90 |
| | | | Black | 258140 | 90 |
| | | 1-10V / DALI | White | 286228 | 100 |
| | | | Black | 286211 | 100 |



LINEAR CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|----|
| 0,16 Kg | 0,0005 m³ | On-Off | White | 285993 | 40 |
| | | | Black | 283104 | 40 |
| | | 1-10V / DALI | White | 285993 | 40 |
| | | | Black | 283104 | 40 |



Cable length 2000 mm

MAIN CONNECTOR Required - 1 Kit x power source max 210 W

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|----|
| 0,12 Kg | 0,0007 m³ | On-Off | White | 282862 | 36 |
| | | | Black | 265896 | 36 |
| | | 1-10V / DALI | White | 286303 | 50 |
| | | | Black | 286297 | 50 |



END CAP NO HOLE

END CAP WITH HOLE



SUSPENSION KIT

KIT SINGLE CABLE

BLINDED COVER

| Required | Measure (L x H x W) | Finish | Code | € |
|--------------------------------------|---------------------|--------|--------|----|
| Yes | 26 x 11 x 52 mm | White | 282664 | 6 |
| | | Black | 267227 | 6 |
| Yes | 26 x 11 x 52 mm | White | 282657 | 6 |
| | | Black | 267234 | 6 |
| Yes - 1 Kit x power source max 210 W | 2000 mm | White | 282749 | 55 |
| | | Black | 276328 | 55 |
| Yes - 1 kit x 900 mm | 2000 mm | White | 282756 | 17 |
| | | Black | 259376 | 17 |
| No | 1000 x 5 x 24 mm | White | 282770 | 17 |
| | | Black | 258256 | 17 |

Ego - Assembly plans




PROFILE HIGH




Ego - Recessed

TRACK Kit for assembly profile included
Maximum length per power source: 25 meters




| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|-----|
| 1000 mm | 1,52 Kg | 0,0039 m³ | White | 282923 | 70 |
| | | | Black | 258171 | 70 |
| 2000 mm | 2,94 Kg | 0,0078 m³ | White | 282930 | 150 |
| | | | Black | 266183 | 150 |

CONNECTOR HORIZONTAL Optional




| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|-----|
| 0,32 Kg | 0,0013 m³ | On-Off | White | 282787 | 90 |
| | | | Black | 258232 | 90 |
| | | 1-10V / DALI | White | 286204 | 125 |
| | | | Black | 286167 | 125 |

LINEAR CONNECTOR Required - 1 Kit x linear connection



| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|----|
| 0,16 Kg | 0,0007 m³ | On-Off | White | 286006 | 40 |
| | | | Black | 283111 | 40 |
| | | 1-10V / DALI | White | 286006 | 40 |
| | | | Black | 283111 | 40 |

MAIN CONNECTOR Required - 1 Kit x power source max 210 W



Cable length 2000 mm

| Weight | Volume | Control | Finish | Code | € |
|---------|-----------|--------------|--------|--------|----|
| 0,12 Kg | 0,0005 m³ | On-Off | White | 282862 | 36 |
| | | | Black | 265896 | 36 |
| | | 1-10V / DALI | White | 286303 | 50 |
| | | | Black | 286297 | 50 |



END CAP NO HOLE


END CAP WITH HOLE

BLINDED COVER

INSTALLATION TOOL

| Required | Measure (L x H x W) | Finish | Code | € |
|----------|---------------------|--------|--------|----|
| Yes | 36 x 4 x 52 mm | White | 282701 | 6 |
| | | Black | 267203 | 6 |
| Yes | 36 x 4 x 52 mm | White | 282695 | 6 |
| | | Black | 267210 | 6 |
| No | 1000 x 5 x 24 mm | White | 282770 | 17 |
| | | Black | 258256 | 17 |
| No | | Black | 292922 | 31 |

Ego - Assembly plans



BLINDED COVER




RECESSED INSTALLATION TOOL




Ego - Recessed Easy

TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters




| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|-----|
| 1000 mm | 1,16 Kg | 0,0058 m³ | White | | 320489 | 65 |
| | | | Black | | 320472 | 65 |
| 2000 mm | 2,40 Kg | 0,0122 m³ | White | | 320502 | 130 |
| | | | Black | | 320496 | 130 |

CONNECTOR HORIZONTAL Optional




| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|--|--------|-----|
| 0,30 Kg | 0,0010 m³ | On-Off | White | | 320748 | 115 |
| | | | Black | | 320731 | 115 |
| | | 1-10V / DALI | White | | 320724 | 135 |
| | | | Black | | 320717 | 135 |

LINEAR CONNECTOR Required - 1 Kit x linear connection



| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|--|--------|----|
| 0,16 Kg | 0,0005 m³ | On-Off | White | | 286006 | 40 |
| | | | Black | | 283111 | 40 |
| | | 1-10V / DALI | White | | 286006 | 40 |
| | | | Black | | 283111 | 40 |

MAIN CONNECTOR Required - 1 Kit x power source max 210 W



Cable length 2000 mm

| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|--|--------|----|
| 0,12 Kg | 0,0007 m³ | On-Off | White | | 282862 | 36 |
| | | | Black | | 265896 | 36 |
| | | 1-10V / DALI | White | | 286303 | 50 |
| | | | Black | | 286297 | 50 |



END CAP NO HOLE






END CAP WITH HOLE



BLINDED COVER

| Required | Measure (L x H x W) | Finish | | Code | € |
|----------|---------------------|--------|--|--------|----|
| Yes | 83 x 52 x 30 mm | White | | 320564 | 6 |
| | | Black | | 320557 | 6 |
| Yes | 83 x 52 x 30 mm | White | | 320588 | 6 |
| | | Black | | 320571 | 6 |
| No | 1000 x 5 x 24 mm | White | | 282770 | 17 |
| | | Black | | 258256 | 17 |

Ego - Assembly plans




Ego - Recessed Trim




TRACK Kit for assembly profile included
Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|-----|
| 1000 mm | 1,13 Kg | 0,0058 m³ | White | | 320441 | 85 |
| | | | Black | | 320434 | 85 |
| 2000 mm | 2,25 Kg | 0,0122 m³ | White | | 320465 | 170 |
| | | | Black | | 320458 | 170 |




CONNECTOR HORIZONTAL Optional

| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|--|--------|-----|
| 0,30 Kg | 0,0010 m³ | On-Off | White | | 320625 | 125 |
| | | | Black | | 320618 | 125 |
| | | 1-10V / DALI | White | | 320601 | 145 |
| | | | Black | | 320595 | 145 |



LINEAR CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|--|--------|----|
| 0,16 Kg | 0,0005 m³ | On-Off | White | | 286006 | 40 |
| | | | Black | | 283111 | 40 |
| | | 1-10V / DALI | White | | 286006 | 40 |
| | | | Black | | 283111 | 40 |



Cable length 2000 mm

MAIN CONNECTOR Required - 1 Kit x power source max 210 W

| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|--|--------|----|
| 0,12 Kg | 0,0007 m³ | On-Off | White | | 282862 | 36 |
| | | | Black | | 265896 | 36 |
| | | 1-10V / DALI | White | | 286303 | 50 |
| | | | Black | | 286297 | 50 |



END CAP NO HOLE






END CAP WITH HOLE




BLINDED COVER

| Required | Measure (L x H x W) | Finish | | Code | € |
|----------|---------------------|--------|--|--------|----|
| Yes | 38 x 52 x 17 mm | White | | 320526 | 6 |
| | | Black | | 320519 | 6 |
| Yes | 38 x 52 x 17 mm | White | | 320540 | 6 |
| | | Black | | 320533 | 6 |
| No | 1000 x 5 x 24 mm | White | | 282770 | 17 |
| | | Black | | 258256 | 17 |

Ego - Assembly plans




Ego - Bi-Emission




TRACK BI-EMISSION Maximum length per power source: 13 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|---|--------|----------------------|
| 1000 mm | 1,40 Kg | 0,0058 m³ | Black | ■ | 322513 | 145 new |
| 2000 mm | 2,90 Kg | 0,0080 m³ | Black | ■ | 340647 | 290 new |




BI-EMISSION LINEAR CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|--------------|--------|---|--------|----------------------|
| 0,271 Kg | 0,0032 m³ | On-Off | Black | ■ | 339863 | 215 new |
| | | 1-10V / DALI | Black | ■ | 351346 | 240 new |



BI-EMISSION UP/DOWN ELECTRICAL CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Control | Finish | | Code | € |
|----------|-----------|--------------|--------|---|--------|---------------------|
| 0,100 Kg | 0,0016 m³ | On-Off | Black | ■ | 322810 | 70 new |
| | | 1-10V / DALI | Black | ■ | 342757 | 80 new |



MAIN CONNECTOR Required - 1 Kit x power source max 210 W

| Weight | Volume | Control | Finish | | Code | € |
|---------|-----------|--------------|--------|---|--------|----|
| 0,12 Kg | 0,0005 m³ | On-Off | White | ■ | 282862 | 36 |
| | | | Black | ■ | 265896 | 36 |
| | | 1-10V / DALI | White | ■ | 286303 | 50 |
| | | | Black | ■ | 286297 | 50 |



END CAP NO HOLE

END CAP WITH HOLE


SUSPENSION KIT

KIT SINGLE CABLE

BLINDED COVER

| Required | Measure (L x H x W) | Finish | | Code | € |
|--------------------------------------|---------------------|--------|---|--------|---------------------|
| Yes | 26 x 90 x 2 mm | Black | ■ | 322841 | 6 new |
| Yes | 26 x 90 x 2 mm | Black | ■ | 322858 | 6 new |
| Yes - 1 Kit x power source max 210 W | 2100 mm | Black | ■ | 322476 | 55 new |
| Yes - 1 kit x 900 mm | 2085 mm | Black | ■ | 322490 | 35 new |
| No | 1000 x 5 x 24 mm | Black | ■ | 258256 | 17 |

Ego - Assembly plans



Ego - Drivers







DRIVER MEANWELL ON/OFF Required

| Power | Output | Class | Measure(LxHxW) | Driver box | Code | € |
|-------|--------|-------|----------------|--------------|--------|-----|
| 75 W | 48 Vdc | ⊕ | 171x37x62 mm | 255x55x75 mm | 223155 | 140 |
| 96 W | 48 Vdc | ⊕ | 220x37x68 mm | 330x60x80 mm | 223162 | 185 |
| 150 W | 48 Vdc | ⊕ | 228x37x68 mm | 330x60x80 mm | 223179 | 205 |
| 240 W | 48 Vdc | ⊕ | 244x39x68 mm | 330x60x80 mm | 224275 | 230 |



DRIVER BOX Optional

| Material | Measure(LxHxW) | Color | | Code | € |
|----------|----------------|-------|---|--------|----|
| Metal | 255x55x75 mm | White |  | 302379 | 25 |
| | | Black |  | 302362 | 25 |
| | 330x60x80 mm | White |  | 302355 | 30 |
| | | Black |  | 302348 | 30 |



MAGNETIC DRIVER Required - Cable length 2000 mm It replaces Driver + Main connector

| Power | Output | Class | Measure(LxHxW) | Code | € |
|-------|--------|-------|----------------|--------|-----|
| 100 W | 48 Vdc | □ | 297x20x16 mm | 296302 | 90 |
| 150 W | 48 Vdc | □ | 268x43x16 mm | 325750 | 95 |
| 250 W | 48 Vdc | □ | 268x43x16 mm | 325767 | 110 |

* Codes **325750** and **325767** suggested use with HIGH and RECESSED versions.



325750
325767

296302

597

Stick ^{new}


Dimmable linear system composed of extruded aluminum profile and lighting elements with magnetic fixing. The system is available in matt black for ceiling (SURFACE) or recessed installation that disappears into the plasterboard (RECESSED). Small profile section of 19 mm wide and only 13.5 mm high. Available in two lengths: 1000 mm and 2000 mm. Possibility of composition with different source modules which can be combined following the desired disposition and can be modified when needed: TRACK SINGLE and DOUBLE modules for a spot illumination, ACCENT modules for a localized illumination and WIDE modules for a diffused and uniform illumination. Integrated LED technology with color temperature of 2700K and 3000K; high color rendering CRI ≥ 90 ; IP20 protection, insulation class III, 48 Vdc power source,; LED useful life 50.000 h L70B50. The system is also available with 1-10 V dimmable version. Ideal for lighting details or small spaces where great flexibility and high light quality is required, such as MUSEUMS, RESIDENTIAL and RETAIL spaces.

| | |
|-------------------|-----------------|
| Source | LED COB / SMD |
| Driver included | No |
| Drivers available | On/Off / 1-10V |
| Control | Phase-cut |
| CCT | 2700 K / 3000 K |
| CRI | ≥ 90 |
| LED life | 50.000h |
| Insulation class | III |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |






Stick Track Single




LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 3W | 24° | 240 lm | 2700 K | Black | | 345048 | 45 new |
| | | 250 lm | 3000 K | Black | | 329505 | 45 |




LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 5W | 30° | 420 lm | 2700 K | Black | | 345055 | 50 new |
| | | 430 lm | 3000 K | Black | | 329529 | 50 |



LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 7W | 36° | 570 lm | 2700 K | Black | | 345062 | 90 new |
| | | 600 lm | 3000 K | Black | | 343501 | 90 new |



LED SMD BRIDGELUX


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 10W | 36° | 760 lm | 2700 K | Black | | 345079 | 95 new |
| | | 800 lm | 3000 K | Black | | 343518 | 95 new |



Light beam: SPOT




Light beam: ACCENT



| m | lx | ø m |
|---|-----|------|
| 1 | 514 | 0,62 |
| 2 | 128 | 1,20 |
| 3 | 57 | 1,90 |
| 4 | 32 | 2,50 |
| 5 | 21 | 3,10 |



CRI≥90 3W 24° 250lm 3000K




| m | lx | ø m |
|---|-----|------|
| 1 | 822 | 0,62 |
| 2 | 205 | 1,20 |
| 3 | 91 | 1,90 |
| 4 | 51 | 2,50 |
| 5 | 33 | 3,10 |



CRI≥90 5W 30° 430lm 3000K




Stick Track Double



LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 6 W | 24° | 480 lm | 2700 K | Black | | 345024 | 68 new |
| | | 500 lm | 3000 K | Black | | 329512 | 68 |




LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 10 W | 30° | 840 lm | 2700 K | Black | | 345031 | 75 new |
| | | 870 lm | 3000 K | Black | | 329536 | 75 |



Light beam: SPOT




| m | lx | Øm |
|---|------|------|
| 1 | 1028 | 0,62 |
| 2 | 257 | 1,20 |
| 3 | 114 | 1,90 |
| 4 | 64 | 2,50 |
| 5 | 41 | 3,10 |



CRI≥90 6W 24° 500lm 3000K



Light beam: ACCENT



| m | lx | Øm |
|---|------|------|
| 1 | 1645 | 0,62 |
| 2 | 411 | 1,20 |
| 3 | 183 | 1,90 |
| 4 | 103 | 2,50 |
| 5 | 66 | 3,10 |



CRI≥90 10W 30° 870lm 3000K



Stick Accent



LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 6 W | 40° | 600 lm | 2700 K | Black | | 344980 | 30 new |
| | | 630 lm | 3000 K | Black | | 329468 | 30 |


0,070 Kg/0,0001 m³



LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---------------------|
| 12 W | 40° | 1200 lm | 2700 K | Black | | 345000 | 60 new |
| | | 1250 lm | 3000 K | Black | | 329475 | 60 |


0,150 Kg/0,0002 m³



LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|---------------------|
| 8 W | 40° | 780 lm | 2700 K | Black | | 344997 | 45 new |
| | | 800 lm | 3000 K | Black | | 343525 | 45 new |

0,080 Kg/0,0004 m³




LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---------------------|
| 16 W | 40° | 1550 lm | 2700 K | Black | | 345017 | 70 new |
| | | 1600 lm | 3000 K | Black | | 343532 | 70 new |


0,140 Kg/0,0006 m³




Light beam: ACCENT



| m | lx | ø m |
|---|-----|------|
| 1 | 958 | 0,64 |
| 2 | 240 | 1,30 |
| 3 | 106 | 1,90 |
| 4 | 60 | 2,60 |
| 5 | 38 | 3,20 |



| m | lx | ø m |
|---|------|------|
| 1 | 1917 | 0,64 |
| 2 | 479 | 1,30 |
| 3 | 213 | 1,90 |
| 4 | 120 | 2,60 |
| 5 | 77 | 3,20 |



CRI≥90 6W 40° 630lm 3000K

CRI≥90 12W 40° 1250lm 3000K



329468



329468





329475

605


Stick Wide





LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|---------------------|
| 6 W | 110° | 580 lm | 2700 K | Black |  | 345086 | 25 new |
| | | 600 lm | 3000 K | Black |  | 329444 | 25 |

0,070 Kg/0,0001 m³




LED SMD BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|---------------------|
| 12 W | 110° | 1150 lm | 2700 K | Black |  | 345093 | 50 new |
| | | 1200 lm | 3000 K | Black |  | 329451 | 50 |


0,130 Kg/0,0002 m³




Light beam: WIDE



| m | lx | ø m |
|---|-----|-------|
| 1 | 138 | 2,50 |
| 2 | 35 | 4,90 |
| 3 | 15 | 7,40 |
| 4 | 8,7 | 9,80 |
| 5 | 5,5 | 12,00 |



CRI≥90 6W 110° 600lm 3000K



| m | lx | ø m |
|---|-----|-------|
| 1 | 277 | 2,50 |
| 2 | 69 | 4,90 |
| 3 | 31 | 7,40 |
| 4 | 17 | 9,80 |
| 5 | 11 | 12,00 |



CRI≥90 12W 110° 1200lm 3000K




Stick Wide 300 mm



Stick Wide 600 mm




Stick Surface



TRACK Kit for profile installation and closing cups included

| Length | Weight | Volume | Finish | | Code | € |
|---------|----------|-----------|--------|--|--------|----|
| 1000 mm | 0,350 Kg | 0,0594 m³ | Black | | 329574 | 30 |
| 2000 mm | 0,700 Kg | 0,1154 m³ | Black | | 329581 | 55 |




CONNECTOR HORIZONTAL Optional

| Weight | Volume | Finish | | Code | € |
|---------|-----------|--------|--|--------|----|
| 0,10 Kg | 0,0015 m³ | Black | | 330358 | 37 |




BLINDED COVER

| Required | Measure (L x H x W) | Finish | | Code | € |
|----------|---------------------|--------|--|--------|---|
| No | 1000 x 3 x 16 mm | Black | | 329635 | 4 |
| | 2000 x 3 x 16 mm | Black | | 329642 | 6 |



STRAIGHT CONNECTOR Required - 1 Kit x linear connection

| Weight | Volume | Finish | | Code | € |
|---------|-----------|--------|--|--------|----|
| 0,03 Kg | 0,0001 m³ | Black | | 329710 | 15 |



MAIN CONNECTOR Required - 1 Kit x power source

| Weight | Volume | Finish | | Code | € |
|---------|-----------|--------|--|--------|----|
| 0,08 Kg | 0,0003 m³ | Black | | 329703 | 20 |

DRIVER 1-10V Required



| Power | Output | Class | Measure (L x H x W) | Code | € |
|-------|--------|-------|---------------------|--------|----|
| 150 W | 48 Vdc | | 350x18x30 mm | 329673 | 90 |


POWER SUPPLY LINEAR Required
It replaces Driver + Main connector




| Power | Output | Class | Measure (L x H x W) | Code | € |
|-------|--------|-------|---------------------|--------|----|
| 120 W | 48 Vdc | | 304x32x16 mm | 329666 | 80 |

Cable length 2000 mm


Stick - Assembly plans



BLINDED COVER




Stick Recessed



TRACK Kit for profile installation and closing cups included

| Length | Weight | Volume | Finish | | Code | € |
|---------|----------|-----------|--------|--|--------|----|
| 1000 mm | 0,400 Kg | 0,0816 m³ | Black | | 329598 | 35 |
| 2000 mm | 0,800 Kg | 0,1586 m³ | Black | | 329604 | 70 |



CONNECTOR HORIZONTAL Optional


| Weight | Volume | Finish | | Code | € |
|---------|-----------|--------|--|--------|----|
| 0,07 Kg | 0,0015 m³ | Black | | 330365 | 37 |



BLINDED COVER


| Required | Measure (L x H x W) | Finish | | Code | € |
|----------|---------------------|--------|--|--------|---|
| No | 1000 x 3 x 16 mm | Black | | 329635 | 4 |
| | 2000 x 3 x 16 mm | Black | | 329642 | 6 |

STRAIGHT CONNECTOR Required - 1 Kit x linear connection



| Weight | Volume | Finish | | Code | € |
|---------|-----------|--------|--|--------|----|
| 0,03 Kg | 0,0001 m³ | Black | | 329710 | 15 |

MAIN CONNECTOR Required - 1 Kit x power source



Cable length 140 mm

| Weight | Volume | Finish | | Code | € |
|---------|-----------|--------|--|--------|----|
| 0,08 Kg | 0,0003 m³ | Black | | 329703 | 20 |

DRIVER 1-10V Required



| Power | Output | Class | Measure(LxHxW) | Code | € |
|-------|--------|-------|----------------|--------|----|
| 150 W | 48 Vdc | | 350x18x30 mm | 329673 | 90 |


POWER SUPPLY LINEAR Required - Cable length 400 mm
It replaces Driver + Main connector



Cable length 2000 mm

| Power | Output | Class | Measure(LxHxW) | Code | € |
|-------|--------|-------|----------------|--------|----|
| 150 W | 48 Vdc | | 304x32x16 mm | 329666 | 80 |

Stick - Assembly plans



BLINDED COVER



Arca

Extruded aluminum linear system compatible with a wide range of lighting modules with mechanical fixing. The system is anodized and varnished. It is available in black color and for different kind of installations: ceiling, suspension, or flush in plasterboard ceilings. Modules can be assembled according to the desired arrangement. Two profile lengths available: 1000 mm and 3000 mm. Possibility of assembly with different modules: WIDE diffusing modules, ACCENT modules with UGR < 13 and adjustable TRACK modules for targeted lighting. COB or SMD LED technology, 3000 K or 4000 K color temperature, initial binning \leq 3-Step MacAdam, IP20 protection, insulation class III, LED useful life 50,000 h L70B50. The 48 Vdc power supply gives great versatility and safety, with reversible and modifiable compositions if necessary. The system is suitable for environments where professional and powerful lighting with a minimal design is required, such as OFFICES and COMMERCIAL spaces.

PRO

High-tech product with high quality materials, intended for professional use.

UGR



Product with UGR < 13 (Accent).

| | |
|-------------------|-----------------|
| Source | LED COB / SMD |
| Driver included | No |
| Drivers available | On/Off |
| MacAdam | SDCM 3 |
| CCT | 3000 K / 4000 K |
| CRI | ≥ 90 |
| UGR | < 13 (Accent) |
| LED life | 50.000h |
| Insulation class | III |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |







Arca Track



0,200 Kg/0,0015 m³

LED SMD CREE

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|-----|
| 5 W | 34° | 430 lm | 3000 K | Black | | 222974 | 109 |
| | | 450 lm | 4000 K | Black | | 223056 | 109 |




0,460 Kg/0,0030 m³

LED COB CITIZEN

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 14 W | 36° | 1250 lm | 3000 K | Black | | 222967 | 140 |
| | | 1300 lm | 4000 K | Black | | 223049 | 140 |




Light beam: **ACCENT**



| m | lx | ø m |
|---|-----|------|
| 1 | 553 | 0,58 |
| 2 | 138 | 1,16 |
| 3 | 61 | 1,75 |
| 4 | 35 | 2,33 |
| 5 | 22 | 2,91 |



CRI≥90 5W 34° 430lm 3000K




| m | lx | ø m |
|---|------|------|
| 1 | 2336 | 0,60 |
| 2 | 584 | 1,21 |
| 3 | 259 | 1,81 |
| 4 | 146 | 2,42 |
| 5 | 93 | 3,02 |





CRI≥90 14W 36° 1250lm 3000K




Arca Accent





LED SMD OSRAM UGR <13

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|-----|
| 15 W | 35° | 1600 lm | 3000 K | Black |  | 222929 | 170 |
| | | 1650 lm | 4000 K | Black |  | 223001 | 170 |

0,440 Kg/0,0026 m³




LED SMD OSRAM UGR <13

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|-----|
| 29 W | 35° | 3200 lm | 3000 K | Black |  | 222936 | 300 |
| | | 3350 lm | 4000 K | Black |  | 223018 | 300 |

0,700 Kg/0,0087 m³




Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 2707 | 0,56 |
| 2 | 676 | 1,13 |
| 3 | 300 | 2,26 |
| 4 | 169 | 2,83 |
| 5 | 108 | 3,39 |




CRI≥90 15W 35° 1600lm 3000K



| m | lx | ø m |
|---|------|------|
| 1 | 4826 | 0,60 |
| 2 | 1207 | 1,21 |
| 3 | 536 | 1,81 |
| 4 | 301 | 2,42 |
| 5 | 193 | 3,02 |



CRI≥90 29W 35° 3200lm 3000K





Arca Accent 300 mm





Arca Accent 600 mm




Arca Wide





LED SMD SAMSUNG

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|-----|
| 13 W | 98° | 1550 lm | 3000 K | Black |  | 222943 | 105 |
| | | 1650 lm | 4000 K | Black |  | 223025 | 105 |

0,410 Kg/0,0025 m³




LED SMD SAMSUNG

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|-----|
| 25 W | 98° | 3100 lm | 3000 K | Black |  | 222950 | 152 |
| | | 3300 lm | 4000 K | Black |  | 223032 | 152 |


0,700 Kg/0,0087 m³




Light beam: WIDE




| m | lx | ø m |
|---|-----|-------|
| 1 | 203 | 2,16 |
| 2 | 50 | 4,33 |
| 3 | 22 | 6,50 |
| 4 | 12 | 8,66 |
| 5 | 8 | 10,83 |



CRI≥90 13W 98° 1550lm 3000K



| m | lx | ø m |
|---|-----|-------|
| 1 | 440 | 2,14 |
| 2 | 110 | 4,28 |
| 3 | 48 | 6,42 |
| 4 | 27 | 8,56 |
| 5 | 17 | 10,70 |



CRI≥90 25W 98° 3100lm 3000K





Arca Wide 300 mm





Arca Wide 600 mm



Arca - Suspension



TRACK Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|-----|
| 1000 mm | 1,34 Kg | 0,0273 m³ | Black |  | 222745 | 120 |
| 3000 mm | 4,02 Kg | 0,0496 m³ | Black |  | 222752 | 325 |





LINEAR CONNECTOR

END CAP

SINGLE CABLE KIT

| Required | Cables Length | Measure (L x H x W) | Code | € |
|--------------------------|---------------|---------------------|--------|----|
| Yes - 1 Kit x connection | | 100 x 18 x 38 mm | 254944 | 25 |
| Yes | | 20 x 85 x 42 mm | 223148 | 18 |
| Yes - 1 Kit x 1000 mm | 2000 mm | ø 15 x 2000 mm | 276366 | 14 |

Arca - Surface





TRACK Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|---|--------|-----|
| 1000 mm | 1,34 Kg | 0,0273 m³ | Black | ■ | 222745 | 120 |
| 3000 mm | 4,02 Kg | 0,0496 m³ | Black | ■ | 222752 | 325 |



| | Required | Cables Length | Measure (L x H x W) | Code | € |
|----------------------------|--------------------------------------|---------------|---------------------|--------|----|
| LINEAR CONNECTOR | Yes - 1 Kit x connection | | 100 x 18 x 38 mm | 254944 | 25 |
| ELECTRIFIED END CAP | Yes - 1 Kit x power source max 210 W | 380 mm | 86 x 80 x 42 mm | 223124 | 24 |
| END CAP | Yes | | 20 x 85 x 42 mm | 223148 | 18 |
| KIT SURFACE | Yes - 1 Kit x 1000 mm | | 1000 x 12 x 42 mm | 222899 | 30 |

Arca - Recessed



TRACK Kit for profile installation and closing cups included
Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|-----|
| 1000 mm | 2,90 Kg | 0,0269 m³ | Black | | 222769 | 187 |
| 3000 mm | 8,70 Kg | 0,0496 m³ | Black | | 222882 | 490 |



LINEAR CONNECTOR

ELECTRIFIED END CAP

| Required | Cables Length | Measure (L x H x W) | Code | € |
|--------------------------------------|---------------|---------------------|--------|----|
| Yes - 1 Kit x connection | | 100 x 18 x 38 mm | 254944 | 25 |
| Yes - 1 Kit x power source max 210 W | 380 mm | 86 x 80 x 42 mm | 223124 | 24 |



Arca - Drivers and cover

DRIVER MEANWELL ON/OFF Required



| Power | Output | Class | Measure(LxHxW) | Driver box | Code | € |
|-------|--------|-------|----------------|--------------|--------|-----|
| 75 W | 48 Vdc | ⊕ | 171x37x62 mm | 255x55x75 mm | 223155 | 140 |
| 96 W | 48 Vdc | ⊕ | 220x37x68 mm | 330x60x80 mm | 223162 | 185 |
| 150 W | 48 Vdc | ⊕ | 228x37x68 mm | 330x60x80 mm | 223179 | 205 |
| 240 W | 48 Vdc | ⊕ | 244x39x68 mm | 330x60x80 mm | 224275 | 230 |

DRIVER BOX Optional



| Material | Measure(LxHxW) | Color | Code | € |
|----------|----------------|-------|--------|----|
| Metal | 255x55x75 mm | White | 302379 | 25 |
| | | Black | 302362 | 25 |
| | 330x60x80 mm | White | 302355 | 30 |
| | | Black | 302348 | 30 |

BLINDED COVER Optional




| Material | Length | Color | Code | € |
|----------|--------|-------|--------|---|
| PC | 990 mm | Black | 222912 | 8 |



Linear aluminum lamp with direct and indirect light. The lamp is modular and can be used individually or in a continuous line. Integrated LED, starting binning ≤ 3-Step MacAdam; CRI ≥ 90; protection IP20, insulation class I. Dimmable power supply 1-10V integrated as standard.

| | | | |
|-------------------|----------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 32W | Insulation class | I |
| Driver included | 1-10V | IP | 20 |
| Drivers available | No | Material | Aluminum |
| MacAdam | SDCM 3 | Warranty | 5 years |
| CCT | 3000 K/ 4000 K | | |
| CRI | ≥90 | | |




LED SMD Up-light included - Driver 1-10V included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 32 W | 104° | 1500 lm | 3000 K | White | | 241968 | 220 |
| | | | | Black | | 241975 | 220 |
| | | 1750 lm | 4000 K | White | | 268231 | 220 |
| | | | | Black | | 268217 | 220 |

UP-LIGHT INFO

| Lumen | CCT |
|---------|--------|
| 1500 lm | 3000 K |
| 1750 lm | 4000 K |

CORNER Optional - Up-light not included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 5,5 W | 104° | 640 lm | 3000 K | White | | 241999 | 46 |
| | | | | Black | | 242002 | 46 |
| | | 730 lm | 4000 K | White | | 268149 | 46 |
| | | | | Black | | 268118 | 46 |




STRUCTURE CONNECTOR

| Required | Code | € |
|--------------------------|--------|---|
| Yes - 1 Kit x connection | 241982 | 6 |



Light beam: BI-EMISSION
WIDE



| m | lx | øm |
|---|-----|-------|
| 1 | 572 | 2,56 |
| 2 | 143 | 5,12 |
| 3 | 64 | 7,68 |
| 4 | 36 | 10,24 |
| 5 | 23 | 12,80 |



CRI≥90 32W 104°+104° 1750+1750lm 4000K





Fluo

Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in two different arrangements: the WIDE diffusing module and the BI-EMISSION module with component for indirect lighting; integrated LEDs, color temperature options of 3000 K or 4000 K, chromatic index CRI ≥ 90 , starting binning ≤ 3 -Step MacAdam, IP20 protection, insulation class I; LED useful life 50.000 h L70B50. The system is available in white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, available in 1-10V, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as COMMERCIAL and RETAIL.




High-tech product with high quality materials, intended for professional use.

| | |
|-------------------|-------------------------|
| Source | LED SMD |
| Driver included | On/Off |
| Drivers available | 1-10V / DALI/Push |
| MacAdam | SDCM 3 |
| Optics | Accent/Wide/Bi-Emission |
| CCT | 3000 K / 4000 K |
| CRI | ≥ 90 |
| LED life | 50.000 h |
| Insulation class | I |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |





Fluo Wide




2,890 Kg/0,0183 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 27 W | 105° | 3350 lm | 3000 K | White | | 192437 | 330 |
| | | | | Black | | 191997 | 330 |
| | | 3600 lm | 4000 K | White | | 192482 | 330 |
| | | | | Black | | 192505 | 330 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|-----------|-------|--------|-----------------|--------|-----|
| 1-10V | 28 W | 500 mA | 280x21x30 mm | 216423 | 145 |
| DALI/Push | 27 W | 500 mA | 280x21x30 mm | 216287 | 160 |



4,420 Kg/0,0257 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 36 W | 105° | 4600 lm | 3000 K | White | | 192550 | 425 |
| | | | | Black | | 192567 | 425 |
| | | 4750 lm | 4000 K | White | | 192604 | 425 |
| | | | | Black | | 192628 | 425 |


DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|-----------|-------|--------|-----------------|--------|-----|
| 1-10V | 39 W | 700 mA | 280x21x30 mm | 216416 | 145 |
| DALI/Push | 38 W | 700 mA | 280x21x30 mm | 216270 | 160 |


MOUNTING KIT Required - Page 641



Light beam: WIDE



| m | lx | ø m |
|---|------|-------|
| 1 | 1042 | 2,50 |
| 2 | 260 | 5,00 |
| 3 | 115 | 7,50 |
| 4 | 65 | 10,00 |
| 5 | 41 | 12,50 |



CRI≥90 27W 105° 3600lm 4000K


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.



Fluo Wide 1200



Fluo Wide 1800




The single final cup is 2.5 mm width.

Fluo Bi-Emission*



LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



2,890 Kg/0,0183 m³
Cable length 2150 mm

| Power | Beam | Lumen | CCT | Finish | Code | € |
|-------|------|---------|--------|--------|--------|-----|
| 27 W | 105° | 3300 lm | 3000 K | White | 192666 | 425 |
| | | | | Black | 192710 | 425 |
| | | 3550 lm | 4000 K | White | 192741 | 425 |
| | | | | Black | 192758 | 425 |

UP-LIGHT INFO


| Power | Beam | Lumen | CCT |
|-------|------|---------|--------|
| 13 W | 105° | 1800 lm | 3000 K |
| | | 1900 lm | 4000 K |

KIT DIMMABLE DRIVER*

| | Code | € |
|-----------|--------|-----|
| 1-10V | 270692 | 230 |
| DALI/Push | 270876 | 260 |

LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



4,420 Kg/0,0269 m³
Cable length 2150 mm

| Power | Beam | Lumen | CCT | Finish | Code | € |
|-------|------|---------|--------|--------|--------|-----|
| 36 W | 105° | 4800 lm | 3000 K | White | 192703 | 580 |
| | | | | Black | 192697 | 580 |
| | | 4950 lm | 4000 K | White | 192673 | 580 |
| | | | | Black | 192642 | 580 |

UP-LIGHT INFO

| Power | Beam | Lumen | CCT |
|-------|------|---------|--------|
| 18 W | 105° | 2400 lm | 3000 K |
| | | 2550 lm | 4000 K |


KIT DIMMABLE DRIVER*

| | Code | € |
|-----------|--------|-----|
| 1-10V | 270883 | 230 |
| DALI/Push | 270937 | 260 |



Light beam: BI-EMISSION
WIDE

MOUNTING KIT Required - Page 641



| m | lx | ø m |
|---|-----|-------|
| 1 | 512 | 2,10 |
| 2 | 128 | 4,21 |
| 3 | 56 | 6,32 |
| 4 | 32 | 8,43 |
| 5 | 20 | 10,54 |




* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with 1-10V and Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.


CRI≥90 27+13W 105°+105° 3300+1800lm 3000K



Fluo Bi-Emission 1200






Fluo Bi-Emission 1800











The single final cup is 2.5 mm width.

Fluo - Assembly plans





Fluo - Mounting kit

| | Required | N° Cables | Cables Length | Finish | | Code | € |
|---|----------------------------|-----------|---------------|--------|---|--------|----|
|  KIT SUSPENSION | Yes - 1 Kit x power source | 1 | 2000 mm | White |  | 277929 | 32 |
| | | | | Black |  | 277912 | 32 |
| | | 1 | 5000 mm | White |  | 276342 | 43 |
| | | | | Black |  | 276335 | 43 |
|  KIT SINGLE CABLE | Yes - 1 Kit x 600 mm | 1 | 2000 mm | | | 220826 | 13 |
| | | 1 | 5000 mm | | | 243665 | 20 |
|  KIT RECESSED | Yes - 1 Kit x 600 mm | | | | | 191188 | 25 |
|  KIT SURFACE | Yes - 1 Kit x 600 mm | | | | | 191171 | 25 |

STRUCTURE CONNECTOR Maximum length per power source: 30 meters

| Required | Code | € |
|--------------------------|--------|----|
| Yes - 1 Kit x connection | 191508 | 12 |

Steel ^{new}

Linear aluminum lamp with direct and indirect light. The indirect light can be turned on or off thanks to the switch positioned on the edge of the fitting. The lamp is available in WIDE model with diffusing downlight optics made of microprismatized PMMA ($UGR < 19$) and in ACCENT model with black reflector ($UGR < 16$). Integrated LED sources, available with CCT 3000 K e 4000 K; CRI ≥ 90 ; lifetime 50.000 h L70B50; IP20. Suitable for offices, business premises and retail.



High-tech product with high quality materials, intended for professional use.





Product with $UGR < 16$ (Accent), < 19 (Wide).

| | |
|-------------------|---------------------------------|
| Source | LED SMD |
| Driver included | On/Off |
| Drivers available | No |
| MacAdam | SDCM 3 |
| Optics | Accent/Wide |
| CCT | 3000 K / 4000 K |
| CRI | ≥ 90 |
| UGR | < 16 (Accent) / < 19 (Wide) |
| LED life | 50.000 h |
| Insulation class | I - II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |








1,990 Kg/0,0178 m³
Cable length 1800 mm

LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 36 W | 70° | 3350 lm | 3000 K | White | | 267128 | 290 |
| | | | | Black | | 270197 | 290 |
| | | 3550 lm | 4000 K | White | | 270203 | 290 |
| | | | | Black | | 267135 | 290 |



1,980 Kg/0,0178 m³
Cable length 1800 mm

LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 36 W | 60° | 3000 lm | 3000 K | White | | 270180 | 345 |
| | | | | Black | | 267142 | 345 |
| | | 3200 lm | 4000 K | White | | 267159 | 345 |
| | | | | Black | | 270173 | 345 |


UP-LIGHT INFO

| Beam | Lumen | CCT |
|------|---------|--------|
| 110° | 1100 lm | 3000 K |
| | 1150 lm | 4000 K |

| | Required | N° Cables | Cables Length | Finish | | Code | € |
|--|----------------------------|-----------|---------------|--------|--|--------|----|
| | Yes - 1 Kit x power source | 1 | 2000 mm | White | | 276311 | 35 |
| | | | | Black | | 276304 | 35 |
| | Yes - 1 Kit x 500 mm | 1 | 2000 mm | | | 271750 | 13 |
| | Yes - 1 Kit x 1000 mm | | | | | 270210 | 31 |
| | Yes - 1 Kit x connection | | | | | 271712 | 7 |



Light beam: BI-EMISSION
WIDE




| m | lx | ø m |
|---|------|------|
| 1 | 1173 | 1,50 |
| 2 | 293 | 3,10 |
| 3 | 130 | 4,60 |
| 4 | 73 | 6,20 |
| 5 | 47 | 7,70 |



CRI≥90 36W 70°+110° 3550+1150lm 4000K



Light beam: BI-EMISSION
ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 2216 | 1,20 |
| 2 | 554 | 2,40 |
| 3 | 246 | 3,60 |
| 4 | 139 | 4,80 |
| 5 | 89 | 6,10 |




CRI≥90 36W 60°+110° 3200+1150lm 4000K




Steel Accent



Steel Wide




Steel Slim



LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|------------------------|
| 35W | 110° | 2900 lm | 3000 K | White | | 348407 | 175 <small>new</small> |
| | | | | Black | | 348384 | 175 <small>new</small> |



LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|------------------------|
| 35W | 70° | 2900 lm | 3000 K | White | | 348414 | 175 <small>new</small> |
| | | | | Black | | 348391 | 175 <small>new</small> |

UP-LIGHT INFO

| Beam | Lumen | CCT |
|------|---------|--------|
| 110° | 1100 lm | 3000 K |



Light beam: BI-EMISSION
WIDE




| m | lx | °m |
|---|-----|------|
| 1 | 937 | 1,50 |
| 2 | 234 | 3,10 |
| 3 | 104 | 4,60 |
| 4 | 59 | 6,20 |
| 5 | 37 | 7,70 |



CRI≥90 35W 110°+110° 2900+1100lm 3000K



Light beam: BI-EMISSION
ACCENT




| m | lx | °m |
|---|-----|-------|
| 1 | 616 | 2,80 |
| 2 | 154 | 5,60 |
| 3 | 68 | 8,50 |
| 4 | 39 | 11,00 |
| 5 | 25 | 14,00 |




CRI≥90 35W 70°+110° 2900+1100lm 3000K



Steel Slim Accent



Steel Slim Wide




Office



Aluminum linear lamp with direct light for suspended installation. White or black finish available with black reflectors. Integrated LED sources with glare control (UGR < 16); available with 3000 K and 4000 K color temperature; CRI ≥ 90; 50.000 h of life L70B50; protection IP20, insulation class I.

UGR Product with UGR <16.

| | | | |
|-------------------|-----------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 30W | Insulation class | I |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 3000 K / 4000 K | Warranty | 5 years |
| CRI | ≥90 | | |
| UGR | <16 | | |




LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 30 W | 37° | 3350 lm | 3000 K | White | | 271194 | 220 |
| | | | | Black | | 271187 | 220 |
| | | 3700 lm | 4000 K | White | | 271217 | 220 |
| | | | | Black | | 271200 | 220 |




Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 6008 | 0,72 |
| 2 | 1502 | 1,40 |
| 3 | 668 | 2,20 |
| 4 | 376 | 2,90 |
| 5 | 240 | 3,60 |



CRI≥90 30W 37° 3700lm 4000K



271194



271187





LED strip and supports

Indoors

Alphabetical index

| | |
|-----------|-----|
| Slot | 652 |
| Strip Led | 644 |
| Tesi | 648 |

Typology index

new



Strip 644

new



Tesi 648

new



Slot Recessed 654

new



Slot Surface 656




Slot Angular 658

* No further promotions can be applied to the strip led recommended prices.

Strip LED and Drivers new


| | |
|-------------------|-------------------------------|
| Volt | 24 Vdc |
| Source | LED COB / SMD |
| Drivers available | On/Off / 1-10V / DALI/Push |
| Power | 5 / 8 / 10 / 15 / 20 / 40 W/m |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥90 |
| Beam | 120° |
| LED life | 50.000 h |
| Warranty | 5 years |

SMD 2835 180 LED/m - 50.000h




| Power | IP | Lumen | CCT | Measure | Code | € | |
|--------|------|-----------|--------|----------|--------|----|-----|
| 8 W/m | IP20 | 670 lm/m | 2700 K | 5x5000mm | 345772 | 50 | new |
| | | 700 lm/m | 3000 K | 5x5000mm | 345789 | 50 | new |
| | | 750 lm/m | 4000 K | 5x5000mm | 345796 | 50 | new |
| 15 W/m | IP20 | 1290 lm/m | 2700 K | 5x5000mm | 345765 | 65 | new |
| | | 1340 lm/m | 3000 K | 5x5000mm | 332239 | 65 | new |
| | | 1380 lm/m | 4000 K | 5x5000mm | 332246 | 65 | new |

SMD 2835 120 LED/m - 50.000h




| Power | IP | Lumen | CCT | Measure | Code | € | |
|--------|------|-----------|--------|-----------|--------|----|-----|
| 5 W/m | IP20 | 470 lm/m | 2700 K | 8x5000mm | 346328 | 50 | new |
| | | 490 lm/m | 3000 K | 8x5000mm | 346335 | 50 | new |
| | | 510 lm/m | 4000 K | 8x5000mm | 346359 | 50 | new |
| | IP65 | 460 lm/m | 3000 K | 8x5000mm | 346342 | 60 | new |
| | | 500 lm/m | 4000 K | 8x5000mm | 346366 | 60 | new |
| 10 W/m | IP20 | 910 lm/m | 2700 K | 8x5000mm | 346373 | 50 | new |
| | | 940 lm/m | 3000 K | 8x5000mm | 346380 | 50 | new |
| | | 970 lm/m | 4000 K | 8x5000mm | 346403 | 50 | new |
| | IP65 | 960 lm/m | 3000 K | 8x5000mm | 346397 | 60 | new |
| | | 1040 lm/m | 4000 K | 8x5000mm | 346410 | 60 | new |
| 15 W/m | IP20 | 1400 lm/m | 2700 K | 10x5000mm | 272498 | 55 | |
| | | 1450 lm/m | 3000 K | 10x5000mm | 272481 | 55 | |
| | | 1600 lm/m | 4000 K | 10x5000mm | 272474 | 55 | |
| | IP65 | 1400 lm/m | 3000 K | 10x5000mm | 272504 | 75 | |
| | | 1480 lm/m | 4000 K | 10x5000mm | 287959 | 75 | |



345789


645

Strip LED and Drivers




SMD 2835 240 LED/m - 50.000 h

| Power | IP | Lumen | CCT | Measure | Code | € |
|----------|------|-----------|--------|-----------|--------|---------------------|
| 10 W/m | IP20 | 990 lm/m | 2700 K | 8x5000mm | 346427 | 65 new |
| | | 1000 lm/m | 3000 K | 8x5000mm | 346434 | 65 new |
| | | 1060 lm/m | 4000 K | 8x5000mm | 346458 | 65 new |
| | IP65 | 880 lm/m | 3000 K | 8x5000mm | 346441 | 80 new |
| | | 900 lm/m | 4000 K | 8x5000mm | 346465 | 80 new |
| | | | | | | |
| 15 W/m | IP20 | 1330 lm/m | 2700 K | 8x5000mm | 346472 | 65 new |
| | | 1450 lm/m | 3000 K | 8x5000mm | 346489 | 65 new |
| | | 1510 lm/m | 4000 K | 8x5000mm | 346502 | 65 new |
| | IP65 | 1400 lm/m | 3000 K | 8x5000mm | 346496 | 80 new |
| | | 1460 lm/m | 4000 K | 8x5000mm | 346519 | 80 new |
| | | | | | | |
| 20.5 W/m | IP20 | 2000 lm/m | 2700 K | 10x5000mm | 272535 | 90 |
| | | 2050 lm/m | 3000 K | 10x5000mm | 272528 | 90 |
| | | 2100 lm/m | 4000 K | 10x5000mm | 272511 | 90 |
| | IP65 | 2000 lm/m | 3000 K | 10x5000mm | 272542 | 105 |
| | | 2020 lm/m | 4000 K | 10x5000mm | 287966 | 105 |



SMD 2835 180 LED/m - 50.000h

| Power | IP | Lumen | CCT | Measure | Code | € |
|--------|------|-----------|--------|-----------|--------|-----|
| 40 W/m | IP20 | 4350 lm/m | 3000 K | 10x3000mm | 253886 | 145 |
| | | 4410 lm/m | 4000 K | 10x3000mm | 253893 | 145 |



COB 180 LED/m - 50.000h

| Power | IP | Lumen | CCT | Measure | Code | € |
|--------|------|-----------|--------|----------|--------|---------------------|
| 8 W/m | IP20 | 760 lm/m | 2700 K | 8x5000mm | 325934 | 60 new |
| | | 790 lm/m | 3000 K | 8x5000mm | 325958 | 60 new |
| | | 820 lm/m | 4000 K | 8x5000mm | 325972 | 60 new |
| 15 W/m | IP20 | 1350 lm/m | 2700 K | 8x5000mm | 325941 | 60 new |
| | | 1470 lm/m | 3000 K | 8x5000mm | 325965 | 60 new |
| | | 1620 lm/m | 4000 K | 8x5000mm | 325989 | 60 new |



MAIN CONNECTOR



LINEAR CONNECTOR

| Required | Code | € |
|----------|--------|---|
| No | 292939 | 2 |
| No | 292953 | 2 |

DRIVER For indoor installation only



| | Power | Output | Class | Measure(LxHxW) | Code | € |
|------------|-------|--------|-------|------------------|--------|----|
| On-Off | 30 W | 24 Vdc | □ | 140 x 28 x 45 mm | 124070 | 17 |
| | 60 W | 24 Vdc | □ | 186 x 33 x 50 mm | 124087 | 25 |
| | 150 W | 24 Vdc | ⊕ | 268 x 31 x 45 mm | 124117 | 45 |
| 1-10V/Push | 36 W | 24 Vdc | □ | 293 x 30 x 43 mm | 244556 | 40 |
| 1-10V | 100 W | 24 Vdc | ⊕ | 210 x 34 x 67 mm | 244570 | 65 |
| 1-10V/Push | 150 W | 24 Vdc | ⊕ | 352 x 30 x 43 mm | 244594 | 65 |
| DALI/Push | 36 W | 24 Vdc | □ | 175 x 30 x 44 mm | 244549 | 55 |
| | 80 W | 24 Vdc | ⊕ | 295 x 35 x 45 mm | 244563 | 65 |
| | 150 W | 24 Vdc | ⊕ | 273 x 37 x 57 mm | 244587 | 90 |

Tesi 8mm new




Flexible steel tape for wall-to-wall tension application, to be used as a support for the application of LED strips for indirect lighting. Tape available in two widths of 8 mm and 20 mm, maximum length of 5 or 10 meters that can be cut to size, aluminum supports with locking system, available in steel, white or black finishes. Ideal for environments with an historical and architectural character that are already highly personalized, with its minimal section it disappears inside the environment to guarantee a result of extreme formal cleanliness.

STRIP LED SUPPORT




| Length | Width | Finish | | Code | € |
|---------|-------|--------|--|--------|--|
| 5000 mm | 8 mm | Steel | | 344935 | 150 new |
| | | White | | 344928 | 150 new |
| | | Black | | 344911 | 150 new |



| Length | Width | Finish | | Code | € |
|----------|-------|--------|--|--------|--|
| 10000 mm | 8 mm | Steel | | 344904 | 165 new |
| | | White | | 344898 | 165 new |
| | | Black | | 344881 | 165 new |

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 180 LED/m - 50.000h



| Power | IP | Lumen | CCT | Measure | Code | € |
|-------|------|----------|--------|----------|--------|---|
| 8 W/m | IP20 | 670 lm/m | 2700 K | 5x5000mm | 345772 | 50 new |
| | | 700 lm/m | 3000 K | 5x5000mm | 345789 | 50 new |
| | | 750 lm/m | 4000 K | 5x5000mm | 345796 | 50 new |

DRIVER ON/OFF



Light beam: **INDIRECT**




| Power | Output | Class | Measure(LxHxW) | Driver box | Code | € |
|-------|--------|-------|------------------|------------------|--------|----|
| 30 W | 24 Vdc | | 140 x 28 x 45 mm | 255 x 55 x 75 mm | 124070 | 17 |
| 60 W | 24 Vdc | | 186 x 33 x 50 mm | 255 x 55 x 75 mm | 124087 | 25 |
| 150 W | 24 Vdc | | 268 x 31 x 45 mm | 330 x 60 x 80 mm | 124117 | 45 |






STRIP LED SUPPORT



0,350 Kg/0,0234 m³

| Length | Width | Finish | | Code | € |
|---------|-------|--------|--|--------|-----|
| 5000 mm | 20 mm | Steel | | 258300 | 150 |
| | | White | | 302256 | 150 |
| | | Black | | 302263 | 150 |




0,450 Kg/0,0029 m³

| Length | Width | Finish | | Code | € |
|----------|-------|--------|--|--------|-----|
| 10000 mm | 20 mm | Steel | | 302270 | 175 |
| | | White | | 302287 | 175 |
| | | Black | | 302294 | 175 |

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 120 LED/m - 50.000h



| Power | IP | Lumen | CCT | Measure | Code | € | |
|--------|------|-----------|--------|-----------|--------|----|--------------------------------------|
| 5 W/m | IP20 | 470 lm/m | 2700 K | 8x5000mm | 346328 | 50 | new |
| | | 490 lm/m | 3000 K | 8x5000mm | 346335 | 50 | new |
| | | 510 lm/m | 4000 K | 8x5000mm | 346359 | 50 | new |
| | IP65 | 460 lm/m | 3000 K | 8x5000mm | 346342 | 60 | new |
| | | 500 lm/m | 4000 K | 8x5000mm | 346366 | 60 | new |
| 10 W/m | IP20 | 910 lm/m | 2700 K | 8x5000mm | 346373 | 50 | new |
| | | 940 lm/m | 3000 K | 8x5000mm | 346380 | 50 | new |
| | | 970 lm/m | 4000 K | 8x5000mm | 346403 | 50 | new |
| | IP65 | 960 lm/m | 3000 K | 8x5000mm | 346397 | 60 | new |
| | | 1040 lm/m | 4000 K | 8x5000mm | 346410 | 60 | new |
| 15 W/m | IP20 | 1400 lm/m | 2700 K | 10x5000mm | 272498 | 55 | |
| | | 1450 lm/m | 3000 K | 10x5000mm | 272481 | 55 | |
| | | 1600 lm/m | 4000 K | 10x5000mm | 272474 | 55 | |
| | IP65 | 1400 lm/m | 3000 K | 10x5000mm | 272504 | 75 | |
| | | 1480 lm/m | 4000 K | 10x5000mm | 287959 | 75 | |


DRIVER ON/OFF



Light beam: **INDIRECT**



| Power | Output | Class | Measure(LxHxW) | Driver box | Code | € |
|-------|--------|-------|------------------|------------------|--------|----|
| 30 W | 24 Vdc | | 140 x 28 x 45 mm | 255 x 55 x 75 mm | 124070 | 17 |
| 60 W | 24 Vdc | | 186 x 33 x 50 mm | 255 x 55 x 75 mm | 124087 | 25 |
| 150 W | 24 Vdc | | 268 x 31 x 45 mm | 330 x 60 x 80 mm | 124117 | 45 |



Slot



Extruded aluminum body with anodized or powder coated surface, available in white, black, aluminum finishes, PMMA satin diffuser. Bars with different optional sections and length are available for the RECESSED version for plasterboard ceilings installation and SURFACE version for wall or ceiling installation. The ANGULAR models in the round and square version are designed with an internal angle of inclination of the light source for optimal illumination inside luminous veils and grooves. The linear modules are available in different lengths: 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. Led and driver to be combined for a correct installation.

| | |
|-----------------|------------------------------|
| Model | Recessed / Surface / Angular |
| Width | 6 / 31 mm |
| Material | Aluminum |






Slot Recessed



6 x 9 mm Mounting kit included - Not compatible with strip LED IP65

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|---------------------|
| 2000 mm | 0,14 Kg | 0,0082 m³ | White | | 346212 | 8 new |
| 3000 mm | 0,21 Kg | 0,0122 m³ | White | | 346229 | 12 new |


STRIP LED AND DRIVER Recommended Strip LED \max 8 W/m



12 x 5 mm Mounting kit included - Not compatible with strip LED IP65

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|----|
| 2000 mm | 0,35 Kg | 0,0020 m³ | White | | 203102 | 25 |
| 3000 mm | 0,54 Kg | 0,0029 m³ | White | | 204611 | 40 |


STRIP LED AND DRIVER Recommended Strip LED \max 15 W/m



10,6 x 14 mm Not compatible with strip LED IP65

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|---------------------|
| 2000 mm | 0,60 Kg | 0,0031 m³ | White | | 346274 | 45 new |
| 3000 mm | 0,89 Kg | 0,0068 m³ | White | | 346281 | 65 new |

STRIP LED AND DRIVER Recommended Strip LED \max 8 W/m



21 x 14 mm

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|---------------------|
| 2000 mm | 0,71 Kg | 0,0049 m³ | White | | 346762 | 55 new |
| 3000 mm | 1,06 Kg | 0,0039 m³ | White | | 346779 | 75 new |

STRIP LED AND DRIVER Recommended Strip LED \max 15 W/m

KIT PROFILE 21 x 14 mm



KIT LINEAR

KIT RIGHT-LEFT

KIT VERTICAL-HORIZONTAL

| Required | Code | € |
|--------------------------|--------|---|
| Yes - 1 Kit x connection | 223766 | 6 |
| Yes - 1 Kit x connection | 223759 | 6 |
| Yes - 1 Kit x connection | 223742 | 6 |




Mounting kit PROFILE 12 mm.



346762
346779


Slot Surface



6 x 9 mm Mounting kit included - Not compatible with strip LED IP65


| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------------------|--------|--|--------|---------------------|
| 2000 mm | 0,14 Kg | 0,0082 m ³ | White | | 346243 | 8 new |
| | 0,14 Kg | 0,0082 m ³ | Black | | 346236 | 8 new |
| 3000 mm | 0,21 Kg | 0,0122 m ³ | White | | 346267 | 12 new |
| | 0,21 Kg | 0,0122 m ³ | Black | | 346250 | 12 new |

STRIP LED AND DRIVER Recommended Strip LED max 8 W/m



11 x 5 mm Mounting kit included - Not compatible with strip LED IP65


| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------------------|----------|--|--------|----|
| 2000 mm | 0,20 Kg | 0,0020 m ³ | White | | 203089 | 20 |
| | 0,20 Kg | 0,0020 m ³ | Aluminu. | | 203072 | 20 |
| 3000 mm | 0,34 Kg | 0,0029 m ³ | White | | 204598 | 30 |
| | 0,34 Kg | 0,0029 m ³ | Aluminu. | | 204581 | 30 |



14 x 15 / 22 mm Mounting kit included - Not compatible with strip LED IP65

| Measure | Weight | Volume | Finish | | Code | € |
|-----------|---------|-----------------------|--------|--|--------|----|
| 2000x15mm | 0,20 Kg | 0,0015 m ³ | White | | 307145 | 25 |
| 2000x22mm | 0,40 Kg | 0,0021 m ³ | White | | 307152 | 25 |

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m



31 x 37 mm Mounting kit included

| Length | Weight | Volume | Finish | | Code | € |
|--------------------------|---------|-----------------------|---------------|--|--------|-----|
| 2000 mm | 1,40 Kg | 0,0032 m ³ | White | | 270524 | 75 |
| | 1,40 Kg | 0,0032 m ³ | Black | | 270517 | 75 |
| 3000 mm | 2,10 Kg | 0,0048 m ³ | White | | 270548 | 105 |
| | 2,10 Kg | 0,0048 m ³ | Black | | 270531 | 105 |
| Required | | N° Cables | Cables Length | | Code | € |
| No - 1 Kit x 2000 mm | | 2 | 3000 mm | | 270449 | 18 |
| Yes - 1 Kit x connection | | | | | 270463 | 6 |



SUSPENSION KIT



STRUCTURE CONNECTOR

STRIP LED AND DRIVER Recommended Strip LED max 40 W/m



Mounting kit 11 x 5 mm.




307145



270517

Slot Angular Surface



ROUND 10 x 10 mm



| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|---------------------|
| 2000 mm | 0,16 Kg | 0,0027 m³ | White | | 346298 | 20 new |
| 3000 mm | 0,24 Kg | 0,0055 m³ | White | | 346304 | 30 new |



ROUND 16 x 16 mm



| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|----|
| 2000 mm | 0,30 Kg | 0,0020 m³ | White | | 203126 | 25 |
| 3000 mm | 0,44 Kg | 0,0029 m³ | White | | 204635 | 40 |

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m

Slot Angular Recessed



17,2 x 11 mm

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|---------------------|
| 2000 mm | 0,92 Kg | 0,0031 m³ | White | | 339788 | 65 new |
| 3000 mm | 1,38 Kg | 0,0082 m³ | White | | 339795 | 90 new |

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m

KIT PROFILE 21 x 14 mm / 17,2 x 11 mm



KIT LINEAR

KIT RIGHT-LEFT

KIT VERTICAL-HORIZONTAL

| Required | Code | € |
|--------------------------|--------|---|
| Yes - 1 Kit x connection | 223766 | 6 |
| Yes - 1 Kit x connection | 223759 | 6 |
| Yes - 1 Kit x connection | 223742 | 6 |



Mounting kit
PROFILE ROUND 10x10 mm.



339788
339795



















Spotlights and Tracks

Indoors

Alphabetical index

| | |
|-----------|-----|
| Byte | 696 |
| Display | 700 |
| Eos | 686 |
| Fox | 678 |
| Glim | 695 |
| Link | 708 |
| Link Mono | 714 |
| Look | 698 |
| Mouse | 694 |
| Pov | 692 |
| Quick | 662 |
| Smile | 670 |
| Spike | 697 |
| Spot | 694 |

Typology index

| | | |
|--|---|---|
| <small>new</small>  |  | <small>new</small>  |
| Quick 662 | Smile 670 | Fox 678 |
| <small>new</small>  |  | <small>new</small>  |
| Eos 686 | Pov 692 | Mouse 694 |
| <small>new</small>  |  | <small>new</small>  |
| Spot 694 | Glim 695 | Byte 696 |
| <small>new</small>  |  | |
| Spike 697 | Look 698 | |
| <small>new</small>  | <small>new</small>  | <small>new</small>  |
| Display Accent 702 | Display Wide 704 | Display UGR 706 |
|  | <small>new</small>  | |
| Link 3-Phase 708 | Link 1-Phase 714 | |

Quick

Extruded aluminum cylindrical tracklight suitable for installation on three-phase track. White or black powder coating, 355° turning head and 90° adjustable, the power driver is included and located in the cylindrical body of the projector itself. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K or 4000 K; Energy efficient LED with high color rendering, up to CRI ≥ 90; starting binning ≤3-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP20 protection; insulation class I; LED useful life 50.000 h L80B50. Ideal for installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

PRO

High-tech product with high quality materials, intended for professional use.

| | |
|-------------------|-----------------|
| Source | LED COB |
| Power | 15W / 21W / 28W |
| Driver included | On/Off |
| Drivers available | No |
| Track | 3-Phase |
| MacAdam | SDCM 3 |
| CCT | 3000 K / 4000 K |
| CRI | ≥80 / ≥90 |
| LED life | 50.000 h |
| Insulation class | I |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |




Link 3-Phase - Page 708





Quick 15W



3-PHASE LED COB CITIZEN

CRI ≥ 80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 15 W | 30° | 1800 lm | 3000 K | White | | 222509 | 145 |
| | | | | Black | | 222523 | 145 |
| | | 1950 lm | 4000 K | White | | 222530 | 145 |
| | | | | Black | | 222547 | 145 |

CRI ≥ 90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 15 W | 30° | 1500 lm | 3000 K | White | | 222554 | 145 |
| | | | | Black | | 222561 | 145 |
| | | 1600 lm | 4000 K | White | | 222578 | 145 |
| | | | | Black | | 222585 | 145 |



FILTER HONEYCOMB



LENS*




SINGLE CONNECTION

| Required | Beam | Finish | | Code | € |
|----------|------|--------|--|--------|----|
| No | | Black | | 222608 | 9 |
| No | 15° | Clear | | 222592 | 9 |
| No | 45° | Clear | | 253558 | 9 |
| No | | White | | 170145 | 23 |
| No | | Black | | 170152 | 23 |



Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 3451 | 0,51 |
| 2 | 862 | 1,02 |
| 3 | 383 | 1,53 |
| 4 | 215 | 2,04 |
| 5 | 138 | 2,55 |




CRI ≥ 80 15W 30° 1800lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Quick 21W



3-PHASE LED COB CITIZEN

CRI ≥ 80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 21W | 30° | 2450 lm | 3000 K | White | | 247946 | 155 |
| | | | | Black | | 247939 | 155 |
| | | 2700 lm | 4000 K | White | | 247960 | 155 |
| | | | | Black | | 247953 | 155 |

CRI ≥ 90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 21W | 30° | 2000 lm | 3000 K | White | | 247977 | 155 |
| | | | | Black | | 225364 | 155 |
| | | 2150 lm | 4000 K | White | | 247991 | 155 |
| | | | | Black | | 247984 | 155 |



FILTER HONEYCOMB



LENS*




SINGLE CONNECTION

| Required | Beam | Finish | | Code | € |
|----------|------|--------|--|--------|----|
| No | | Black | | 222608 | 9 |
| No | 15° | Clear | | 222592 | 9 |
| No | 45° | Clear | | 253558 | 9 |
| No | | White | | 170145 | 23 |
| No | | Black | | 170152 | 23 |



Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 6576 | 0,57 |
| 2 | 1644 | 1,14 |
| 3 | 731 | 1,71 |
| 4 | 411 | 2,28 |
| 5 | 263 | 2,85 |



CRI ≥ 80 21W 30° 2450 lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Quick 28W



3-PHASE LED COB CITIZEN

CRI ≥ 80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 28 W | 30° | 3550 lm | 3000 K | White | | 222615 | 185 |
| | | | | Black | | 222622 | 185 |
| | | 3800 lm | 4000 K | White | | 222639 | 185 |
| | | | | Black | | 222646 | 185 |

CRI ≥ 90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 28 W | 30° | 3100 lm | 3000 K | White | | 222653 | 185 |
| | | | | Black | | 222660 | 185 |
| | | 3300 lm | 4000 K | White | | 222677 | 185 |
| | | | | Black | | 222684 | 185 |



FILTER HONEYCOMB



LENS*




SINGLE CONNECTION

| Required | Beam | Finish | | Code | € |
|----------|------|--------|--|--------|----|
| No | | Black | | 222714 | 10 |
| No | 18° | Clear | | 222691 | 10 |
| No | 45° | Clear | | 222707 | 10 |
| No | | White | | 170145 | 23 |
| No | | Black | | 170152 | 23 |



Light beam: ACCENT



| m | lx | øm |
|---|------|------|
| 1 | 8760 | 0,55 |
| 2 | 2190 | 1,11 |
| 3 | 973 | 1,67 |
| 4 | 547 | 2,22 |
| 5 | 350 | 2,78 |



CRI ≥ 80 28W 30° 3550lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning ≤ 4 -Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.

Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

UGR Product with UGR <19 .

| | |
|-------------------|-----------------------|
| Source | LED COB |
| Power | 15W / 20W / 30W |
| Driver included | On/Off |
| Drivers available | No |
| Track | 3-Phase |
| CCT | 3000 K / 4000 K |
| CRI | ≥ 80 / ≥ 90 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |




Link 3-Phase - Page 708





Smile 15W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 15 W | 24° | 2050 lm | 3000 K | White | | 189574 | 120 |
| | | | | Black | | 189581 | 120 |
| | 36° | 2250 lm | 4000 K | White | | 189611 | 120 |
| | | | | Black | | 189628 | 120 |
| | | 2050 lm | 3000 K | White | | 189758 | 120 |
| | | | | Black | | 189765 | 120 |
| | 50° | 2250 lm | 4000 K | White | | 189796 | 120 |
| | | | | Black | | 189802 | 120 |
| | 50° | 2050 lm | 3000 K | White | | 189932 | 120 |
| | | | | Black | | 189949 | 120 |
| | | 2250 lm | 4000 K | White | | 189956 | 120 |
| | | | | Black | | 189963 | 120 |

CRI ≥ 90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 15 W | 24° | 1700 lm | 3000 K | White | | 189598 | 120 |
| | | | | Black | | 189604 | 120 |
| | 36° | 1700 lm | 3000 K | White | | 189772 | 120 |
| | | | | Black | | 189789 | 120 |
| | 50° | 1700 lm | 3000 K | White | | 189970 | 120 |
| | | | | Black | | 189987 | 120 |




FILTER HONEYCOMB

SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | | Black | | 189536 | 6 |
| No | On/Off | White | | 170145 | 23 |
| | | Black | | 170152 | 23 |



Light beam: SPOT




| m | lx | ø m |
|---|------|------|
| 1 | 4362 | 0,47 |
| 2 | 1090 | 0,94 |
| 3 | 484 | 1,41 |
| 4 | 272 | 1,88 |
| 5 | 174 | 2,35 |



CRI ≥ 80 15W 24° 2050lm 3000K



Light beam: ACCENT




| m | lx | ø m |
|---|------|------|
| 1 | 2923 | 0,64 |
| 2 | 730 | 1,29 |
| 3 | 324 | 1,94 |
| 4 | 182 | 2,58 |
| 5 | 116 | 3,23 |



CRI ≥ 80 15W 36° 2050lm 3000K



Light beam: WIDE



| m | lx | ø m |
|---|------|------|
| 1 | 1611 | 0,89 |
| 2 | 402 | 1,79 |
| 3 | 179 | 2,69 |
| 4 | 100 | 3,59 |
| 5 | 64 | 4,49 |



CRI ≥ 80 15W 50° 2050lm 3000K



Smile 20W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 20 W | 24° | 3000 lm | 3000 K | White | | 189635 | 135 |
| | | | | Black | | 189642 | 135 |
| | | 3150 lm | 4000 K | White | | 189673 | 135 |
| | | | | Black | | 189680 | 135 |
| | 36° | 3000 lm | 3000 K | White | | 189819 | 135 |
| | | | | Black | | 189826 | 135 |
| | | 3150 lm | 4000 K | White | | 189857 | 135 |
| | | | | Black | | 189864 | 135 |
| | 50° | 3000 lm | 3000 K | White | | 189994 | 135 |
| | | | | Black | | 190006 | 135 |
| | | 3150 lm | 4000 K | White | | 190013 | 135 |
| | | | | Black | | 190020 | 135 |

CRI ≥ 90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 20 W | 24° | 2550 lm | 3000 K | White | | 189659 | 135 |
| | | | | Black | | 189666 | 135 |
| | 36° | 2550 lm | 3000 K | White | | 189833 | 135 |
| | | | | Black | | 189840 | 135 |
| | 50° | 2550 lm | 3000 K | White | | 190037 | 135 |
| | | | | Black | | 190044 | 135 |




FILTER HONEYCOMB

SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | | Black | | 190181 | 6 |
| No | On/Off | White | | 170145 | 23 |
| | | Black | | 170152 | 23 |



Light beam: SPOT




| m | lx | ø m |
|---|------|------|
| 1 | 8787 | 0,42 |
| 2 | 2196 | 0,85 |
| 3 | 976 | 1,28 |
| 4 | 549 | 1,71 |
| 5 | 351 | 2,14 |



CRI ≥ 80 20W 24° 3000lm 3000K



Light beam: ACCENT




| m | lx | ø m |
|---|------|------|
| 1 | 4526 | 0,64 |
| 2 | 1131 | 1,28 |
| 3 | 502 | 1,92 |
| 4 | 282 | 2,56 |
| 5 | 181 | 3,20 |




CRI ≥ 80 20W 36° 3000lm 3000K



Light beam: WIDE



| m | lx | ø m |
|---|------|------|
| 1 | 2657 | 0,93 |
| 2 | 664 | 1,87 |
| 3 | 295 | 2,81 |
| 4 | 166 | 3,75 |
| 5 | 106 | 4,69 |



CRI ≥ 80 20W 50° 3000lm 3000K



Smile 30W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 30 W | 24° | 4000 lm | 3000 K | White | | 189697 | 150 |
| | | | | Black | | 189703 | 150 |
| | | 4200 lm | 4000 K | White | | 189734 | 150 |
| | | | | Black | | 189741 | 150 |
| | 36° | 4000 lm | 3000 K | White | | 189871 | 150 |
| | | | | Black | | 189888 | 150 |
| | | 4200 lm | 4000 K | White | | 189895 | 150 |
| | | | | Black | | 189901 | 150 |
| | 50° | 4000 lm | 3000 K | White | | 190051 | 150 |
| | | | | Black | | 190068 | 150 |
| | | 4200 lm | 4000 K | White | | 190075 | 150 |
| | | | | Black | | 190082 | 150 |

CRI ≥ 90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 30 W | 24° | 3500 lm | 3000 K | White | | 189710 | 150 |
| | | | | Black | | 189727 | 150 |
| | 36° | 3500 lm | 3000 K | White | | 189918 | 150 |
| | | | | Black | | 189925 | 150 |
| | 50° | 3500 lm | 3000 K | White | | 190099 | 150 |
| | | | | Black | | 190105 | 150 |




FILTER HONEYCOMB

SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | | Black | | 190181 | 6 |
| No | On/Off | White | | 170145 | 23 |
| | | Black | | 170152 | 23 |



Light beam: SPOT




| m | lx | ø m |
|---|-------|------|
| 1 | 12955 | 0,39 |
| 2 | 3238 | 0,79 |
| 3 | 1439 | 1,19 |
| 4 | 809 | 1,59 |
| 5 | 518 | 1,99 |



CRI ≥ 80 30W 24° 4000lm 3000K



Light beam: ACCENT




| m | lx | ø m |
|---|------|------|
| 1 | 6240 | 0,62 |
| 2 | 1560 | 1,24 |
| 3 | 693 | 1,86 |
| 4 | 390 | 2,48 |
| 5 | 249 | 3,10 |




CRI ≥ 80 30W 36° 4000lm 3000K



Light beam: WIDE



| m | lx | ø m |
|---|------|------|
| 1 | 3740 | 0,88 |
| 2 | 935 | 1,76 |
| 3 | 415 | 2,65 |
| 4 | 233 | 3,53 |
| 5 | 149 | 4,42 |



CRI ≥ 80 30W 50° 4000lm 3000K



Fox new

Cylindrical extruded aluminum projector suitable for installation on single-phase and three-phase LINK track. White, black or satin brass powder coating, 350° rotating head and 90° adjustable. 1-10 V or DALI dimmable versions available. Light source with integrated LED COB technology, available with 3 different powers and with color temperatures of 2700 K, 3000 K or 4000 K and with color rendering index CRI ≥ 80 or CRI ≥ 90; starting binning ≤ 3-Step MacAdam; medium beam with accessories optics with narrow beam. Assembly and disassembly without tools. IP 20 protection; LED useful life 50.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.

| | |
|-------------------|---------------------------|
| Source | LED COB |
| Power | 8W / 15W / 25W |
| Driver included | On/Off / 1-10V / DALI |
| Drivers available | No |
| Track | 3-Phase / 1-Phase |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥80 / ≥90 |
| LED life | 50.000 h |
| Insulation class | On-Off I, 1-10V / DALI II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |



Link 3-Phase - Page 708




Link 1-Phase - Page 714





Fox 8W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|----|
| 8 W | 41° | On-Off | 1050 lm | 3000 K | White | | 250410 | 45 |
| | | | | | Black | | 250403 | 45 |
| | | | | | Brass | | 283920 | 49 |
| | | | 1100 lm | 4000 K | White | | 271453 | 45 |
| | | | | | Black | | 271446 | 45 |

CRI ≥ 90

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|--------|
| 8 W | 41° | On-Off | 800 lm | 2700 K | White | | 340845 | 45 new |
| | | | | | Black | | 340838 | 45 new |
| | | | 950 lm | 3000 K | White | | 285368 | 45 |
| | | | | | Black | | 285351 | 45 |
| | | | 1000 lm | 4000 K | White | | 322339 | 45 |
| | | | | | Black | | 322322 | 45 |
| | | 1-10V | 900 lm | 3000 K | White | | 302546 | 85 |
| | | | | | Black | | 302539 | 85 |
| | | | 1050 lm | 4000 K | White | | 340869 | 85 new |
| | | | | | Black | | 340852 | 85 new |

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--------|--|--------|--------|
| 8 W | 54° | On-Off | 950 lm | 3000 K | Black | | 348308 | 35 new |




LENS*



SINGLE CONNECTION



Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 2067 | 0,77 |
| 2 | 517 | 1,54 |
| 3 | 230 | 2,30 |
| 4 | 129 | 3,07 |
| 5 | 83 | 3,84 |




CRI ≥ 90 8W 41° 950lm 3000K

680

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Fox 15W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|----|
| 15 W | 41° | On-Off | 1850 lm | 3000 K | White | | 250434 | 50 |
| | | | | | Black | | 250427 | 50 |
| | | | | | Brass | | 283937 | 55 |
| | | | 1900 lm | 4000 K | White | | 267784 | 50 |
| | | | | | Black | | 267777 | 50 |
| | | | | | | | | |

CRI ≥ 90

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|----------------------|
| 15 W | 41° | On-Off | 1450 lm | 2700 K | White | | 340883 | 50 new |
| | | | | | Black | | 340876 | 50 new |
| | | | 1600 lm | 3000 K | White | | 285382 | 50 |
| | | | | | Black | | 285375 | 50 |
| | | | 1750 lm | 4000 K | White | | 322360 | 50 |
| | | | | | Black | | 322346 | 50 |
| | | 1-10V | 1600 lm | 3000 K | White | | 302560 | 80 |
| | | | | | Black | | 302553 | 80 |
| | | | 1750 lm | 4000 K | White | | 340906 | 80 new |
| | | | | | Black | | 340890 | 80 new |
| | | DALI | 1600 lm | 3000 K | White | | 302584 | 110 |
| | | | | | Black | | 302577 | 110 |
| | | | 1750 lm | 4000 K | White | | 340920 | 110 new |
| | | | | | Black | | 340913 | 110 new |
| | | | | | | | | |
| | | | | | | | | |

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|---------------------|
| 15 W | 39° | On-Off | 1600 lm | 3000 K | Black | | 348315 | 40 new |




LENS



SINGLE CONNECTION



Light beam: ACCENT




| m | lx | Øm |
|---|------|------|
| 1 | 3204 | 0,80 |
| 2 | 801 | 1,60 |
| 3 | 356 | 2,40 |
| 4 | 200 | 3,20 |
| 5 | 128 | 4,00 |



CRI ≥ 80 15W 41° 1850lm 3000K



Fox 25W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|----|
| 25 W | 35° | On-Off | 2900 lm | 3000 K | White | | 250458 | 55 |
| | | | | | Black | | 250441 | 55 |
| | | | | | Brass | | 283944 | 60 |
| | | | 3050 lm | 4000 K | White | | 267807 | 55 |
| | | | | | Black | | 267791 | 55 |
| | | | | | | | | |

CRI ≥ 90

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € | |
|-------|------|--------|---------|--------|--------|--|--------|-----|-----|
| 25 W | 35° | On-Off | 2800 lm | 2700 K | White | | 340944 | 55 | new |
| | | | | | Black | | 340937 | 55 | new |
| | | | 2950 lm | 3000 K | White | | 285405 | 55 | |
| | | | | | Black | | 285399 | 55 | |
| | | | 3000 lm | 4000 K | White | | 322391 | 55 | |
| | | | | | Black | | 322377 | 55 | |
| | | 1-10V | 2900 lm | 3000 K | White | | 302607 | 100 | |
| | | | | | Black | | 302591 | 100 | |
| | | | 3000 lm | 4000 K | White | | 340968 | 100 | new |
| | | | | | Black | | 340951 | 100 | new |
| | | DALI | 2900 lm | 3000 K | White | | 302621 | 115 | |
| | | | | | Black | | 302614 | 115 | |
| | | | 3000 lm | 4000 K | White | | 340982 | 115 | new |
| | | | | | Black | | 340975 | 115 | new |
| | | | | | | | | | |
| | | | | | | | | | |

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|---------|--------|--------|--|--------|--------|
| 25 W | 35° | On-Off | 2950 lm | 3000 K | Black | | 348322 | 45 new |




LENS



SINGLE CONNECTION



Light beam: ACCENT



| m | lx | øm |
|---|------|------|
| 1 | 8140 | 0,61 |
| 2 | 2035 | 1,22 |
| 3 | 904 | 1,82 |
| 4 | 509 | 2,43 |
| 5 | 326 | 3,04 |



CRI ≥ 90 25W 35° 2950lm 3000K



Eos ^{new}

Extruded aluminum cylindrical tracklight with variable opening beam from narrow to wide (20°-55°), suitable for single-phase or three-phase LINK track installation. White or black powder coating, 355° turning head and 90° adjustable. Dimmable 1-10 V or DALI versions available. Light source with integrated COB LED technology, available with two different powers and color temperature of 2700 K, 3000 K and 4000 K and chromatic index ≥ 90 ; starting binning ≤ 3 -Step MacAdam. Assembly, disassembly and adjustment of the beam opening without tools. IP20 protection; LED useful life 30.000 h L70B50. Ideal for installation in big rooms, where great flexibility and high color rendering is required, such as EXHIBITION, MUSEUMS and COMMERCIAL.


| | |
|-------------------|--------------------------|
| Source | LED COB |
| Power | 15W / 25W |
| Driver included | On/Off / 1-10V / DALI |
| Drivers available | No |
| Track | 3-Phase / 1-Phase |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥ 90 |
| LED life | 50.000 h |
| Insulation class | I - II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |



Link 3-Phase - Page 708




Link 1-Phase - Page 714





Eos 15W



3-PHASE LED COB BRIDGELUX Driver included

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|--------|--------|---------|--------|--------|--|--------|---------------------|
| 15 W | 20-55° | On-Off | 1400 lm | 2700 K | White | | 340807 | 73 new |
| | | | | | Black | | 340791 | 73 new |
| | | | 1450 lm | 3000 K | White | | 286594 | 73 |
| | | | | | Black | | 276182 | 73 |
| | | 1-10V | 1650 lm | 4000 K | White | | 322094 | 73 |
| | | | | | Black | | 322087 | 73 |
| | | | 1450 lm | 3000 K | White | | 302959 | 116 |
| | | | | | Black | | 302942 | 116 |
| | | DALI | 1450 lm | 3000 K | White | | 302997 | 135 |
| | | | | | Black | | 302980 | 135 |

1-PHASE LED COB BRIDGELUX Driver included

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|--------|--------|---------|--------|--------|--|--------|---------------------|
| 15 W | 20-55° | On-Off | 1450 lm | 3000 K | Black | | 337579 | 65 new |




SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | On/Off | White | | 170145 | 23 |
| No | | Black | | 170152 | 23 |




Light beam: from SPOT to WIDE



CRI≥90 15W 20-55° 1450lm 3000K



Eos 25W



3-PHASE LED COB BRIDGELUX Driver included

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|--------|--------|---------|--------|--------|--|--------|---------------------|
| 25 W | 20-55° | On-Off | 2450 lm | 2700 K | White | | 340821 | 92 new |
| | | | | | Black | | 340814 | 92 new |
| | | | 2500 lm | 3000 K | White | | 286600 | 92 |
| | | | | | Black | | 276243 | 92 |
| | | | 2650 lm | 4000 K | White | | 322124 | 92 |
| | | | | | Black | | 322100 | 92 |
| | | 1-10V | 2500 lm | 3000 K | White | | 302973 | 135 |
| | | | | | Black | | 302966 | 135 |
| | | DALI | 2500 lm | 3000 K | White | | 303017 | 155 |
| | | | | | Black | | 303000 | 155 |

1-PHASE LED COB BRIDGELUX Driver included

| Power | Beam | Driver | Lumen | CCT | Finish | | Code | € |
|-------|--------|--------|---------|--------|--------|--|--------|---------------------|
| 25 W | 20-55° | On-Off | 2500 lm | 3000 K | Black | | 342740 | 85 new |




SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | On/Off | White | | 170145 | 23 |
| No | | Black | | 170152 | 23 |



Light beam: from SPOT to WIDE




CRI≥90 25W 20-55° 2500lm 3000K




Pov

| | | | |
|-------------------|---------|------------------|----------|
| Source | LED COB | CRI | ≥95 |
| Power | 22W | LED life | 30.000 h |
| Driver included | On/Off | Insulation class | II |
| Drivers available | No | IP | 20 |
| Track | 3-Phase | Material | Aluminum |
| MacAdam | SDCM 3 | Warranty | 5 years |
| CCT | 3000 K | | |



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 22 W | 36° | 2000 lm | 3000 K | White | | 296340 | 135 |
| | | | | Black | | 296333 | 135 |



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 22 W | 36° | 2000 lm | 3000 K | White | | 296364 | 135 |
| | | | | Black | | 296357 | 135 |



[Link 3-Phase - Page 708](#)



Light beam: **ACCENT**



| m | lx | ø m |
|---|------|------|
| 1 | 3646 | 0,65 |
| 2 | 911 | 1,30 |
| 3 | 405 | 1,90 |
| 4 | 228 | 2,60 |
| 5 | 146 | 3,20 |




CRI≥95 22W 36° 1750lm 3000K





Spot - Mouse Track



0,250 Kg/0,0016 m³

GU10 Not included - Recommended bulb 108292

| Power | Track | Finish | | Code | € |
|---------|---------|--------|--|--------|--------|
| max 28W | 3-Phase | White | | 229706 | 47 |
| | | Black | | 229720 | 47 |
| | 1-Phase | Black | | 337517 | 47 new |


IP20



P. 316



P. 412



0,300 Kg/0,0027 m³

GU10 Not included - Recommended bulb 108292

| Power | Track | Finish | | Code | € |
|---------|---------|--------|--|--------|----|
| max 50W | 3-Phase | White | | 229768 | 44 |
| | | Black | | 229782 | 44 |

IP20



P. 316



P. 412



SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | On/Off | White | | 170145 | 23 |
| | | Black | | 170152 | 23 |




Link 3-Phase - Page 708



Link 1-Phase - Page 714



Glim Track



0,320 Kg/0,0180 m³

GU10 Bulbs LED GU10 10W 3000 K included. Code **189031**

IP20

| Power | Track | Finish | Code | € |
|---------|---------|--------|--------|----|
| max 50W | 3-Phase | White | 229676 | 95 |
| | | Black | 229683 | 95 |



P. 321



SINGLE CONNECTION


| Required | Driver | Finish | Code | € |
|----------|--------|--------|--------|----|
| No | On/Off | White | 170145 | 23 |
| | | Black | 170152 | 23 |



Link 3-Phase - Page 708



Byte



0,200 Kg/0,0013 m³

GU10 Bulbs LED GU10 7W 3000 K included. Code **123943**



| Power | Track | Finish | | Code | € |
|---------|---------|--------|--|--------|---------------|
| max 28W | 3-Phase | White | | 274508 | 36 |
| | | Black | | 274515 | 36 |
| | 1-Phase | Black | | 337524 | 36 <i>new</i> |



SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|----------|--------|--------|--|--------|----|
| No | On/Off | White | | 170145 | 23 |
| | | Black | | 170152 | 23 |




Link 3-Phase - Page 708



Link 1-Phase - Page 714



Spike new



0,370 Kg/0,0027 m³

GX53 Bulbs LED GX53 9W 3000K CRI80 included. Code **123936**



IP20

| Power | Track | Finish | Code | € |
|--------|---------|--------|--------|---|
| max 9W | 3-Phase | White | 344942 | 60 new |
| | | Black | 336626 | 60 new |



SINGLE CONNECTION


| Required | Driver | Finish | Code | € |
|----------|--------|--------|--------|----|
| No | On/Off | White | 170145 | 23 |
| | | Black | 170152 | 23 |





P. 308



Link 3-Phase - Page 708





GU10 Bulbs LED GU10 7W 3000 K included. Code **123943**

| Power | Track | Finish | | Code | € |
|---------|----------------|--------|--|---------------|-----------|
| max 28W | 3-Phase | White |  | 231662 | 80 |
| | | Black |  | 231631 | 80 |

0,930 Kg/0,0037 m³



SINGLE CONNECTION

| Required | Driver | Finish | | Code | € |
|-----------|---------------|--------|---|---------------|-----------|
| No | On/Off | White |  | 170145 | 23 |
| | | Black |  | 170152 | 23 |



Link 3-Phase - Page 708



P. 078



P. 300



P. 381



P. 506



Display ^{new}

Varnished aluminum linear projector for LINK three-phase track, white or black finish, PMMA diffuser. Available modules: WIDE diffusing module, microprismatized UGR module and ACCENT module (UGR<16). SMD LED Technology, CCT 2700 K, 3000 K o 4000 K; CRI \geq 90, SDCM \leq 3; LED useful life 50.000 h L70B50.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR <16 (Accent), <22 (UGR).

| | |
|-------------------|--------------------------|
| Source | LED SMD |
| Power | 14W / 40W |
| Driver included | On/Off |
| Drivers available | No |
| Track | 3-Phase |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | \geq 90 |
| UGR | <16 (Accent) / <22 (UGR) |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |




Link 3-Phase - Page 708






Display Accent



0,750 Kg/0,0035 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 14 W | 60° | 1250 lm | 2700 K | White | | 339894 | 242 new |
| | | | | Black | | 339887 | 242 new |
| | | 1350 lm | 3000 K | White | | 283593 | 242 |
| | | | | Black | | 283609 | 242 |
| | | 1600 lm | 4000 K | White | | 283616 | 242 |
| | | | | Black | | 283623 | 242 |



1,120 Kg/0,0112 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 28 W | 60° | 2700 lm | 3000 K | White | | 283524 | 380 |
| | | | | Black | | 276267 | 380 |
| | | 3200 lm | 4000 K | White | | 283531 | 380 |
| | | | | Black | | 283548 | 380 |




1,570 Kg/0,0173 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 42 W | 60° | 3750 lm | 3000 K | White | | 283555 | 525 |
| | | | | Black | | 283562 | 525 |
| | | 4350 lm | 4000 K | White | | 283579 | 525 |
| | | | | Black | | 283586 | 525 |




Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 1330 | 1,20 |
| 2 | 332 | 2,40 |
| 3 | 148 | 3,50 |
| 4 | 83 | 4,70 |
| 5 | 53 | 5,90 |



| m | lx | ø m |
|---|------|------|
| 1 | 2453 | 1,30 |
| 2 | 613 | 2,50 |
| 3 | 273 | 3,80 |
| 4 | 153 | 5,00 |
| 5 | 96 | 6,30 |



| m | lx | ø m |
|---|------|------|
| 1 | 3598 | 1,30 |
| 2 | 900 | 2,50 |
| 3 | 400 | 3,80 |
| 4 | 225 | 5,00 |
| 5 | 144 | 6,30 |



CRI≥90 14W 60° 1350lm 3000K

CRI≥90 28W 60° 2700lm 3000K

CRI≥90 42W 60° 3750lm 3000K



Display Accent 535 mm




Display Accent 1065 mm



Display Accent 1595 mm




Display Wide



0,550 Kg/0,0035 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 21W | 125° | 2100 lm | 2700 K | White | | 340012 | 200 new |
| | | | | Black | | 340005 | 200 new |
| | | 2550 lm | 3000 K | White | | 283753 | 200 |
| | | | | Black | | 283760 | 200 |
| | | 2800 lm | 4000 K | White | | 276274 | 200 |
| | | | | Black | | 283777 | 200 |




0,900 Kg/0,0047 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----------------------|
| 40 W | 125° | 4200 lm | 2700 K | White | | 340036 | 305 new |
| | | | | Black | | 340029 | 305 new |
| | | 4600 lm | 3000 K | White | | 283722 | 305 |
| | | | | Black | | 283050 | 305 |
| | | 5050 lm | 4000 K | White | | 283739 | 305 |
| | | | | Black | | 283746 | 305 |




Light beam: WIDE



| m | lx | ø m |
|---|-----|-------|
| 1 | 473 | 5,20 |
| 2 | 118 | 6,50 |
| 3 | 53 | 9,70 |
| 4 | 30 | 13,00 |
| 5 | 19 | 16,00 |



| m | lx | ø m |
|---|-----|-------|
| 1 | 897 | 3,10 |
| 2 | 224 | 6,10 |
| 3 | 100 | 9,20 |
| 4 | 56 | 12,00 |
| 5 | 36 | 15,00 |



CRI≥80 21W 125° 2550lm 3000K

CRI≥80 40W 125° 4600lm 3000K




Display Wide 565 mm



Display Wide 1125 mm




Display UGR



0,400 Kg/0,0064 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 14 W | 70° | 1750 lm | 3000 K | White | | 283685 | 212 |
| | | | | Black | | 283692 | 212 |
| | | 1800 lm | 4000 K | White | | 283708 | 212 |
| | | | | Black | | 283715 | 212 |



1,120 Kg/0,0112 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 25 W | 70° | 3550 lm | 3000 K | White | | 283647 | 335 |
| | | | | Black | | 283630 | 335 |
| | | 3650 lm | 4000 K | White | | 276281 | 335 |
| | | | | Black | | 283258 | 335 |




1,570 Kg/0,0173 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 40 W | 70° | 5350 lm | 3000 K | White | | 283654 | 470 |
| | | | | Black | | 283067 | 470 |
| | | 5500 lm | 4000 K | White | | 283661 | 470 |
| | | | | Black | | 283678 | 470 |




Light beam: WIDE




| m | lx | ø m |
|---|-----|------|
| 1 | 854 | 1,40 |
| 2 | 213 | 2,80 |
| 3 | 95 | 4,20 |
| 4 | 53 | 5,70 |
| 5 | 34 | 7,10 |




CRI≥90 14W 70° 1750lm 3000K



| m | lx | ø m |
|---|------|------|
| 1 | 1636 | 1,40 |
| 2 | 409 | 2,80 |
| 3 | 182 | 4,20 |
| 4 | 102 | 5,70 |
| 5 | 65 | 7,10 |




CRI≥90 25W 70° 3550lm 3000K



| m | lx | ø m |
|---|------|------|
| 1 | 2419 | 1,40 |
| 2 | 605 | 2,80 |
| 3 | 269 | 4,20 |
| 4 | 151 | 5,70 |
| 5 | 97 | 7,10 |



CRI≥90 40W 70° 5350lm 3000K



Display UGR 535 mm



Display UGR 1065 mm



Display UGR 1595 mm



Link 3-Phase



Three-phase electrified track with extruded aluminum profile; black or white powder coated, optimized for standard 3-Phase or equivalent projectors; available in ceiling, suspension or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm modules length. Ideal for installation in big spaces where flexibility and long connection distances are required, for example MUSEUM, COMMERCIAL and RETAIL spaces.

| | |
|------------------|----|
| Insulation class | I |
| IP | 20 |





Link 3-Phase Trimless On/Off



TRACK

| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|----|
| 1000 mm | 0,94 Kg | 0,0016 m³ | White | 243269 | 30 |
| | | | Black | 243252 | 30 |
| 2000 mm | 1,72 Kg | 0,0074 m³ | White | 187976 | 60 |
| | | | Black | 187983 | 60 |
| 3000 mm | 2,55 Kg | 0,0110 m³ | White | 187990 | 95 |
| | | | Black | 188003 | 95 |



KIT SURFACE



SUSPENSION KIT



END CAP


| Required | N° Cables | Cables Length | Finish | Code | € |
|--------------------|-----------|---------------|--------|--------|----|
| Yes - 1Kitx1000 mm | | | White | 169972 | 5 |
| | | | Black | 169989 | 5 |
| Yes - 1Kitx1000 mm | 1 | 3000 mm | White | 242705 | 13 |
| | | | Black | 243283 | 13 |
| | 1 | 5000 mm | White | 243245 | 15 |
| | | | Black | 243238 | 15 |
| Yes | | | White | 169613 | 2 |
| | | | Black | 169620 | 2 |



MAIN CONNECTOR END

0,060 Kg/0,0002 m³


| | | |
|--------|---|-----|
| 169583 | L | € 9 |
| 169576 | R | € 9 |
| 169590 | R | € 9 |
| 169606 | R | € 9 |



MAIN CONNECTOR MIDDLE

0,120 Kg/0,0004 m³


| | |
|--------|------|
| 227580 | € 17 |
| 227597 | € 17 |



MAIN CONNECTOR CORNER

0,110 Kg/0,0005 m³


| | | |
|--------|---|------|
| 169705 | L | € 17 |
| 169712 | R | € 17 |
| 169736 | R | € 17 |
| 169729 | R | € 17 |



ELECTRIFIED CONNECTOR

0,030 Kg/0,0001 m³

| | |
|--------|-----|
| 169637 | € 7 |
| 169644 | € 7 |





TRACK ADAPTOR

0,080 Kg/0,0002 m³

| | |
|--------|-----|
| 194257 | € 9 |
| 194301 | € 9 |

Link 3-Phase Trimless DALI - 1-10V



TRACK

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|--|--------|-----|
| 1000 mm | 0,94 Kg | 0,0016 m³ | White | | 246468 | 38 |
| | | | Black | | 246451 | 38 |
| 2000 mm | 1,93 Kg | 0,0032 m³ | White | | 247007 | 80 |
| | | | Black | | 246901 | 80 |
| 3000 mm | 2,87 Kg | 0,0048 m³ | White | | 247625 | 115 |
| | | | Black | | 247618 | 115 |



KIT SURFACE




SUSPENSION KIT



END CAP


| Required | N° Cables | Cables Length | Finish | Code | € |
|-----------------------|-----------|---------------|--------|--------|----|
| Yes - 1 Kit x 1000 mm | | | White | 169972 | 5 |
| | | | Black | 169989 | 5 |
| Yes - 1 Kit x 1000 mm | 1 | 3000 mm | White | 242705 | 13 |
| | | | Black | 243283 | 13 |
| | 1 | 5000 mm | White | 243245 | 15 |
| | | | Black | 243238 | 15 |
| Yes | | | White | 169613 | 2 |
| | | | Black | 169620 | 2 |



MAIN CONNECTOR END

0,079 Kg/0,0002 m³


| | | | |
|--------|--|---|------|
| 246529 | | L | € 13 |
| 246512 | | L | € 13 |
| 246543 | | R | € 13 |
| 246536 | | R | € 13 |



MAIN CONNECTOR MIDDLE

0,129 Kg/0,0004 m³


| | | |
|--------|--|------|
| 246581 | | € 25 |
| 246574 | | € 25 |



MAIN CONNECTOR CORNER

0,130 Kg/0,0006 m³

| | | | |
|--------|--|---|------|
| 246604 | | L | € 25 |
| 246598 | | L | € 25 |
| 246628 | | R | € 25 |
| 246611 | | R | € 25 |



ELECTRIFIED CONNECTOR

0,050 Kg/0,0001 m³

| | | |
|--------|--|-----|
| 246567 | | € 9 |
| 246550 | | € 9 |





TRACK ADAPTOR

0,063 Kg/0,0003 m³

| | | |
|--------|--|------|
| 246505 | | € 15 |
| 246499 | | € 15 |

Link 3-Phase Trim On/Off




TRACK

| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|----|
| 2000 mm | 1,92 Kg | 0,0132 m³ | White | 188010 | 60 |
| | | | Black | 188027 | 60 |



| Required | Finish | Code | € |
|-----------------------|----------|--------|---|
| Yes - 1 Kit x 1000 mm | Aluminum | 188195 | 5 |
| Yes | White | 169613 | 2 |
| | Black | 169620 | 2 |




MAIN CONNECTOR END

| | |
|--------------------|--|
| 0,070 Kg/0,0002 m³ | |
| 188072 L € 7 | |
| 188089 L € 7 | |
| 188058 R € 7 | |
| 188065 R € 7 | |



MAIN CONNECTOR MIDDLE

| | |
|--------------------|--|
| 0,130 Kg/0,0004 m³ | |
| 227689 € 15 | |
| 227672 € 15 | |



MAIN CONNECTOR CORNER

| | |
|--------------------|--|
| 0,120 Kg/0,0006 m³ | |
| 188119 L € 15 | |
| 188126 L € 15 | |
| 188096 R € 15 | |
| 188102 R € 15 | |



ELECTRIFIED CONNECTOR



| | |
|--------------------|--|
| 0,030 Kg/0,0001 m³ | |
| 169637 € 7 | |
| 169644 € 7 | |



TRACK ADAPTOR

| | |
|--------------------|--|
| 0,080 Kg/0,0002 m³ | |
| 194257 € 9 | |
| 194301 € 9 | |

Link 3-Phase Trim DALI - 1-10V




TRACK

| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|----|
| 2000 mm | 2,11 Kg | 0,0048 m³ | White | 246895 | 75 |
| | | | Black | 249629 | 75 |



KIT RECESSED END CAP


| Required | Finish | Code | € |
|-----------------------|----------|--------|---|
| Yes - 1 Kit x 1000 mm | Aluminum | 188195 | 6 |
| Yes | White | 169613 | 2 |
| | Black | 169620 | 2 |



MAIN CONNECTOR END

0,089 Kg/0,0004 m³


| | | |
|--------|-------|------|
| 256085 | White | € 10 |
| 256078 | Black | € 10 |
| 256146 | White | € 10 |
| 256122 | Black | € 10 |



MAIN CONNECTOR MIDDLE

0,150 Kg/0,0005 m³

| | | |
|--------|-------|------|
| 256115 | White | € 25 |
| 256092 | Black | € 25 |



MAIN CONNECTOR CORNER

0,150 Kg/0,0006 m³

| | | |
|--------|-------|------|
| 256030 | White | € 25 |
| 255996 | Black | € 25 |
| 256061 | White | € 25 |
| 256047 | Black | € 25 |



ELECTRIFIED CONNECTOR

0,050 Kg/0,0001 m³

| | | |
|--------|-------|-----|
| 246567 | White | € 9 |
| 246550 | Black | € 9 |



TRACK ADAPTOR

0,063 Kg/0,0003 m³

| | | |
|--------|-------|------|
| 246505 | White | € 15 |
| 246499 | Black | € 15 |

Link 1-Phase new



Single-phase electrified track with extruded aluminum profile; black powder coated; available in ceiling or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm length. Ideal for installation in environments where flexibility and compactness are required, for example RESIDENTIAL, COMMERCIAL and RETAIL spaces.

| | |
|------------------|----|
| Insulation class | I |
| IP | 20 |








Link 1-Phase Surface On/Off




TRACK No mounting kit required, direct ceiling installation.

| Length | Weight | Volume | Finish | | Code | € |
|---------|---------|-----------|--------|---|--------|---------------------|
| 1000 mm | 0,42 Kg | 0,0007 m³ | Black |  | 337371 | 13 new |
| 2000 mm | 0,83 Kg | 0,0017 m³ | Black |  | 342801 | 24 new |
| 3000 mm | 1,22 Kg | 0,0022 m³ | Black |  | 344973 | 35 new |





END CAP

| Required | Finish | Code | € |
|----------|--------|--------|--------------------|
| Yes | Black | 337395 | 3 new |





MAIN CONNECTOR

0,060 Kg/0,0001 m³
337388  € 3 new





MAIN CONNECTOR MIDDLE

0,070 Kg/0,0001 m³
337425  € 5 new




LINEAR CONNECTOR



0,040 Kg/0,0001 m³
337418  € 3 new



MAIN CONNECTOR CORNER

0,060 Kg/0,0001 m³
337401  € 3 new

Link 1-Phase Recessed On/Off




TRACK

| Length | Weight | Volume | Finish | Code | € |
|---------|---------|-----------|--------|--------|---------------------|
| 1000 mm | 0,49 Kg | 0,0013 m³ | Black | 342818 | 17 new |
| 2000 mm | 0,94 Kg | 0,0027 m³ | Black | 342825 | 32 new |
| 3000 mm | 1,39 Kg | 0,0041 m³ | Black | 344966 | 47 new |




KIT RECESSED END CAP

| Required | Finish | Code | € |
|-----------------------|----------|--------|--------------------|
| Yes - 1 Kit x 1000 mm | Aluminum | 188195 | 6 |
| Yes | Black | 337395 | 3 new |




MAIN CONNECTOR

0,070 Kg/0,0001 m³
342832 ■ € 3 new



LINEAR CONNECTOR

0,040 Kg/0,0001 m³
342856 ■ € 3 new



MAIN CONNECTOR CORNER

0,100 Kg/0,0001 m³
342849 ■ € 4 new





























Recessed lights

Indoors

Alphabetical index

| | |
|-----------|-----|
| Basic | 770 |
| Bento | 728 |
| Blues | 796 |
| Deep | 768 |
| Dynamic | 734 |
| Funky | 794 |
| Game | 742 |
| Groove | 776 |
| Jazz | 794 |
| Led Panel | 782 |
| Lika | 784 |
| Lounge | 794 |
| Nova | 780 |
| Off | 764 |
| One | 756 |
| Play | 778 |
| Polka | 797 |
| Quark | 760 |
| Room-65 | 795 |
| Samba | 792 |
| Swing | 794 |
| Tag | 754 |
| Virus | 758 |
| Walky | 799 |
| Zephyr | 798 |
| Zeus | 720 |

Typology index

| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| Zeus 720 | Bento 728 | Dynamic 734 | Game 742 | Tag 754 |
|  |  |  |  |  |
| One 756 | Virus 758 | Quark 760 | Off 764 | Deep 768 |
|  |  |  |  |  |
| Basic 770 | Groove 776 | Play 778 | Nova 780 | Led Panel 782 |
|  |  |  |  |  |
| Lika 784 | Samba 792 | Jazz 794 | Swing 794 | Lounge 794 |
|  |  |  |  |  |
| Funky 794 | Room-65 795 | Blues 796 | Polka 797 | Zephyr 798 |
|  | | | | |
| Walky 799 | | | | |

Zeus

Modular system of recessed elements consisting of an adjustable source, reflector and round or square ring, with optional shielding lenses and accessories; white and black finish; ring available in TRIM version with frame or TRIMLESS without frame for installation in plasterboard false ceilings; two different emission angles to choose from. Light source with integrated COB LED technology, available with a color temperature of 2700 K, 3000 K or 4000K and high color rendering CRI ≥ 90 ; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions. Suitable for installations in indoor environments in the SERVICES and RETAIL sectors.

PRO

High-tech product with high quality materials, intended for professional use.


UGR

Product with UGR <19.

| | |
|-------------------|--------------------------|
| Source | LED COB |
| Power | 13W / 21W |
| Driver included | On/Off |
| Drivers available | 1-10V / DALI / Push |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥ 90 |
| UGR | <19 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |












LENS 20°



FILTER HONEYCOMB

| Required | Model | Finish | | Code | € |
|----------|-------|--------|---|--------|---|
| No | 13 W | Clear |  | 323688 | 4 |
| | 21 W | Clear |  | 323985 | 6 |
| No | 13 W | Black |  | 323671 | 4 |
| | 21 W | Black |  | 323961 | 6 |

Zeus - Source




0,300 Kg/0,0014 m³

LED COB CITIZEN Required - Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | Code | € |
|-------|------|---------|--------|--------|--------|----|
| 13W | 40° | 980 lm | 2700 K | Grey | 324807 | 65 |
| | | 1020 lm | 3000 K | Grey | 324814 | 65 |
| | | 1050 lm | 4000 K | Grey | 324821 | 65 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|-----------|-------|--------|-----------------|--------|----|
| 1-10V | 21W | 350 mA | 122x25x40 mm | 324906 | 25 |
| DALI/Push | 20 W | 350 mA | 120x29x51 mm | 324913 | 70 |



0,590 Kg/0,0029 m³

LED COB CITIZEN Required - Driver ON/OFF included


| Power | Beam | Lumen | CCT | Finish | Code | € |
|-------|------|---------|--------|--------|--------|-----|
| 21W | 40° | 1900 lm | 2700 K | Grey | 324838 | 105 |
| | | 2000 lm | 3000 K | Grey | 324845 | 105 |
| | | 2200 lm | 4000 K | Grey | 324852 | 105 |

DIMMABLE DRIVER* Optional


| | Power | Output | Measure (LxHxW) | Code | € |
|------------|-------|--------|-----------------|--------|----|
| 1-10V/Push | 20 W | 500 mA | 110x22x52 mm | 324920 | 60 |
| DALI/Push | 20 W | 500 mA | 120x29x51 mm | 324937 | 70 |



Light beam: ACCENT



| m | lx | øm |
|---|------|------|
| 1 | 1714 | 0,76 |
| 2 | 429 | 1,50 |
| 3 | 190 | 2,30 |
| 4 | 107 | 3,10 |
| 5 | 69 | 3,80 |



| m | lx | øm |
|---|------|------|
| 1 | 3174 | 0,81 |
| 2 | 794 | 1,60 |
| 3 | 353 | 2,40 |
| 4 | 198 | 3,20 |
| 5 | 127 | 4,00 |



CRI≥90 13W 40° 10201m 3000K



CRI≥90 21W 40° 20001m 3000K


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 40° included.

Zeus Round

FRAME TRIM

13 W



| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 324869 | 15 |
| Black |  | 323527 | 15 |




① 70 mm

0,100 Kg/0,0005 m³

21 W

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 324883 | 18 |
| Black |  | 324005 | 18 |





① 100 mm

0,130 Kg/0,0010 m³

FRAME TRIMLESS

13 W


| Finish | | Code | € |
|--------|--|--------|----|
| White |  | 323541 | 18 |




① 73 mm

0,120 Kg/0,0005 m³

21 W

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 323725 | 35 |







① 105 mm

0,160 Kg/0,0008 m³

REFLECTOR Required




13 W


| Finish | | Code | € |
|--------|---|--------|---|
| White |  | 323589 | 8 |
| Black |  | 323619 | 8 |
| Gold |  | 323602 | 8 |



0,030 Kg/0,0003 m³

21 W

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 323763 | 12 |
| Black |  | 323770 | 12 |
| Gold |  | 323794 | 12 |





0,040 Kg/0,0007 m³




Zeus Square

FRAME TRIM

13 W


| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 324876 | 15 |
| Black |  | 323534 | 15 |

21W


| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 324890 | 18 |
| Black |  | 323718 | 18 |

FRAME TRIMLESS

13 W




| Finish | | Code | € |
|--------|--|--------|----|
| White |  | 323558 | 18 |

21W




| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 323732 | 35 |







REFLECTOR Required

13 W

| Finish | | Code | € |
|--------|---|--------|---|
| White |  | 323633 | 8 |
| Black |  | 323657 | 8 |
| Gold |  | 323640 | 8 |

21W

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 323800 | 12 |
| Black |  | 323817 | 12 |
| Gold |  | 323831 | 12 |





Bento

Modular system of recessed elements consisting of an adjustable source, reflector and ring, with optional shielding lenses and accessories; black and white finish; recessed ring available in single round or square shape, or rectangular in double or triple version for the installation of multiple and independent sources; optional anti-glare band for backward movement of the source in non-adjustable mode; selection of three different emission angles. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K; Energy efficient LED with high color rendering; CRI ≥ 90 ; initial binning ≤ 3 - Step MacAdam; insulation class II; LED life 50,000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is ideal for DOMESTIC, MANAGERIAL and RETAIL indoor installations.

PRO

High-tech product with high quality materials, intended for professional use.


UGR











Product with UGR <19.

| | |
|-------------------|---------------------|
| Source | LED COB |
| Power | 9W / 13W |
| Driver included | On/Off |
| Drivers available | 1-10V / DALI / Push |
| MacAdam | SDCM 3 |
| CCT | 3000 K |
| CRI | ≥ 90 |
| UGR | <19 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |









| | | Required | Beam | Finish | | Code | € |
|---|------------------|----------|------|--------|---|--------|---|
|  | LENS | No | 18° | Clear |  | 287942 | 4 |
| | | | 45° | Clear |  | 279626 | 4 |
|  | FILTER HONEYCOMB | No | | Black |  | 279718 | 4 |
|  | DIFFUSER | No | | Black |  | 279725 | 3 |
|  | ANTI-GLARE RING | No | | White |  | 288147 | 3 |
| | | | | Black |  | 279695 | 3 |

Bento - Source




LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | Code | € |
|-------|------|--------|--------|--------|--------|----|
| 9W | 36° | 750 lm | 3000 K | Black | 279596 | 45 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|-------------|-------|--------|------------------|--------|----|
| 1-10V | 12 W | 250 mA | 122 x 25 x 40 mm | 287843 | 35 |
| DALI / Push | 20 W | 250 mA | 120 x 29 x 51 mm | 287850 | 87 |



LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


| Power | Beam | Lumen | CCT | Finish | Code | € |
|-------|------|---------|--------|--------|--------|----|
| 13 W | 36° | 1000 lm | 3000 K | Black | 279602 | 50 |

DIMMABLE DRIVER* Optional


| | Power | Output | Measure (LxHxW) | Code | € |
|--------------|-------|--------|------------------|--------|----|
| 1-10V / Push | 20 W | 350 mA | 108 x 22 x 52 mm | 287867 | 75 |
| DALI / Push | 20 W | 350 mA | 120 x 29 x 51 mm | 287874 | 80 |



Light beam: **ACCENT**



CRI≥90 9W 36° 750lm 3000K



CRI≥90 13W 36° 1000lm 3000K





* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 36° included.


Bento - Frame and Reflector



0,020 Kg/0,0001 m³



ROUND - REFLECTOR Required


| Finish | | Code | € |
|--------|---|--------|---|
| White |  | 279633 | 6 |
| Black |  | 279640 | 6 |



0,060 Kg/0,0007 m³


ROUND - FRAME SINGLE Required


| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 287898 | 12 |
| Black |  | 287881 | 12 |



0,020 Kg/0,0001 m³



SQUARE - REFLECTOR Required


| Finish | | Code | € |
|--------|---|--------|---|
| White |  | 279671 | 8 |
| Black |  | 279688 | 8 |



0,050 Kg/0,0002 m³



SQUARE - FRAME SINGLE Required


| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 287911 | 14 |
| Black |  | 287904 | 14 |



0,110 Kg/0,0004 m³



SQUARE - FRAME TWIN Required

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 287935 | 24 |
| Black |  | 280233 | 24 |



0,300 Kg/0,0006 m³

SQUARE - FRAME TRIPLE Required

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 287928 | 30 |
| Black |  | 280240 | 30 |



Dynamic

Modular system of aluminum recessed elements consisting of source, reflector and seal, with lenses and optional screens; white, black finish; possible recess of round or square shape, three different emission angles options. Light source with integrated LED COB technology for maximum efficiency, available with a color temperature of 2700 K, 3000 K or 4000 K; Energy efficient LED with high color rendering; CRI ≥ 90 ; starting binning ≤ 3 -Step MacAdam; front protection IP54 (after installation of the product); insulation class II; LED useful life 50.000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is optimal for installation in DOMESTIC, MANAGERIAL and RETAIL indoor locations.

PRO

High-tech product with high quality materials, intended for professional use.

UGR


Product with UGR < 19 .

IP54



Protection degree IP54.

| | |
|-------------------|--------------------------|
| Source | LED COB |
| Power | 9W / 10W / 15W |
| Driver included | On/Off |
| Drivers available | 1-10V / DALI / Push |
| MacAdam | SDCM 3 |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥ 90 |
| UGR | < 19 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 54 |
| Material | Aluminum |
| Warranty | 5 years |






GU10 ADAPTOR WITH
LAMPHOLDER
INCLUDED - IP20

| Required | Finish | | Code | € |
|----------|--------|---|--------|----|
| No | White |  | 208640 | 17 |
| | Black |  | 208657 | 17 |




Light beam: **ACCENT**



| m | lx | øm |
|---|------|------|
| 1 | 1653 | 0,72 |
| 2 | 413 | 1,44 |
| 3 | 184 | 2,16 |
| 4 | 103 | 2,88 |
| 5 | 66 | 3,60 |




CRI≥90 9W 35° 9501m 3000K



| m | lx | øm |
|---|------|------|
| 1 | 1643 | 0,66 |
| 2 | 410 | 1,32 |
| 3 | 182 | 1,98 |
| 4 | 102 | 2,64 |
| 5 | 65 | 3,30 |



CRI≥90 10W 35° 10501m 3000K




| m | lx | øm |
|---|------|------|
| 1 | 2294 | 0,64 |
| 2 | 573 | 1,29 |
| 3 | 254 | 1,93 |
| 4 | 143 | 2,58 |
| 5 | 91 | 3,23 |



CRI≥90 15W 35° 15501m 3000K

Dynamic - Source




0,180 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|----|
| 9 W | 35° | 930 lm | 2700 K | Black | ■ | 252971 | 45 |
| | | 950 lm | 3000 K | Black | ■ | 252988 | 45 |
| | | 1000 lm | 4000 K | Black | ■ | 252995 | 45 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|-----------|-------|--------|------------------|--------|-----|
| 1-10V | 12 W | 200 mA | 125 x 27 x 45 mm | 253008 | 50 |
| DALI/Push | 9 W | 200 mA | 135 x 20 x 30 mm | 253015 | 120 |




0,150 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|----|
| 10 W | 35° | 1030 lm | 2700 K | Black | ■ | 208541 | 65 |
| | | 1050 lm | 3000 K | Black | ■ | 208558 | 65 |
| | | 1100 lm | 4000 K | Black | ■ | 208565 | 65 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|-----------|-------|--------|------------------|--------|-----|
| 1-10V | 10 W | 250 mA | 135 x 20 x 30 mm | 216317 | 30 |
| DALI/Push | 17 W | 250 mA | 130 x 30 x 43 mm | 216027 | 110 |



0,350 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|----|
| 15 W | 35° | 1500 lm | 2700 K | Black | ■ | 208572 | 90 |
| | | 1550 lm | 3000 K | Black | ■ | 208589 | 90 |
| | | 1650 lm | 4000 K | Black | ■ | 208596 | 90 |


DIMMABLE DRIVER* Optional


| | Power | Output | Measure (LxHxW) | Code | € |
|-----------|-------|--------|------------------|--------|-----|
| 1-10V | 20 W | 350 mA | 101 x 29 x 51 mm | 216324 | 65 |
| DALI/Push | 17 W | 350 mA | 130 x 30 x 43 mm | 216263 | 115 |

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 35° included.

Dynamic Round









35

73

0,020 Kg/0,0002 m³

REFLECTOR Required

SYMMETRICAL

| Finish | | Code | € |
|--------|---|--------|---|
| White |  | 211787 | 8 |
| Black |  | 211794 | 8 |







38

95

① 80 mm



0,060 Kg/0,0004 m³

FRAME Required

| Finish | | Code | € |
|--------|---|--------|----|
| White |  | 208695 | 17 |
| Black |  | 208701 | 17 |




Dynamic Square




REFLECTOR Required
SYMMETRICAL

| Finish | | Code | € |
|--------|--|--------|---|
| White | | 211817 | 8 |
| Black | | 211824 | 8 |



FRAME Required

| Finish | | Code | € |
|--------|--|--------|----|
| White | | 208725 | 19 |
| Black | | 208732 | 19 |



Game ^{new}

Die-cast aluminum recessed spotlight with round or square ring, suitable for installation on plasterboard or paneled ceilings. Available finishes: matt silver, matt white RAL 9001, matt black RAL 9011 and matt gold RAL 1032. Available versions: with external frame (TRIM), retractable without frame for plasterboard (TRIMLESS), or with frame and improved frontal protection (IP65). COB LED technology; available in 2700K, 3000K or 4000K color temperature; SMD LED technology, CCT 2700K, 3000K or 4000K; color rendering index CRI \geq 90, starting binning \leq 3Step MacAdam; IP20 protection; insulation class II; LED useful life 50,000 h L70B50. Dimmable 1-10V, DALI and PUSH versions available. Due to its compact size and great versatility it is ideal for installations in RESIDENTIAL, COMMERCIAL and RETAIL indoor environments.




Product with UGR <19.

| | |
|-------------------|--------------------------|
| Source | LED COB |
| Power | 5W / 11W / 20W |
| Driver included | On/Off |
| Drivers available | 1-10V/Push / DALI/Push |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | \geq 90 |
| UGR | <19 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 20 / 65 |
| Material | Aluminum |
| Warranty | 5 years |






Game Trim Round



⌀ 50 mm
0,200 Kg/0,0009 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|--------|
| 5 W | 36° | 650 lm | 3000 K | White | + | 337142 | 35 new |
| | | | | Gold | + | 349084 | 35 new |




⌀ 50 mm
0,200 Kg/0,0009 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|--------|
| 5 W | 36° | 650 lm | 3000 K | Black | + | 349060 | 35 new |
| | | | | Gold | + | 349077 | 35 new |



Light beam: ACCENT



| m | lx | Øm |
|---|------|------|
| 1 | 1125 | 0,72 |
| 2 | 281 | 1,40 |
| 3 | 125 | 2,20 |
| 4 | 70 | 2,90 |
| 5 | 45 | 3,60 |












CRI≥90 5W 36° 650lm 3000K




Game Trim Round

LED COB CREE Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € | |
|-------|---------|--------|---|---|---|--------|-----|-----|
| 11W | 36° | 900 lm | 2700 K | White |  | 285429 | 45 | |
| | | | | Gold |  | 341347 | 45 | new |
| | | | | Silver |  | 192284 | 45 | |
| | | | | White |  | 192291 | 45 | |
| | | | | Black |  | 192277 | 45 | |
| | | Gold |  | 192307 | 45 | | | |
| | 1100 lm | 4000 K | White |  | 267975 | 45 | | |
| | | | Gold |  | 341361 | 45 | new | |



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|--------|
| 11 W | 36° | 900 lm | 2700 K | Black | + | 285412 | 45 |
| | | | | Gold | + | 341330 | 45 new |
| | | | | Silver | + | 192321 | 45 |
| | | | | White | + | 192338 | 45 |
| | | | | Black | + | 192314 | 45 |
| | 36° | 950 lm | 3000 K | Gold | + | 192345 | 45 |
| | | | | Black | + | 267968 | 45 |
| | | | | Gold | + | 341354 | 45 new |
| | | | | | | | |
| | | | | | | | |

IP65


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 11 W | 36° | 950 lm | 3000 K | White | + | 313191 | 75 |
| | | | | Black | + | 327754 | 75 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|------------|-------|--------|-----------------|--------|----|
| 1-10V/Push | 20 W | 250 mA | 111x22x52 mm | 217253 | 60 |
| DALI/Push | 12 W | 250 mA | 132x20x30 mm | 202396 | 55 |



Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 1545 | 0,69 |
| 2 | 386 | 1,38 |
| 3 | 171 | 2,07 |
| 4 | 96 | 2,77 |
| 5 | 61 | 3,46 |




CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Game Trim Round



① 110 mm
0,660 Kg/0,0033 m³

LED COB BRIDGELUX

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|--------|
| 20W | 24° | 2100 lm | 2700 K | White | + | 341408 | 90 new |
| | | | | Gold | + | 341392 | 90 new |
| | | 2250 lm | 3000 K | White | + | 273174 | 90 |
| | | | | Gold | + | 341422 | 90 new |




① 110 mm
0,660 Kg/0,0033 m³

LED COB BRIDGELUX Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|--------|
| 20W | 24° | 2100 lm | 2700 K | Black | + | 341378 | 90 new |
| | | | | Gold | + | 341385 | 90 new |
| | | 2250 lm | 3000 K | Black | + | 273167 | 90 |
| | | | | Gold | + | 341415 | 90 new |



Light beam: SPOT




| m | lx | øm |
|---|------|------|
| 1 | 8645 | 0,41 |
| 2 | 2161 | 0,83 |
| 3 | 961 | 1,20 |
| 4 | 540 | 1,70 |
| 5 | 346 | 2,10 |



CRI≥90 20W 24° 2250lm 3000K




Game Trim Square



LED COB CREE Driver ON/OFF included - CRI ≥90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 11 W | 36° | 900 lm | 2700 K | White | + | 285443 | 50 |
| | | 950 lm | 3000 K | White | + | 192376 | 50 |
| | | | | Black | + | 192352 | 50 |



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 11 W | 36° | 900 lm | 2700 K | Black | + | 285436 | 50 |
| | | 950 lm | 3000 K | White | + | 192406 | 50 |
| | | | | Black | + | 192383 | 50 |

IP65


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 11 W | 36° | 950 lm | 3000 K | White | + | 313207 | 75 |
| | | | | Black | + | 327761 | 75 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|------------|-------|--------|-----------------|--------|----|
| 1-10V/Push | 20 W | 250 mA | 111x22x52 mm | 217253 | 60 |
| DALI/Push | 12 W | 250 mA | 132x20x30 mm | 202396 | 55 |



Light beam: ACCENT



| m | lx | øm |
|---|------|------|
| 1 | 1545 | 0,69 |
| 2 | 386 | 1,38 |
| 3 | 171 | 2,07 |
| 4 | 96 | 2,77 |
| 5 | 61 | 3,46 |



CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.







Game Trimless





 75 mm
 0,300 Kg/0,0011 m³



LED COB CREE Driver ON/OFF included - CRI ≥90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 11 W | 36° | 950 lm | 3000 K | White |  | 319667 | 50 |
| | | | | Black |  | 319650 | 50 |


 75 x 75 mm
 0,300 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included - CRI ≥90


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 11 W | 36° | 950 lm | 3000 K | White |  | 319681 | 50 |
| | | | | Black |  | 319674 | 50 |

DIMMABLE DRIVER* Optional


| | Power | Output | Measure (LxHxW) | Code | € |
|------------|-------|--------|-----------------|--------|----|
| 1-10V/Push | 20 W | 250 mA | 111x22x52 mm | 217253 | 60 |
| DALI/Push | 12 W | 250 mA | 132x20x30 mm | 202396 | 55 |



Light beam: **ACCENT**



| m | lx | øm |
|---|------|------|
| 1 | 1609 | 0,60 |
| 2 | 402 | 1,20 |
| 3 | 179 | 1,80 |
| 4 | 101 | 2,40 |
| 5 | 64 | 3,00 |




CRI≥80 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Tag new

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 7W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | Warranty | 5 years |
| CRI | ≥90 | | |




LED SMD Driver ON/OFF included*

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|--------|
| 7 W | 50° | 810 lm | 2700 K | White | | 344850 | 15 new |
| | | | | Black | | 344843 | 15 new |
| | | 830 lm | 3000 K | White | | 331263 | 15 new |
| | | | | Black | | 331256 | 15 new |
| | | 840 lm | 4000 K | White | | 344874 | 15 new |
| | | | | Black | | 344867 | 15 new |



Light beam: ACCENT



| m | lx | ø m |
|---|-----|------|
| 1 | 838 | 0,98 |
| 2 | 209 | 2,00 |
| 3 | 93 | 2,90 |
| 4 | 52 | 3,90 |
| 5 | 34 | 4,90 |




CRI≥90 7W 50° 830m 3000K



One

| | | | |
|-------------------|---------|------------------|----------|
| Source | LED SMD | LED life | 30.000 h |
| Power | 2W / 3W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 3000 K | Warranty | 5 years |
| CRI | ≥90 | | |




LED SMD Driver included (remote installation)*

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 2 W | 23° | 130 lm | 3000 K | White | | 274768 | 31 |

① 17 mm

0,050 Kg/0,0001 m³




LED SMD Driver included (remote installation)*

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 2 W | 30° | 130 lm | 3000 K | White | | 274775 | 37 |

① 25 mm

0,070 Kg/0,0001 m³



LED SMD Driver included (remote installation)*

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 3 W | 23° | 270 lm | 3000 K | White | | 274782 | 41 |


① 35 mm

0,100 Kg/0,0003 m³

* Measure L 38,3 x H 16,5 x W 19,3 mm



Light beam: SPOT




| m | lx | øm |
|---|-----|------|
| 1 | 372 | 0,40 |
| 2 | 93 | 0,81 |
| 3 | 41 | 1,20 |
| 4 | 23 | 1,60 |
| 5 | 15 | 2,00 |



CRI≥90 2W 23° 130lm 3000K



Light beam: SPOT




| m | lx | øm |
|---|-----|------|
| 1 | 307 | 0,53 |
| 2 | 77 | 1,10 |
| 3 | 34 | 1,60 |
| 4 | 19 | 2,10 |
| 5 | 12 | 2,70 |



CRI≥90 2W 30° 130lm 3000K



Light beam: SPOT



| m | lx | øm |
|---|-----|------|
| 1 | 866 | 0,40 |
| 2 | 216 | 0,80 |
| 3 | 96 | 1,20 |
| 4 | 54 | 1,60 |
| 5 | 35 | 2,00 |




CRI≥90 3W 23° 270lm 3000K



Virus

| | | | |
|-------------------|---------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 3W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 3000 K | Warranty | 5 years |
| CRI | ≥90 | | |




① 30 mm
0,070 Kg/0,0003 m³

LED SMD OSRAM Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 3 W | 20° | 210 lm | 3000 K | White | + | 244808 | 32 |
| | | | | Gold | + | 244822 | 32 |
| | | | | Black | + | 244846 | 32 |
| | | | | Gold | + | 244853 | 32 |



Light beam: SPOT



| m | lx | Øm |
|---|------|------|
| 1 | 1374 | 0,30 |
| 2 | 344 | 0,60 |
| 3 | 153 | 0,91 |
| 4 | 86 | 1,20 |
| 5 | 55 | 1,50 |



CRI≥90 3W 20° 210lm 3000K



244808



244822



244846




244853



Quark new



| | | | |
|-------------------|---------------|------------------|----------|
| Source | LED COB / SMD | LED life | 30.000 h |
| Power | 2,8W / 12W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 3000 K | Warranty | 5 years |
| CRI | ≥90 | | |




⌀ 18 mm

0,020 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 2,8 W | 30° | 160 lm | 3000 K | White |  | 327471 | 30 |
| | | | | Black |  | 305844 | 30 |




⌀ 25 mm

0,070 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 3 W | 25° | 230 lm | 3000 K | White |  | 327488 | 35 |
| | | | | Black |  | 305851 | 35 |



⌀ 35 mm


0,140 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|----|
| 5 W | 30° | 320 lm | 3000 K | White |  | 307756 | 50 |
| | | | | Black |  | 327495 | 50 |



Light beam: SPOT




| m | lx | ø m |
|---|------|------|
| 1 | 1220 | 0,35 |
| 2 | 305 | 0,70 |
| 3 | 136 | 1,00 |
| 4 | 76 | 1,40 |
| 5 | 49 | 1,70 |



CRI≥90 8W 30° 320lm 3000K





Quark




① 52 mm

0,210 Kg/0,0007 m³

LED COB Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|-----------------------|
| 9 W | 25° | 950 lm | 3000 K | White |  | 344836 | 55 <small>new</small> |
| | | | | Black |  | 322889 | 55 <small>new</small> |




① 45 mm

0,190 Kg/0,0007 m³

LED COB Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|-----------------------|
| 9 W | 25° | 950 lm | 3000 K | White |  | 344829 | 60 <small>new</small> |
| | | | | Black |  | 322971 | 60 <small>new</small> |




① 45 mm

0,190 Kg/0,0009 m³

LED COB Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|-----------------------|
| 12 W | 25° | 1200 lm | 3000 K | White |  | 344812 | 60 <small>new</small> |
| | | | | Black |  | 322919 | 60 <small>new</small> |



① 52 mm


0,250 Kg/0,0009 m³

LED COB Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|-----------------------|
| 12 W | 25° | 1200 lm | 3000 K | White |  | 344805 | 65 <small>new</small> |
| | | | | Black |  | 323008 | 65 <small>new</small> |



Light beam: SPOT




| m | lx | ø m |
|---|------|------|
| 1 | 2760 | 0,48 |
| 2 | 690 | 0,97 |
| 3 | 306 | 1,46 |
| 4 | 172 | 1,95 |
| 5 | 110 | 2,92 |



CRI≥90 9W 25° 950lm 3000K



Light beam: SPOT



| m | lx | ø m |
|---|------|------|
| 1 | 3914 | 0,48 |
| 2 | 978 | 0,96 |
| 3 | 434 | 1,44 |
| 4 | 244 | 1,92 |
| 5 | 156 | 2,40 |



CRI≥90 12W 25° 1200lm 3000K



322889



322889



322971

763

Off

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; front protection IP54 (after installation of the product); insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR <19.

IP54


Protection degree IP54.

| | |
|-------------------|---------------------|
| Source | LED COB |
| Power | 15W / 28W / 42W |
| Driver included | On/Off |
| Drivers available | 1-10V / DALI / Push |
| MacAdam | SDCM 3 |
| CCT | 3000 K / 4000 K |
| CRI | ≥90 |
| UGR | <19 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 54 |
| Material | Aluminum |
| Warranty | 5 years |





Off




① 100 mm

0,460 Kg/0,0021 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 15 W | 50° | 1350 lm | 3000 K | White | | 266497 | 86 |
| | | | | Black | | 266558 | 86 |
| | | 1450 lm | 4000 K | White | | 266503 | 86 |
| | | | | Black | | 266565 | 86 |




① 150 mm

0,990 Kg/0,0045 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 28 W | 60° | 2900 lm | 3000 K | White | | 266510 | 128 |
| | | | | Black | | 266572 | 128 |
| | | 3150 lm | 4000 K | White | | 266527 | 128 |
| | | | | Black | | 266589 | 128 |



① 205 mm

1,850 Kg/0,0094 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|-----|
| 42 W | 60° | 4150 lm | 3000 K | White | | 266534 | 180 |
| | | | | Black | | 266596 | 180 |
| | | 4500 lm | 4000 K | White | | 266541 | 180 |
| | | | | Black | | 266602 | 180 |

DIMMABLE DRIVER* Optional



| Model | Control | Power | Output | Measure (LxHxW) | Code | € |
|----------|------------|-------|---------|------------------|--------|-----|
| Off 15 W | 1-10V/Push | 20 W | 350 mA | 105 x 20 x 50 mm | 266657 | 70 |
| | DALI | 20 W | 350 mA | 120 x 29 x 51 mm | 266701 | 70 |
| Off 28 W | 1-10V/Push | 32 W | 700 mA | 100 x 20 x 65 mm | 266671 | 95 |
| | DALI | 32 W | 700 mA | 108 x 30 x 44 mm | 266725 | 95 |
| Off 42 W | 1-10V | 42 W | 1050 mA | 120 x 20 x 75 mm | 266688 | 115 |
| | DALI/Push | 45 W | 1050 mA | 150 x 30 x 43 mm | 266732 | 110 |





Light beam: WIDE



| m | lx | ø m |
|---|------|------|
| 1 | 1688 | 0,93 |
| 2 | 422 | 1,90 |
| 3 | 188 | 2,80 |
| 4 | 105 | 3,70 |
| 5 | 68 | 4,60 |



| m | lx | ø m |
|---|------|------|
| 1 | 2457 | 1,30 |
| 2 | 614 | 2,50 |
| 3 | 273 | 3,80 |
| 4 | 154 | 5,10 |
| 5 | 98 | 6,40 |



| m | lx | ø m |
|---|------|------|
| 1 | 3496 | 1,20 |
| 2 | 874 | 2,40 |
| 3 | 388 | 3,60 |
| 4 | 218 | 4,80 |
| 5 | 140 | 6,00 |



CRI≥90 15W 50° 1350lm 3000K

CRI≥90 28W 60° 2900lm 3000K

CRI≥90 42W 60° 4150lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Deep

| | | | |
|-------------------|-----------------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 10W / 20W / 30W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 3000 K / 4000 K | Warranty | 5 years |
| CRI | ≥90 | | |




① 90 mm

0,280 Kg/0,0015 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 10 W | 70° | 1300 lm | 3000 K | White | | 249018 | 35 |
| | | 1400 lm | 4000 K | White | | 249025 | 35 |




① 145 mm

0,360 Kg/0,0037 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 20 W | 77° | 2650 lm | 3000 K | White | | 249032 | 70 |
| | | 2850 lm | 4000 K | White | | 249049 | 70 |



① 200 mm


0,650 Kg/0,0053 m³

LED SMD Driver ON/OFF included



| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 30 W | 77° | 4000 lm | 3000 K | White | | 248783 | 90 |
| | | 4150 lm | 4000 K | White | | 248790 | 90 |





Light beam: WIDE



| m | lx | ø m |
|---|-----|------|
| 1 | 625 | 1,43 |
| 2 | 156 | 2,86 |
| 3 | 69 | 4,30 |
| 4 | 39 | 5,73 |
| 5 | 25 | 7,16 |



| m | lx | ø m |
|---|------|------|
| 1 | 1056 | 1,60 |
| 2 | 264 | 3,20 |
| 3 | 117 | 4,81 |
| 4 | 66 | 6,41 |
| 5 | 42 | 8,01 |



| m | lx | ø m |
|---|------|------|
| 1 | 1644 | 1,60 |
| 2 | 411 | 3,20 |
| 3 | 183 | 4,81 |
| 4 | 103 | 6,41 |
| 5 | 66 | 8,01 |



CRI≥80 10W 70° 1300lm 3000K

CRI≥80 20W 77° 2650lm 3000K

CRI≥80 30W 77° 4000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Basic

Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000 K and with three different optics; CRI ≥ 90 ; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.


IP44 Protection degree IP44.

| | |
|-------------------|-------------------|
| Source | LED COB / SMD |
| Power | 10,5W / 15W / 20W |
| Driver included | On/Off |
| Drivers available | No |
| MacAdam | SDCM ≤ 3 |
| CCT | 3000 K |
| CRI | ≥ 90 |
| LED life | 30.000 h |
| Insulation class | II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |






Basic Accent



LED COB PHILIPS Driver PHILIPS ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|--------|------|--------|--------|--------|--|--------|----|
| 10,5 W | 45° | 950 lm | 3000 K | White | | 193458 | 68 |

① 90 mm
0,400 Kg/0,0017 m³




LED COB PHILIPS Driver PHILIPS ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 15 W | 52° | 1400 lm | 3000 K | White | | 193465 | 85 |
| 20 W | | 2000 lm | 3000 K | White | | 193472 | 90 |


① 125 mm
0,660 Kg/0,0027 m³



Light beam: ACCENT



| m | lx | ø m |
|---|-----|------|
| 1 | 533 | 0,81 |
| 2 | 133 | 1,62 |
| 3 | 59 | 2,44 |
| 4 | 33 | 3,25 |
| 5 | 21 | 4,07 |



| m | lx | ø m |
|---|-----|------|
| 1 | 719 | 0,98 |
| 2 | 179 | 1,96 |
| 3 | 79 | 2,95 |
| 4 | 44 | 3,93 |
| 5 | 28 | 4,92 |




CRI≥90 10,5W 45° 950lm 3000K

CRI≥90 15W 52° 1400lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Basic Wide



LED SMD SAMSUNG Driver PHILIPS ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 10 W | 85° | 1100 lm | 3000 K | White | | 193519 | 65 |




LED SMD SAMSUNG Driver PHILIPS ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 15 W | 87° | 1650 lm | 3000 K | White | | 193526 | 80 |
| 20 W | | 2350 lm | 3000 K | White | | 193533 | 85 |




Light beam: WIDE



| m | lx | øm |
|---|-----|------|
| 1 | 188 | 1,84 |
| 2 | 47 | 3,69 |
| 3 | 20 | 5,54 |
| 4 | 11 | 7,39 |
| 5 | 7 | 9,24 |



| m | lx | øm |
|---|-----|------|
| 1 | 318 | 1,72 |
| 2 | 79 | 3,44 |
| 3 | 35 | 5,17 |
| 4 | 19 | 6,89 |
| 5 | 12 | 8,61 |



CRI≥90 10W 85° 1100lm 3000K


CRI≥90 15W 87° 1650lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Groove

IP20 CRI ≥80 30.000 h ALUMINUM




① 100 mm

0,220 Kg/0,0012 m³

LED SMD AND DRIVER Included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 10 W | 110° | 1250 lm | 3000 K | White | | 123974 | 29 |
| | | 1350 lm | 4000 K | White | | 147666 | 29 |




① 150 mm

0,410 Kg/0,0023 m³

LED SMD AND DRIVER Included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 20 W | 110° | 2600 lm | 3000 K | White | | 123998 | 35 |
| | | 2700 lm | 4000 K | White | | 147673 | 35 |




① 205 mm

0,660 Kg/0,0036 m³

LED SMD AND DRIVER Included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 30 W | 110° | 3800 lm | 3000 K | White | | 124018 | 46 |
| | | 4050 lm | 4000 K | White | | 147680 | 46 |




① 100 x 100 mm

0,270 Kg/0,0012 m³

LED SMD AND DRIVER Included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 10 W | 110° | 1200 lm | 3000 K | White | | 123981 | 30 |




① 150 x 150 mm

0,540 Kg/0,0023 m³

LED SMD AND DRIVER Included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 20 W | 110° | 2450 lm | 3000 K | White | | 124001 | 36 |



① 205 x 205 mm


0,850 Kg/0,0036 m³

LED SMD AND DRIVER Included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 30 W | 110° | 3900 lm | 3000 K | White | | 124025 | 49 |




Light beam: WIDE



Play

| | | | |
|-------------------|---------|------------------|----------|
| Source | LED COB | LED life | 30.000 h |
| Power | 7W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | No | Material | Aluminum |
| CCT | 3000 K | Warranty | 5 years |
| CRI | ≥90 | | |




LED COB Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 7W | 17° | 520 lm | 3000 K | White | | 258270 | 60 |
| | | | | Black | | 268088 | 60 |



Light beam: SPOT



| m | lx | Øm |
|---|------|------|
| 1 | 2632 | 0,31 |
| 2 | 658 | 0,63 |
| 3 | 292 | 0,94 |
| 4 | 164 | 1,30 |
| 5 | 105 | 1,60 |



CRI≥90 7W 17° 520lm 3000K




P. 313



Nova ^{new}

| | | | |
|-------------------|--------------------------|------------------|----------|
| Source | LED COB | LED life | 50.000 h |
| Power | 12W / 30W | Insulation class | II |
| Driver included | On/Off | IP | 20 |
| Drivers available | 1-10V / DALI / Push | Material | Aluminum |
| CCT | 2700 K / 3000 K / 4000 K | Warranty | 5 years |
| CRI | ≥90 | | |




90° 360° 90 mm
0,550 Kg/0,0016 m³

LED COB PHILIPS Driver ON/OFF included - UGR <19

| Power | Beam | Lumen | CCT | Finish | | Code | € | |
|-------|------|---------|--------|--------|--|--------|----|-----|
| 12 W | 38° | 1100 lm | 2700 K | White | | 341859 | 78 | new |
| | | | | Black | | 341842 | 78 | new |
| | | 1200 lm | 3000 K | White | | 248165 | 78 | |
| | | | | Black | | 248189 | 78 | |
| | | 1300 lm | 4000 K | White | | 267937 | 78 | |
| | | | | Black | | 267920 | 78 | |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|--------------|-------|--------|-----------------|--------|----|
| 1-10V / Push | 15 W | 300 mA | 111x22x52 mm | 243993 | 60 |
| DALI / Push | 12 W | 300 mA | 132x20x30 mm | 243986 | 55 |



90° 360° 140 mm
1,160 Kg/0,0039 m³

LED COB PHILIPS Driver ON/OFF included - UGR <22

| Power | Beam | Lumen | CCT | Finish | | Code | € | |
|-------|------|---------|--------|--------|--|--------|-----|-----|
| 30 W | 38° | 3000 lm | 2700 K | White | | 341873 | 125 | new |
| | | | | Black | | 341866 | 125 | new |
| | | 3150 lm | 3000 K | White | | 248172 | 125 | |
| | | | | Black | | 248196 | 125 | |
| | | 3300 lm | 4000 K | White | | 267951 | 125 | |
| | | | | Black | | 267944 | 125 | |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (LxHxW) | Code | € |
|--------------|-------|--------|-----------------|--------|-----|
| 1-10V / Push | 36 W | 700 mA | 167x32x41 mm | 248370 | 100 |
| DALI / Push | 36 W | 700 mA | 135x24x72 mm | 248592 | 100 |




Light beam: **ACCENT**




LENS

| Model | Required | Beam | Code | € |
|----------|----------|------|--------|----|
| Nova 12W | No | 15° | 244013 | 8 |
| Nova 30W | No | 15° | 248608 | 12 |



| m | lx | øm |
|---|------|------|
| 1 | 1768 | 0,66 |
| 2 | 442 | 1,32 |
| 3 | 196 | 1,97 |
| 4 | 111 | 2,63 |
| 5 | 71 | 3,29 |



| m | lx | øm |
|---|------|------|
| 1 | 4671 | 0,64 |
| 2 | 1168 | 1,28 |
| 3 | 519 | 1,93 |
| 4 | 292 | 2,57 |
| 5 | 187 | 3,21 |



CRI≥90 12W 38° 1200lm 3000K


CRI≥90 30W 38° 3150lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Led Panel

| | | | |
|-------------------|---------------------|------------------|----------|
| Source | LED SMD | UGR | <19 |
| Power | 40W | LED life | 25.000 h |
| Driver included | On/Off | Insulation class | II |
| Drivers available | 1-10V / DALI / Push | IP | 20 |
| CCT | 3000 K / 4000 K | Material | Aluminum |
| CRI | ≥80 / ≥90 | Warranty | 5 years |



2,200 Kg/0,0144 m³

Purchase Qty. 2 pieces

LED SMD Driver ON/OFF included

CRI ≥80

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 40 W | 81° | 5500 lm | 3000 K | White | | 249711 | 35 |
| | | 6150 lm | 4000 K | White | | 249728 | 35 |

CRI ≥90

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|----|
| 40 W | 81° | 5100 lm | 3000 K | White | | 246390 | 35 |
| | | 5450 lm | 4000 K | White | | 244181 | 35 |

DIMMABLE DRIVER* Optional

| | Power | Output | Measure (L x H x W) | Code | € |
|-----------|-------|---------|---------------------|--------|----|
| 1-10V | 42 W | 1000 mA | 125 x 26 x 83 mm | 247854 | 29 |
| DALI/Push | 45 W | 1000 mA | 106 x 28 x 69 mm | 247847 | 72 |



KIT PENDANT


KIT SURFACE

RECESSED FRAME**


| | Required | N° Cables | Cables Length | Code | € |
|----|----------|-----------|---------------|--------|----|
| No | No | 4 | 1000 mm | 244198 | 10 |
| No | No | | | 244204 | 10 |
| No | No | | | 267692 | 20 |



Light beam: WIDE



| m | lx | ø m |
|---|------|------|
| 1 | 1470 | 1,79 |
| 2 | 367 | 3,59 |
| 3 | 163 | 5,38 |
| 4 | 92 | 7,18 |
| 5 | 59 | 8,97 |



CRI≥80 40W 81° 5500lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME 607 x 607 mm



Lika ^{new}

Rectangular recessed projector in painted die-cast aluminum, with recessed light sources, available in the TRIM version with edge and TRIMLESS version without edge, with shiny black polycarbonate reflector, and SLIM version with reduced dimensions. SMD LED technology; CCT 2700K, 3000K or 4000K; CRI ≥ 90, SDCM ≤ 3; LED useful life 50,000 h L70B50.

UGR


Product with UGR <16.

| | |
|-------------------|--------------------------|
| Source | LED COB / SMD |
| Power | 5,5W / 12W / 20W |
| Driver included | On/Off |
| Drivers available | DALI / Push |
| CCT | 2700 K / 3000 K / 4000 K |
| CRI | ≥90 |
| UGR | <16 |
| LED life | 50.000 h |
| Insulation class | II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |






Lika Trim



68 x 37 mm
0,180 Kg/0,0009 m³

LED SMD OSRAM Driver ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|-----|--------|---|
| 5,5 W | 29° | 340 lm | 2700 K | Black | + ■ | 341729 | 45 new |
| | | 350 lm | 3000 K | Black | + ■ | 206196 | 45 |
| | | 400 lm | 4000 K | Black | + ■ | 267869 | 45 |



140 x 37 mm
0,320 Kg/0,0013 m³

LED SMD OSRAM Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|-----|--------|---|
| 12 W | 29° | 850 lm | 2700 K | Black | + ■ | 341736 | 70 new |
| | | 880 lm | 3000 K | Black | + ■ | 206219 | 70 |
| | | 1000 lm | 4000 K | Black | + ■ | 267876 | 70 |



273 x 37 mm
0,580 Kg/0,0022 m³

LED SMD OSRAM Driver ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|-----|--------|--|
| 20 W | 29° | 1700 lm | 2700 K | Black | + ■ | 341743 | 110 new |
| | | 1750 lm | 3000 K | Black | + ■ | 206233 | 110 |
| | | 2000 lm | 4000 K | Black | + ■ | 267883 | 110 |

DIMMABLE DRIVER* Optional

| Model | Control | Power | Output | Measure (LxHxW) | Code | € |
|----------|-----------|-------|--------|-----------------|--------|----|
| 5,5W/12W | DALI | 12 W | 700 mA | 132x20x30 mm | 267982 | 56 |
| 20 W | DALI/Push | 25 W | 600 mA | 135x24x72 mm | 268002 | 75 |



Light beam: ACCENT



| m | lx | øm |
|---|------|------|
| 1 | 2091 | 0,58 |
| 2 | 523 | 1,16 |
| 3 | 232 | 1,74 |
| 4 | 131 | 2,32 |
| 5 | 70 | 2,90 |




CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Lika Trimless



75 x 70 mm
0,220 Kg/0,0006 m³

LED SMD OSRAM Driver ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|---|--------|--------|
| 5,5 W | 29° | 340 lm | 2700 K | Black | ■ | 341750 | 60 new |
| | | 350 lm | 3000 K | Black | ■ | 206202 | 60 |
| | | 400 lm | 4000 K | Black | ■ | 267890 | 60 |



145 x 70 mm
0,450 Kg/0,0013 m³

LED SMD OSRAM Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|--------|
| 12 W | 29° | 850 lm | 2700 K | Black | ■ | 341767 | 95 new |
| | | 880 lm | 3000 K | Black | ■ | 206226 | 95 |
| | | 1000 lm | 4000 K | Black | ■ | 267906 | 95 |



278 x 70 mm
0,720 Kg/0,0023 m³

LED SMD OSRAM Driver ON/OFF included


| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|---|--------|---------|
| 20 W | 29° | 1700 lm | 2700 K | Black | ■ | 341774 | 150 new |
| | | 1750 lm | 3000 K | Black | ■ | 206240 | 150 |
| | | 2000 lm | 4000 K | Black | ■ | 267913 | 150 |

DIMMABLE DRIVER* Optional

| Model | Control | Power | Output | Measure (LxHxW) | Code | € |
|----------|-----------|-------|--------|-----------------|--------|----|
| 5,5W/12W | DALI | 10 W | 700 mA | 132x20x30 mm | 267982 | 56 |
| 20 W | DALI/Push | 25 W | 600 mA | 135x24x72 mm | 268002 | 75 |



Light beam: ACCENT



| m | lx | Øm |
|---|------|------|
| 1 | 2786 | 0,58 |
| 2 | 696 | 1,16 |
| 3 | 309 | 1,74 |
| 4 | 174 | 2,32 |
| 5 | 111 | 2,90 |




CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Lika Slim



117 x 23 mm
0,180 Kg/0,0013 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|--------|
| 10 W | 32° | 900 lm | 2700 K | Black | | 341644 | 66 new |
| | | 1000 lm | 3000 K | White | | 327501 | 66 |
| | | | | Black | | 305813 | 66 |
| | | 1200 lm | 4000 K | White | | 341675 | 66 new |
| | | | | Black | | 341668 | 66 new |




231 x 23 mm
0,300 Kg/0,0022 m³

LED SMD Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|--------|--|--------|---------|
| 20 W | 32° | 1800 lm | 2700 K | Black | | 341682 | 110 new |
| | | 2000 lm | 3000 K | White | | 327518 | 110 |
| | | | | Black | | 305837 | 110 |
| | | 2400 lm | 4000 K | White | | 341712 | 110 new |
| | | | | Black | | 341705 | 110 new |



Light beam: ACCENT



| m | lx | ø m |
|---|------|------|
| 1 | 1958 | 0,55 |
| 2 | 489 | 1,10 |
| 3 | 218 | 1,70 |
| 4 | 122 | 2,20 |
| 5 | 78 | 2,80 |




CRI≥90 10W 32° 1000lm 3000K



Samba

IP20 GYPSUM




GU10 Not included - Recommended bulb 108292

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 35W | 0,360 Kg | 0,0016 m³ | White | 230580 | 10 |

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 35W | 0,240 Kg | 0,0018 m³ | White | 150307 | 10 |

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 35W | 0,450 Kg | 0,0032 m³ | White | 150130 | 12 |

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 50W | 0,420 Kg | 0,0036 m³ | White | 139012 | 12 |



GU10 Not included - Recommended bulb 108292

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 35W | 0,330 Kg | 0,0016 m³ | White | 229997 | 10 |

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 35W | 0,330 Kg | 0,0019 m³ | White | 150291 | 10 |

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 35W | 0,600 Kg | 0,0037 m³ | White | 150116 | 12 |


Glass diffuser

| Power | Weight | Volume | Finish | Code | € |
|---------|----------|-----------|--------|--------|----|
| max 50W | 0,430 Kg | 0,0023 m³ | White | 139029 | 12 |



Jazz

IP20 ZINC




① 60 mm
0,110 Kg/0,0019 m³
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

| Power | Finish | | Code | € |
|---------|------------|--|--------|----|
| max 50W | White | | 083117 | 11 |
| | Ant. Brass | | 083124 | 11 |
| | Chrome | | 083070 | 11 |
| | Black | | 243818 | 11 |
| | Nickel | | 083087 | 11 |

Swing

IP20 ZINC




45° ① 70 mm
0,200 Kg/0,0003 m³
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

| Power | Finish | | Code | € |
|---------|------------|--|--------|----|
| max 28W | White | | 083179 | 13 |
| | Ant. Brass | | 083186 | 13 |
| | Chrome | | 083131 | 13 |
| | Black | | 243825 | 13 |
| | Nickel | | 083148 | 13 |

Lounge

IP20 ZINC




30° ① 70 mm
0,160 Kg/0,0011 m³
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

| Power | Finish | | Code | € |
|---------|--------|--|--------|----|
| max 50W | White | | 138978 | 17 |

Funky

IP20 IRON



① 80 x 68 mm
0,300 Kg/0,0006 m³


GU10 Not included - Recommended bulb 108292

| Power | Finish | | Code | € |
|---------|------------|--|--------|----|
| max 50W | Aluminum | | 083223 | 20 |
| | White | | 083230 | 20 |
| | Ant. Brass | | 083247 | 20 |
| | Chrome | | 083193 | 20 |
| | Black | | 243849 | 20 |



Room-65

IP65 CRI ≥90 50.000 h ALUMINUM




① 68 mm

0,220 Kg/0,0011 m³

LED COB Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 7,5 W | 38° | 750 lm | 3000 K | White | | 252025 | 77 |
| | | | | Black | | 252032 | 77 |



① 68 mm

0,240 Kg/0,0011 m³

LED COB Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|--------|--|--------|----|
| 7,5 W | 38° | 750 lm | 3000 K | White | | 252049 | 77 |
| | | | | Black | | 252056 | 77 |




Light beam: ACCENT




Blues

 IP20 GLASS



GU10 Not included - Recommended bulb 108292

| Power | Finish | Code | € |
|---------|------------|--------|----|
| max 50W | Clear | 083254 | 25 |
| | White | 113999 | 25 |
| | Smoky Grey | 113982 | 25 |




GU10 Not included - Recommended bulb 108292

| Power | Finish | Code | € |
|---------|--------|--------|----|
| max 50W | Clear | 114019 | 25 |



Polka

□ △ IP20



0,250 Kg/0,0022 m³

GU10 Not included - Recommended bulb 108292

| Power | Material | Finish | Code | € |
|---------|----------|------------|--------|----|
| max 50W | Gypsum | White | 115597 | 20 |
| | Aluminum | Brass | 115610 | 20 |
| | Aluminum | Ant. Brass | 115580 | 20 |



115597



115610




115580



331225

Zephyr new


IP20 GYPSUM



123 x 123 mm
0,880 Kg/0,0032 m³

GU10 Not included - Recommended bulb 108292


| Power | Finish | Code | € |
|---------|--------|--------|----|
| max.35W | White | 150284 | 15 |



20° 110° 207 x 207 mm
1,350 Kg/0,0075 m³

GU10 Not included - Recommended bulb 108292

| Power | Finish | Code | € |
|---------|--------|--------|----|
| max.35W | White | 155722 | 50 |



141 x 141 mm
0,920 Kg/0,0036 m³

LED COB CREE Driver ON/OFF included


CRI ≥90 50.000 h

| Power | Lumen | CCT | Finish | Code | € |
|-------|---------|--------|--------|--------|---|
| 12 W | 1200 lm | 3000 K | White | 331225 | 75 new |



Walky

IP20 CRI ≥90 50.000 h GYPSUM




100 x 100mm

0,580 Kg/0,0009 m³

LED SMD AND DRIVER Included

| Power | Lumen | CCT | Finish | Code | € |
|-------|-------|--------|--------|---------------------|----|
| 1W | 55 lm | 3000 K | White | 249834 | 63 |



81 x 166 mm

0,580 Kg/0,0012 m³

LED SMD AND DRIVER Included

| Power | Lumen | CCT | Finish | Code | € |
|-------|-------|--------|--------|---------------------|----|
| 1W | 55 lm | 3000 K | White | 249827 | 63 |



Light beam: ASYMMETRICAL



Suspensions and ceiling

Outdoors

Alphabetical index

| | |
|--------|-----|
| Bubble | 812 |
| Clio | 806 |
| Fiesta | 813 |
| Gun | 810 |
| Luna | 804 |
| Mib | 812 |
| Snow | 805 |
| Sole | 802 |
| Techo | 808 |
| Urano | 811 |


Typology index

| | | |
|---|---|---|
| <small>new</small>  |  | <small>new</small>  |
| Sole 802 | Luna 804 | Snow 805 |
|  |  |  |
| Clio 806 | Clio 806 | Clio 806 |
|  |  |  |
| Clio 806 | Clio 806 | Clio 806 |
| <small>new</small>  |  |  |
| Techo 808 | Gun 810 | Urano 811 |
|  |  |  |
| Bubble 812 | Mib 812 | Fiesta 813 |



Sole

Plastic opal color diffuser.
Aluminum base for the suspended
model. PVC electrical wire.



2,970 Kg / 0,1327 m³
E27 max 1x 42W


€ 180

136011 White



4000 K
1020 lm

151991 € 2,00



1,690 Kg / 0,0776 m³
E27 max 1x 42W


€ 110

136004 White



4000 K
1020 lm

151991 € 2,00



1,360 Kg / 0,0338 m³
E27 max 1x 42W


€ 95

135991 White



4000 K
1020 lm

151991 € 2,00



1,300 Kg / 0,0111 m³
E27 max 1x 42W

€ 90

318837 White



4000 K
580 lm

151960 € 2,00



P. 877




Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.



Bulbs LED G9 3W 4000 K included in **213200** model. Cod. **209036**




1,470 Kg / 0,0120 m³
E27 max 1x 42W

€ 115

213194 White

4000 K
1000 lm

151991 € 2,00



0,400 Kg / 0,0021 m³
G9 max 1x 5W

€ 100

213200 White

4000 K
530 lm

307879 € 6,00




P. 878



Snow ^{new}

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED LED source 3000 K / 4000 K,
50.000 h life.



IP65

0,790 Kg / 0,0066 m³
LED 18W / 1900/2350 lm

€ 60

| | | |
|--------|-------|----------------------|
| 326238 | White | 3000K ^{new} |
| 326245 | White | 4000K ^{new} |



P. 855



P. 856 P. 908

Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.

116716



145068



145020



144252



144238



136073



144245




326801



0,200 Kg / 0,0014 m³
E27 max 1x42W

€ 56


148847 White
148854 Grey
148861 Anthracit.
148878 Black
326795 Coffee



0,580 Kg / 0,0019 m³
E27 max 1x42W

€ 75


144252 White
144238 Grey
136073 Anthracit.
144245 Black
326801 Coffee



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White



0,610 Kg / 0,0231 m³

€ 40

145020 White



151960

4000 K
580 lm

€ 2,00



151960



4000 K
580 lm

€ 2,00



Techo ^{new}


Powder-coated die-cast aluminum body. Frosted clear tempered glass diffuser. Colors: anthracite, white, coffee or black.




1,700 Kg / 0,0049 m³
GU10 max 1x20W

€ 115

251523 White
326887 Grey
251516 Anthracit.
251530 Black
251547 Coffee




253398 4000 K 780 lm € 15,00




0,600 Kg / 0,0012 m³
GU10 max 1x20W

€ 64

251561 White
326894 Grey
251554 Anthracit.
251578 Black
251592 Coffee



253497 4000 K 430 lm € 3,00




1,500 Kg / 0,0052 m³
GU10 max 1x20W

€ 115

342689 White
342702 Grey
318103 Anthracit.
342719 Black
342696 Coffee




253398 4000 K 780 lm € 15,00



0,550 Kg / 0,0015 m³
GU10 max 1x20W

€ 64

318127 White
342726 Grey
318110 Anthracit.
318141 Black
318134 Coffee



253497 4000 K 430 lm € 3,00



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.



122663 092324 163642 236865 122687 163666



0,490 Kg / 0,0030 m³
GU10 max 1x28W

€ 54

122663 White
092324 Aluminum
163642 Grey
236865 Anthracit.
122687 Black
163666 Coffee



4000 K
430 lm

253497 € 3,00



P. 834



Urano


Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.



168050




168135




1,200 Kg / 0,0029 m³
GX53 max 1x15W

€ 95

168050 ■ White
168135 ■ Anthracit.




154008 € 5,00



0,630 Kg / 0,0016 m³
GX53 max 1x15W

€ 70

168036 ■ White
168111 ■ Anthracit.



154008 € 5,00

Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



1,730 Kg / 0,0249 m³

E27 max 1x 60W

€ 125

135250 White



4000 K
580 lm



151960

€ 2,00

P. 854





Mib

White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.



LED source 3000/4000 K, 35.000 h life.



1,620 Kg / 0,0086 m³

LED 18W / 1850/2150 lm


€ 150

269115 White

3000K

202945 White

4000K



1,820 Kg / 0,0086 m³

LED 18W / 1950/2250 lm

€ 150

269122 White

3000K

202921 White


4000K





Fiesta


Black plastic electric cable, bulb socket and grapping eyelets.
Supplied with plug for outdoor.



1,530 Kg / 0,0068 m³
E27 max 10 x 15W

€ 100

246796 ■ Black



101286

3000 K
340 lm


€ 2,00



0,600 Kg / 0,0049 m³
E27 max 5 x 15W

€ 65

159836 ■ Black



101286

3000 K
340 lm

€ 2,00



Wall lamps

Outdoors

Alphabetical index

| | | | |
|-----------|-----|-------------|-----|
| Andromeda | 847 | Rex-3 | 851 |
| Apollo | 832 | Rubik | 842 |
| Argo | 845 | Sirio | 841 |
| Atom | 843 | Snif Round | 830 |
| Base | 833 | Snif Square | 831 |
| Bubble | 854 | Snow | 855 |
| Cima | 857 | Style | 826 |
| Clio | 856 | Swipe | 825 |
| Cometa | 852 | Terra | 822 |
| Dafne | 857 | Tetris-1 | 844 |
| Dedra | 859 | Tetris-2 | 845 |
| Down | 858 | Toffee | 837 |
| Elio | 820 | Tronco | 828 |
| Etere | 829 | Twin | 846 |
| Febe | 858 | Up | 844 |
| Felix | 849 | Xeno | 824 |
| Gas | 823 | | |
| Giove | 848 | | |
| Gun | 834 | | |
| Iko | 840 | | |
| Keope | 832 | | |
| Linea | 838 | | |
| Litio | 821 | | |
| Medea | 853 | | |
| Omega R. | 819 | | |
| Omega S. | 819 | | |
| O-Zone | 818 | | |
| Polar | 853 | | |
| Punto | 836 | | |
| Rex-1 | 850 | | |
| Rex-2 | 851 | | |



O-zone

Pag 818

new



O-zone 818



Omega R. 819



Style 826



Tronco 828

new



Punto 836



Toffee 837



Tetris-2 845



Argo 845



Cometa 852



Polar 853








































Dafne 857



Down 858

Outdoors

Typology index

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Omega S. 819 | Elio 820 | Litio 821 | Terra 822 | Gas 823 | Xeno 824 | Swipe 825 |
|  |  |  |  |  |  |  |
| Etere 829 | SnifRound 830 | SnifSquare 831 | Keope 832 | Apollo 832 | Base 833 | Gun 834 |
|  |  |  |  |  |  |  |
| Linea 838 | Iko 840 | Sirio 841 | Rubik 842 | Atom 843 | Up 844 | Tetris-1 844 |
|  |  |  |  |  |  |  |
| Twin 846 | Andromeda 847 | Giove 848 | Felix 849 | Rex-1 850 | Rex-2 851 | Rex-3 851 |
|  |  |  |  |  |  |  |
| Medea 853 | Bubble 854 | Snow 855 | Clio 856 | Clio 856 | Clio 856 | Cima 857 |
|  |  | | | | | |
| Febe 858 | Dedra 859 | | | | | |




O-zone new

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.



LED source 3000 K, 50.000 h life.



0,800 Kg / 0,0060 m³
LED 13W / 1150 lm

€ 135

337548 ■ Black new




P. 916

Omega Round

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white, coffee or black.



LED source 3000/4000 K, 25.000 h life.



0,500 Kg / 0,0012 m³
LED 7W / 560/610 lm

€ 100

| | | |
|--------|------------|-------|
| 285474 | White | 3000K |
| 285481 | White | 4000K |
| 285450 | Anthracit. | 3000K |
| 285467 | Anthracit. | 4000K |
| 285504 | Black | 4000K |
| 285498 | Coffee | 4000K |




Omega Square

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white or black.



LED source 4000 K, 25.000 h life.



0,600 Kg / 0,0012 m³
LED 7W / 610 lm

€ 100

| | |
|--------|------------|
| 285528 | White |
| 285511 | Anthracit. |
| 285535 | Black |





Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.



096483


096476



Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



P. 926



0,500 Kg / 0,0027 m³
GU10 max 1x6W

€ 82

096483 White

096476 Black

4000 K
430 lm

253497 € 3,00



Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




145303



145327



145341



0,690 Kg / 0,0044 m³
GX53 max 1x10W

€ 95

145303 ■ White
145327 ■ Grey
145341 ■ Black

4000 K
1000 lm
154008 € 5,00

LED Bulbs LED GX53 7W included. Settable
CCT: 3000 K, 4000 K, 6500 K.




P. 926



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



■ IP65


1,140 Kg / 0,0091 m³
E27 max 1x 42W

€ 85

046167 ■ Anthracit.

4000 K
580 lm

151960 € 2,00



■ IP65

0,530 Kg / 0,0024 m³
GU10 max 1x 28W

€ 45

046181 ■ Anthracit.

4000 K
430 lm

253497 € 3,00




P. 925



Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee or black.



IP43

0,320 Kg / 0,0020 m³
GU10 max 1x28W

€ 50

091518 White
091525 Anthracit.
020228 Black
213095 Coffee

4000 K
430 lm
253497 € 3,00



091518

091525

020228

213095



P. 891



Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.




129488



129471



129464



0,360 Kg / 0,0014 m³
GU10 max 1x28W

€ 40

129488 ■ White
129471 ■ Grey
129464 ■ Black

4000 K
430 lm
253497 € 3,00



Swipe


Powder-coated aluminium body. Adjustable diffuser with shiny opal color polycarbonate screen. Available with twilight and motion sensor. Available finishes: anthracite, white, grey, coffee or black.



LED source 3000 K, 50.000 h life.




Lamp with presence detector included PIR (Passive InfraRed).



1,200 Kg / 0,0055 m³
LED 20,5W / 2300 lm

€ 120

287690 White
326863 Grey
287683 Anthracite
287706 Black
307169 Coffee



1,300 Kg / 0,0055 m³
LED 21W / 2300 lm

€ 130

287720 White
326870 Grey
287713 Anthracite
287737 Black
307176 Coffee



Style

Powder coated aluminum body.
Opal color plastic shade. Integrated
LED source. AP Sensor model
with PIR sensor. Available finishes:
anthracite, white, coffee, grey or
black.



LED source 3000/4000 K, 30.000 h
life.



Lamp with presence detector included
PIR (Passive InfraRed).

269139



269146



269139



322650




246857



322636




322704



0,390 Kg / 0,0018 m³
LED 8,5W / 950/1050 lm

€ 135

| | | |
|--------|------------|-------|
| 269139 | White | 3000K |
| 221502 | White | 4000K |
| 322650 | Grey | 3000K |
| 322643 | Grey | 4000K |
| 246857 | Anthracit. | 3000K |



0,400 Kg / 0,0018 m³
LED 9W / 950/1050 lm

€ 165

| | | |
|--------|------------|-------|
| 269146 | White | 3000K |
| 209852 | White | 4000K |
| 246864 | Anthracit. | 3000K |
| 221519 | Anthracit. | 4000K |


| | | |
|--------|------------|-------|
| 209845 | Anthracit. | 4000K |
| 322636 | Black | 3000K |
| 322629 | Black | 4000K |
| 322704 | Coffee | 3000K |
| 322681 | Coffee | 4000K |





Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



IP44

1,110 Kg / 0,0070 m³
E27 max 1x 42W

€ 65

118659 White
026978 Grey
027005 Anthracit.
004716 Black
326962 Coffee

4000 K
490 lm
153957 € 2,00



P. 898




Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.



LED source 3000/4000 K, 25.000 h life.



IP44

0,590 Kg / 0,0027 m³
LED 9,5W / 1000/1100 lm

€ 95

| | | |
|--------|--------------|-------|
| 246925 | ■ Anthracit. | 3000K |
| 172408 | ■ Anthracit. | 4000K |
| 322193 | ■ Black | 3000K |
| 322209 | ■ Black | 4000K |
| 269153 | ■ Coffee | 3000K |
| 246949 | ■ Coffee | 4000K |




P. 904



Snif Round

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.




■  IP54

0,750 Kg / 0,0032 m³
G9 max 1x40W

€ 50

144283 ■ White
061474 ■ Grey
061467 ■ Anthracit.
061450 ■ Black

 4000 K
530 lm
307879 € 6,00



Snif Square

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.

121963




144276



118666



123080



IP44

0,600 Kg / 0,0027 m³
G9 max 1x 40W

€ 50

144276 White
118666 Grey
121963 Anthracit.
123080 Black


4000 K
530 lm
307879 € 6,00

Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to +90°C. Transparent satin acrylic diffusers.

LED

Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,450 Kg / 0,0033 m³
GU10 max 2x6W


€ 63

147772 White
147796 Grey
147819 Black

0,350 Kg / 0,0033 m³
GU10 max 1x6W


€ 42

147765 White



108292

€ 3,00



108292

€ 3,00



147772



147819



147796



Apollo

Die-cast aluminum reflecting body with matt black powder coating. Up-and-down light emission.

LED

LED source 4000 K, 30.000 h life.



0,540 Kg / 0,0008 m³
LED 6W / 800 lm

€ 90

137391 Black






Base

Powder coated die-cast aluminum body. Clear tempered glass diffusers. Colors: black or white.



129457

129433



IP44

0,610 Kg / 0,0016 m³
GU10 max 2 x 28W

€ 40

129457 ■ White
129433 ■ Black

4000 K
430 lm

253497 € 3,00



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser. Up-and-down light emission.



100388



033013



163628




236841



100395




163635



1,350 Kg / 0,0071 m³
E27 max 2 x 60W

€ 72


092300 White
033020 Aluminum
163604 Grey
236858 Anthracit.
092317 Black
163611 Coffee




0,720 Kg / 0,0024 m³
GU10 max 2 x 35W

€ 65

100388 White
033013 Aluminum
163628 Grey
236841 Anthracit.
100395 Black
163635 Coffee



151960 € 2,00



253497 € 3,00



P. 810




Punto

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

LED


LED source 3000 K, 30.000 h life.



2,090 Kg / 0,0135 m³
LED 16W / 1750 lm

€ 150


328553 White
313566 Anthracit.
328577 Black
328560 Coffee



1,280 Kg / 0,0083 m³
LED 12W / 1250 lm

€ 125

328522 White
313559 Anthracit.
328546 Black
328539 Coffee



0,820 Kg / 0,0018 m³
LED 9W / 950 lm

€ 65

313528 White
313511 Anthracit.
313542 Black
313535 Coffee



313528

313511

313542


313535



Toffee ^{new}

Powder-coated aluminum base and body. Clear tempered glass diffuser. Indirect light emission. Colors: anthracite, white, coffee or black.

LED LED source 3000 K, 50.000 h life.



IP65

0,400 Kg / 0,0011 m³
LED 8W / 800 lm

€ 75

| | | |
|--------|------------|-----|
| 347738 | White | new |
| 321189 | Anthracit. | new |
| 321196 | Black | new |
| 321202 | Coffee | new |



347738

321189

321196

321202



P. 866



P. 866



Linea

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.



LED source 3000 K, 30.000 h life.



| | |
|--|--|
| | |
| IP54 | IP54 |
| 1,750 Kg / 0,0049 m³ LED 23W / 2400 lm | 1,430 Kg / 0,0036 m³ LED 20W / 1950 lm |
| € 185 | € 145 |
| 328584 White 313504 Anthracit. 328607 Black 328591 Coffee | 313474 White 313467 Anthracit. 313498 Black 313481 Coffee |



Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.



018515



092218



018522



0,600 Kg / 0,0040 m³
E27 max 1x60W

€ 50


018522 White
092218 Grey
018515 Anthracit.

4000 K
580 lm
151960 € 2,00



Sirio new






Powder coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



■  IP65

0,820 Kg / 0,0018 m³
GX53 max 1x9W

€ 90

| | | | |
|--------|---|------------|--------------------------------------|
| 318226 |  | White | new |
| 345611 |  | Grey | new |
| 318202 |  | Anthracit. | new |
| 318219 |  | Black | new |
| 318196 |  | Coffee | new |



318226

318196

345611

318219

318202



P. 886



P. 924



4000 K
1000 lm

154008

€ 5,00



Rubik

Cast aluminum body with powder coating. Up-and-down reflecting internal structure. Available finishes: anthracite, white, coffee, grey or black.

LED LED source 3000/4000 K, 30.000 h life.



IP54

0,660 Kg / 0,0022 m³
LED 8,5W / 660/720 lm

€ 142

| | | |
|--------|------------|-------|
| 269313 | White | 3000K |
| 149745 | White | 4000K |
| 326849 | Grey | 3000K |
| 326856 | Grey | 4000K |
| 247083 | Anthracit. | 3000K |

| | | |
|--------|------------|-------|
| 149738 | Anthracit. | 4000K |
| 269320 | Black | 3000K |
| 142302 | Black | 4000K |
| 326627 | Coffee | 3000K |
| 326634 | Coffee | 4000K |



Atom

Powder coated aluminum body.
Glass diffusers. Double light beam,
up and down with adjustable width
and movable wings.

LED

LED source 3000 K, 30.000 h life.



313436




313429



313450



313443



■ IP54

1,160 Kg / 0,0025 m³
LED 25W / 2100 lm

€ 135

328652 ■ White
313412 ■ Anthracit.
328676 ■ Black
328669 ■ Coffee

■ IP54

0,660 Kg / 0,0013 m³
LED 12W / 1050 lm

€ 70

313436 ■ White
313429 ■ Anthracit.
313450 ■ Black
313443 ■ Coffee

Up

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee, grey or black.



0,520 Kg / 0,0019 m³
G9 max 2 x 15W

€ 40

115320 White
326993 Grey
115337 Anthracit.
115344 Black
213354 Coffee



0,320 Kg / 0,0012 m³
G9 max 1 x 15W

€ 25

115290 White
326986 Grey
115306 Anthracit.
115313 Black
213347 Coffee

4000 K
530 lm

307879 € 6,00

4000 K
530 lm

307879 € 6,00



115290

326986

115306


115313

213347



Tetris-1

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



0,390 Kg / 0,0017 m³
G9 max 1 x 15W

€ 82

114293 White
113760 Grey
113753 Anthracit.
326955 Black
213323 Coffee

4000 K
530 lm

307879 € 6,00



114293

113760


113753

326955

213323

Tetris-2

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up- and-down light emission.



0,520 Kg / 0,0018 m³
G9 max 2 x 15W

€ 91

269221 White
113791 Anthracit.

4000 K
530 lm
307879 € 6,00




Argo

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.




LED source 3000/4000 K, 30.000 h life.



0,600 Kg / 0,0013 m³
LED 11W / 1000/1150 lm

€ 80

268309 White 3000K
268316 White 4000K
250946 Anthracit. 3000K
268293 Anthracit. 4000K



0,600 Kg / 0,0011 m³
LED 6W / 550/570 lm

€ 70


317564 White 3000K
321691 White 4000K
321646 Anthracit. 3000K
317571 Anthracit. 4000K





Twin






Anthracite, white, coffee, grey or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.




■  IP44

0,510 Kg / 0,0026 m³
G9 max 1x28W

€ 55

115351  White
326979  Grey
115368  Anthracit.
115375  Black
213330  Coffee

 4000 K
530 lm
307879 € 6,00



Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.

100364



163543



092355



100371



163550



IP55

1,630 Kg / 0,0052 m³
E27 max 2x60W

€ 85

100364 White
163543 Grey
092355 Anthracit.
100371 Black
163550 Coffee

4000 K
580 lm
151960 € 2,00

IP55

1,000 Kg / 0,0039 m³
E27 max 1x60W

€ 55

066868 White
158822 Grey
061580 Anthracit.
061597 Black
163536 Coffee

4000 K
580 lm
151960 € 2,00



Giove

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



092195



322605




092188



092201



163598



IP54

0,900 Kg / 0,0041 m³
E27 max 1x 60W

€ 70

092195 White
322605 Grey
092188 Anthracit.
092201 Black
163598 Coffee

4000 K
580 lm
151960 € 2,00



Felix

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

LED

Bulbs LED E27 8W Goccia included in **123745** model. Settable CCT: 2700 K, 4000 K, 6500 K.





123776



123769



123783



0,520 Kg / 0,0050 m³
E27 max 1x23W


0,610 Kg / 0,0050 m³
E27 max 1x23W


€ 52

€ 35

123745 White

123776 White
123769 Grey
123783 Black


 **4000 K**
580 lm
151960 € 2,00

 **4000 K**
580 lm
151960 € 2,00



Rex-1






Powder coated die-cast aluminum body available in different colors: anthracite, white, coffee, grey or black. White acrylic diffuser.



■  IP44

0,600 Kg / 0,0065 m³
E27 max 1x 60W


€ 42

092393  White
322735  Grey
092409  Anthracit.
322728  Black
213217  Coffee

 4000 K
1020 lm
151991 € 2,00

Rex-2


Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



0,600 Kg / 0,0065 m³
E27 max 1x60W

€ 42

092416 White
092423 Anthracit.




151991 € 2,00



Rex-3


Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



0,600 Kg / 0,0065 m³
E27 max 1x60W

€ 42

092430 White
092447 Anthracit.




151991 € 2,00





Cometa

Powder coated die-cast aluminum body. White PVC diffuser. It is not recommended to expose the article to direct contact with sunlight.
Color: anthracite



1,500 Kg / 0,0124 m³
E14 max 3x28W

€ 100



082240 ■ Anthracit.

3000 K
420 lm

101217 € 2,00

Polar


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



0,800 Kg / 0,0106 m³
E27 max 1x23W

€ 35

096667 White
096674 Black




151991 € 2,00

0,800 Kg / 0,0106 m³
E27 max 1x23W

€ 35

096681 White
096698 Black



151991 € 2,00





096681

096698

Medea


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



0,800 Kg / 0,0109 m³
E27 max 1x23W

€ 25

096711 White
096704 Black




151991 € 2,00

0,800 Kg / 0,0109 m³
E27 max 1x23W

€ 25

096735 White
096728 Black



151991 € 2,00




096735

096728



Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



0,480 Kg / 0,0031 m³
G9 max 2x15W

€ 72

158907 White

4000 K
530 lm
307879 € 6,00




P. 812



Snow new

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED LED source 3000 K / 4000 K,
50.000 h life.



■ ■ □ IP65

0,170 Kg / 0,0013 m³
LED 6W / 550/600 lm

€ 25

| | | |
|--------|-------|----------------------|
| 326214 | White | 3000K ^{new} |
| 326221 | White | 4000K ^{new} |




P. 805



Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.




■ IP44

0,680 Kg / 0,0039 m³
E27 max 1x42W

€ 80


146775 White
146782 Grey
145228 Anthracit.
146799 Black
326788 Coffee



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White



0,610 Kg / 0,0231 m³

€ 40

145020 White

4000 K
580 lm
151960 € 2,00



P. 806




P. 806



P. 908

Cima

Totally die-cast aluminum frame.
Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.




■  IP43

1,840 Kg / 0,0504 m³
E27 max 1x52W

€ 61

246819 ■ Anthracit.
024134 ■ Black
246826 ■ Coffee



153964 € 3,50




P. 910



Dafne

High performance resin body:
resistant to corrosion, colours
stabilized during UV rays
treatment, thermal shock
resistance from -60° to +90°C.
Methacrylate non-yellowing
diffuser.



■  IP55


1,000 Kg / 0,0101 m³
E27 max 1x23W

€ 33

120423 ■ White
101491 ■ Black



153964 € 3,50




■  IP55

0,600 Kg / 0,0117 m³
E27 max 1x23W

€ 28

120430 ■ White
101552 ■ Black



153964 € 3,50




P. 911



Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.




■  IP44

0,270 Kg / 0,0010 m³
G9 max 1x28W

€ 30

115382 ■ White
122045 ■ Anthracit.

 4000 K
530 lm

307879 € 6,00



115382




122045

Febe

Surface-mounted luminaire with powder-coated die-cast aluminum body. Clear tempered glass diffuser. Color: anthracite.

LED

LED source 3000/4000 K, 30.000 h life.




■  IP65

0,760 Kg / 0,0020 m³
LED 6W / 600/630 lm

€ 75

250854 ■ Anthracit. 3000K
322285 ■ Anthracit. 4000K



■  IP65

0,760 Kg / 0,0020 m³
LED 6W / 500/520 lm

€ 75

268354 ■ Anthracit. 3000K
322308 ■ Anthracit. 4000K



268354



Dedra

Powder coated die-cast aluminum body. Clear acrylic diffuser. Indirect light emission. Finishes: white, anthracite, coffee.

LED

LED source 3000 K, 20.000 h life.


316901



328645



316895




■ □ IP65

0,200 Kg / 0,0007 m³
LED 1,5W / 160 lm

€ 47

328638 ■ White
316871 ■ Anthracit.
328621 ■ Coffee



■ □ IP65

0,170 Kg / 0,0007 m³
LED 1,5W / 160 lm

€ 43

316901 ■ White
328645 ■ Anthracit.
316895 ■ Coffee



Bollard and Table lamps

Outdoors

Alphabetical index

| | | | |
|-------------|-----|--------|-----|
| Acqua | 903 | Tifone | 892 |
| Agos | 882 | Titano | 888 |
| Arcadia | 881 | Toffee | 866 |
| Atena | 900 | Torre | 906 |
| Boeing | 896 | Tronco | 898 |
| Cima | 910 | Twiggy | 874 |
| Clio | 908 | Vega | 893 |
| Cosmo | 907 | | |
| Cute | 868 | | |
| Dafne | 911 | | |
| Doris | 876 | | |
| Edo Outdoor | 901 | | |
| Enya | 872 | | |
| Etere | 904 | | |
| Gas | 891 | | |
| Hub | 891 | | |
| Ipotesi | 873 | | |
| Itaca | 880 | | |
| Jedi | 894 | | |
| Kurt | 889 | | |
| Lolita | 870 | | |
| Luna | 878 | | |
| Marte | 902 | | |
| Mercurio | 902 | | |
| Pulsar | 903 | | |
| Pure | 864 | | |
| Sasso | 879 | | |
| Sirio | 886 | | |
| Sole | 877 | | |
| Style | 884 | | |
| Tesla | 890 | | |

Enya

Pag 872



Pure 864



new



Toffee 866

new



Cute 868



Lolita 870



Itaca 880



Arcadia 881



Agos 882



Style 884



Vega 893



Jedi 894

new



Boeing 896



Tronco 898

Outdoors

Typology index



Enya 872 Ipotesi 873 Twiggly 874 Doris 876 Sole 877 Luna 878 Sasso 879



Sirio 886 Titano 888 Kurt 889 Tesla 890 Gas 891 Hub 891 Tifone 892



Atena 900 Edo Outdoor 901 Marte 902 Mercurio 902 Pulsar 903 Acqua 903 Etere 904



Torre 906 Cosmo 907 Clio 908 Clio 908 Clio 908 Cima 910 Dafne 911



Pure

Matt varnished metal base, stem and shade. Acrylic diffuser. Table lamp with rechargeable battery and integrated touch switch. Finishes: white, coffee, black. Battery charging time 6 hours.



LED source 3000 K, 30.000 h life.



Lamp with integrated switch.




Lamp with dimmer.



Lamp with touch dimmer.




Lamp with rechargeable battery included. 7 hours life.



1,580 Kg / 0,0058 m³
LED 1,5W / 230 lm

€ 115

311708 White
328515 Black
328508 Coffee



0,840 Kg / 0,0052 m³
LED 1,5W / 230 lm

€ 85

311685 White
311678 Black
311661 Coffee





Toffee ^{new}


Rechargeable battery-operated table lamp. Powder coated aluminum body. Acrylic diffuser. Colors: white, coffee or black.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.
Cod. **328614, 311715, 347868**

 Lamp with touch dimmer.
Cod. **328614, 311715, 347868**


 Lamp with rechargeable battery included. 8 hours life.
Cod. **328614, 311715, 347868**



 IP65

1,400 Kg / 0,0200 m³
LED 11W / 1200 lm

€ 130



 IP65

1,220 Kg / 0,0200 m³
LED 11W / 1200 lm


€ 125



 IP65

0,950 Kg / 0,0200 m³
LED 8W / 800 lm


€ 105



 IP65

0,830 Kg / 0,0200 m³
LED 8W / 800 lm

€ 100



 IP54

0,460 Kg / 0,0050 m³
LED 2W / 230 lm

€ 90






| | | | | | | | | | | | | | |
|--------|--------------|----------------|--------|--------------|----------------|--------|--------------|----------------|--------|--------------|----------------|--------|----------|
| 347837 | ■ Anthracit. | ^{new} | 347806 | ■ Anthracit. | ^{new} | 347776 | ■ Anthracit. | ^{new} | 347745 | ■ Anthracit. | ^{new} | 311715 | ■ White |
| 347851 | ■ Black | ^{new} | 347820 | ■ Black | ^{new} | 347790 | ■ Black | ^{new} | 347769 | ■ Black | ^{new} | 328614 | ■ Black |
| 347844 | ■ Coffee | ^{new} | 347813 | ■ Coffee | ^{new} | 347783 | ■ Coffee | ^{new} | 347752 | ■ Coffee | ^{new} | 347868 | ■ Coffee |







Cute ^{new}

Rechargeable lamp with a refill base. Powder coated metal frame. Acrylic diffuser with downward light emission. Colors: white, black, coffee, chrome and gold.

-  LED source 2200 K / 2700 K, 50.000 h life.
-  Lamp with integrated switch.
-  Lamp with dimmer.
-  Lamp with touch dimmer.
-  Lamp with rechargeable battery included.



0,440 Kg / 0,0026 m³
LED 2,5W / 190 lm


€ 85



1,920 Kg / 0,0092 m³

€ 180

| | | | | | |
|--------|--------|-----|--------|-------|-----|
| 346892 | White | new | 348377 | Black | new |
| 346922 | Chrome | new | | | |
| 346908 | Black | new | | | |
| 346915 | Coffee | new | | | |
| 346939 | Gold | new | | | |



Lolita

Table lamp with rechargeable battery with white, grey, black or coffee finish. Plastic base. Metal frame. Plastic diffuser. The table lamp has 14 hours autonomy. Battery charging time 7 hours.



LED source 3000 K, 25.000 h life.



Lamp with integrated switch.




Lamp with dimmer.



Lamp with touch dimmer.



Lamp with rechargeable battery included. 14 hours life.



0,550 Kg / 0,0078 m³
LED 1,8W / 150 lm

€ 55

286723 White
286730 Grey
286716 Black
286747 Coffee



Enya ^{new}

Portable lamp with rechargeable battery. Powder coated aluminum body. Black rubber handle. Tempered glass diffuser. Downward light emission. Switch with dimmer. Colors: white, black, coffee.



LED source 3000 K, 35.000 h life.



Lamp with integrated switch.



Lamp with touch dimmer.



Lamp with rechargeable battery included.




323251



323237



323244



1,490 Kg / 0,0086 m³
LED 5W / 250 Lm

€ 115


323251 White new
323237 Black new
323244 Coffee new



Ipotesi

Total powder painted aluminium frame. Opal polycarbonate diffuser. Black rubber cable with switch, external incorporated driver and plug. Colours: white or black.

LED LED source 3000 K, 30.000 h life.




IP44

5,100 Kg / 0,1041 m³
LED 16W / 1700 Lm

€ 335

282244 ■ White
282251 ■ Black



IP44

4,940 Kg / 0,1379 m³
LED 16W / 1700 Lm

€ 435

300641 ■ White
300658 ■ Black



282244



282251



Twiggy ^{new}


Powder coated aluminum frame.
Satin acrylic diffuser. Equipped
with spike. Colors: black and coffee.

LED LED source 3000 K, 30.000 h life.



347905

347875




18
IP65

0,290 Kg / 0,0031 m³
LED 1,5W / 130 lm

€ 50

348346 ■ Black
348339 ■ Coffee




45
IP65

0,031 Kg / 0,0028 m³
LED 1,5W / 130 lm

€ 60

new 348360 ■ Black
new 348353 ■ Coffee




18
IP65

0,210 Kg / 0,0023 m³
LED 1,5W / 130 lm

€ 45

new 347882 ■ Black
new 347875 ■ Coffee




45
IP65

0,230 Kg / 0,0020 m³
LED 1,5W / 130 lm

€ 55

new 347905 ■ Black
new 347899 ■ Coffee



Driver
Not included
Required


€ 12

276205
new



Doris


Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.




7,600 Kg / 0,5581 m³
E27 max 1x60W

€ 545

195506 White




151991 € 2,00




4,050 Kg / 0,2306 m³
E27 max 1x60W

€ 325

195490 White




151991 € 2,00




3,000 Kg / 0,1366 m³
E27 max 1x60W

€ 215

195483 White




151991 € 2,00



1,210 Kg / 0,0318 m³
E27 max 1x60W

€ 127

214009 White




151991 € 2,00



Sole


Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground.




4,500 Kg / 0,1460 m³
E27 max 1x60W

€ 225

191614 White




151991 € 2,00




3,900 Kg / 0,0741 m³
E27 max 1x60W

€ 150

191621 White




151991 € 2,00




2,700 Kg / 0,0322 m³
E27 max 1x60W

€ 120

191638 White




151991 € 2,00



1,200 Kg / 0,0139 m³
E27 max 1x60W

€ 110

318820 White



151960 € 2,00




P. 802



Luna

Opal colour plastic frame-diffuser.
Supplied with power cable, plug
and picket for installation on the
ground.



6,700 Kg / 0,1743 m³
E27 max 1x 60W

€ 290


191607 White



4000 K
1020 lm

151991

€ 2,00



4,700 Kg / 0,1005 m³
E27 max 1x 60W

€ 210


191584 White



4000 K
1020 lm

151991

€ 2,00



2,700 Kg / 0,0356 m³
E27 max 1x 60W

€ 150

191577 White



4000 K
1020 lm

151991

€ 2,00




P. 804



Sasso

Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.




1,500 Kg / 0,0444 m³
E27 max 1x 40W

€ 205

161778 White

4000 K
1020 lm
151991 € 2,00




0,900 Kg / 0,0209 m³
E27 max 1x 40W

€ 145

161761 White

4000 K
1020 lm
151991 € 2,00



0,710 Kg / 0,0123 m³
G9 max 1x 15W

€ 105


161754 White

4000 K
530 lm
307879 € 6,00



Itaca

White powder painted metal base and bar. Plastic conical diffuser in opal color. Supplied with plug.



IP44

8,840 Kg / 0,1405 m³
E27 max 1x60W

€ 310

180953 White


4000 K
1020 lm

151991 € 2,00



Arcadia


Powder coated metal base and stem. PMMA white diffuser. Neoprene cable with plug. Finish: anthracite.



6,500 Kg / 0,0525 m³
E27 max 1x42W


€ 150

298610 ■ Anthracit.



151991


€ 2,00



2,940 Kg / 0,0247 m³
E27 max 1x42W

€ 115

298597 ■ Anthracit.



151991


€ 2,00



Agos

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite, coffee or black color.


LED LED source 3000/4000 K, 25.000 h life.



1,100 Kg / 0,0127 m³
LED 6,5W / 670/730 lm

€ 100

254319 ■ Anthracit. 3000K
268422 ■ Anthracit. 4000K
326733 ■ Black 3000K
326757 ■ Black 4000K
326726 ■ Coffee 3000K
326740 ■ Coffee 4000K



0,950 Kg / 0,0096 m³
LED 6,5W / 670/730 lm

€ 80

254388 ■ Anthracit. 3000K
268439 ■ Anthracit. 4000K
326696 ■ Black 3000K
326719 ■ Black 4000K
326689 ■ Coffee 3000K
326702 ■ Coffee 4000K




Style

Powder coated aluminum body.
Opal color plastic shade. Integrated
LED source. Available finishes:
anthracite, white, coffee, grey or
black.

LED

LED source 3000/4000 K, 30.000 h
life.




IP54

1,680 Kg / 0,0239 m³
LED 8,5W / 950/1050 lm

€ 190

| | | |
|--------|------------|-------|
| 318707 | White | 3000K |
| 322483 | White | 4000K |
| 322384 | Grey | 3000K |
| 322353 | Grey | 4000K |
| 246871 | Anthracit. | 3000K |

| | | |
|--------|------------|-------|
| 209906 | Anthracit. | 4000K |
| 322230 | Black | 3000K |
| 322216 | Black | 4000K |
| 322452 | Coffee | 3000K |
| 322438 | Coffee | 4000K |



IP54

1,200 Kg / 0,0122 m³
LED 8,5W / 950/1050 lm

€ 145

| | | |
|--------|------------|-------|
| 318691 | White | 3000K |
| 322582 | White | 4000K |
| 322551 | Grey | 3000K |
| 322544 | Grey | 4000K |
| 322612 | Anthracit. | 3000K |

| | | |
|--------|------------|-------|
| 322599 | Anthracit. | 4000K |
| 322537 | Black | 3000K |
| 322506 | Black | 4000K |
| 322575 | Coffee | 3000K |
| 322568 | Coffee | 4000K |





Sirio

Powder coated aluminum body.
Clear Pyrex glass diffuser. Available
finishes: anthracite, white, coffee,
grey or black.




115085

246963

115061

115108


213262



1,880 Kg / 0,0181 m³
G9 max 2x15W

€ 180


115085 White
246963 Grey
115061 Anthracit.
115108 Black
213262 Coffee



1,550 Kg / 0,0136 m³
G9 max 2x15W

€ 145


115092 White
246970 Grey
115078 Anthracit.
115115 Black
213279 Coffee



4000 K
530 lm

307879

€ 6,00



4000 K
530 lm

307879

€ 6,00



P. 841



P. 924




Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.




LED source 3000/4000 K, 50.000 h life.



9,220 Kg / 0,0540 m³
LED 8,5W / 560/580 lm

€ 350

246987 ■ Granite 3000K
187327 ■ Granite 4000K



6,800 Kg / 0,0377 m³
LED 8,5W / 560/580 lm

€ 275

246994 ■ Granite 3000K
157856 ■ Granite 4000K




Kurt

Powder-coated aluminum base and body. Clear tempered glass diffuser. Downward lights emission. Colors: anthracite, white, coffee or black.



LED source 3000/4000 K, 30.000 h life.



1,930 Kg / 0,0060 m³
LED 11W / 1150/1200 lm

€ 125



306841



306834



306872



306858

| | | |
|--------|------------|-------|
| 306841 | White | 3000K |
| 294049 | White | 4000K |
| 306834 | Anthracit. | 3000K |
| 294025 | Anthracit. | 4000K |

| | | |
|--------|--------|-------|
| 306872 | Black | 3000K |
| 293172 | Black | 4000K |
| 306858 | Coffee | 3000K |
| 294001 | Coffee | 4000K |




Tesla

Powder painted aluminum body.
White plastic screen diffuser.
Downward light emission. Available
finishes: anthracite, white, coffee or
black.

| | | |
|--|---|---|
| <div> <div>153193</div> <div>326917</div> <div>153209</div> <div>316048</div> </div> | <div> <div> <div>205</div> <div>85</div> <div>800</div> </div> <div> <div>IP44</div> <div>3,000 Kg / 0,0379 m³</div> <div>G9 max 4 x 15W</div> <div>€ 155</div> <div> <div>153179</div> <div>White</div> <div>153162</div> <div>Anthracit.</div> <div>316055</div> <div>Black</div> <div>326924</div> <div>Coffee</div> </div> <div> <div>4000 K</div> <div>530 lm</div> <div>307879</div> <div>€ 6,00</div> </div> </div> </div> | <div> <div> <div>205</div> <div>85</div> <div>600</div> </div> <div> <div>IP44</div> <div>2,560 Kg / 0,0273 m³</div> <div>G9 max 4 x 15W</div> <div>€ 145</div> <div> <div>153209</div> <div>White</div> <div>153193</div> <div>Anthracit.</div> <div>326917</div> <div>Black</div> <div>316048</div> <div>Coffee</div> </div> <div> <div>4000 K</div> <div>530 lm</div> <div>307879</div> <div>€ 6,00</div> </div> </div> </div> |
|--|---|---|

Gas


Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



1,790 Kg / 0,0216 m³
GU10 max 1x35W

€ 116

139470 ■ Anthracit.
322421 ■ Black
213101 ■ Coffee



253497

€ 3,00



P. 823




Hub

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finish: anthracite.

LED


LED source 3000 K, 30.000 h life.



0,850 Kg / 0,0057 m³
LED 4,5W / 390 lm

€ 132

251257 ■ Anthracit.



0,720 Kg / 0,0083 m³
LED 4,5W / 390 lm

€ 132

251226 ■ Anthracit.



Base
Not included
Optional

€ 32

251295 ■ Anthracit.






Tifone

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.



LED source 3000 K, 20.000 h life.



1,250 Kg / 0,0054 m³
LED 8,5W / 710 Lm

€ 122

250953 ■ Anthracit.



1,010 Kg / 0,0029 m³
LED 8,5W / 710 Lm

€ 105

250977 ■ Anthracit.



Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.




136035

136042

136028

136059

213361



1,150 Kg / 0,0092 m³
G9 max 1x15W

€ 180

136035 White
136042 Grey
136028 Anthracit.
136059 Black
213361 Coffee

4000 K
530 lm
307879 € 6,00



Jedi

Powder-coated aluminium base and body. Shiny opal color polycarbonate diffuser. Supplied with piquet for ground installation. Available finishes: anthracite or black.


LED LED source 3000 K, 30.000 h life.



306803




293202



1,280 Kg / 0,0065 m³
LED 25W / 2600 Lm

€ 155


306803 ■ Anthracit.
293202 ■ Black



1,030 Kg / 0,0150 m³
LED 19W / 2050 Lm

€ 125

306797 ■ Anthracit.
293196 ■ Black



0,760 Kg / 0,0036 m³
LED 12W / 1250 Lm

€ 90

306780 ■ Anthracit.
293189 ■ Black



Base
Not included
Optional

€ 13

308227 ■ Anthracit.
308234 ■ Black



Boeing ^{new}

Powder coated die-cast aluminum body. Diffuser made of an external smoked clear polycarbonate protection and satin opal acrylic inner element which orientate the light downward. Colors: anthracite, coffee, black.

LED LED source 3000 K, 50.000 h life.



4,000 Kg / 0,0232 m³
LED 14W / 1200 lm


€ 210

327266 ■ Anthracit. ^{new} 327259 ■ Anthracit. ^{new} 327242 ■ Anthracit. ^{new} 346656 ■ Anthracit. ^{new}
346731 ■ Black ^{new} 346717 ■ Black ^{new} 346694 ■ Black ^{new} 346670 ■ Black ^{new}
346724 ■ Coffee ^{new} 346700 ■ Coffee ^{new} 346687 ■ Coffee ^{new} 346663 ■ Coffee ^{new}



3,100 Kg / 0,0164 m³
LED 14W / 1200 lm

€ 180



2,200 Kg / 0,0097 m³
LED 14W / 1200 lm

€ 160



1,350 Kg / 0,0041 m³
LED 14W / 1200 lm

€ 140



Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



2,490 Kg / 0,0254 m³
E27 max 1x42W

€ 160


109138 White
026961 Grey
026992 Anthracit.
004723 Black
163741 Coffee



4000 K
490 lm

153957

€ 2,00



1,970 Kg / 0,0193 m³
E27 max 1x42W

€ 138


109145 White
026954 Grey
026985 Anthracit.
004730 Black
163758 Coffee



4000 K
490 lm

153957

€ 2,00



0,590 Kg / 0,0135 m³
E27 max 1x42W

€ 125

248264 White
248288 Grey
248257 Anthracit.
248295 Black
248271 Coffee



4000 K
490 lm

153957

€ 2,00



P. 828




Atena

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.



Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.



IP55

1,070 Kg / 0,0220 m³
E27 max 1x23W

€ 83

198644 White
198637 Grey
198620 Black



4000 K
1020 lm

151991

€ 2,00



Edo Outdoor

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.

| | | | | |
|---|---|---|---|--------------------|
| <p>142999</p> | <p>135762</p> | <p>213071</p> | <p>800 155</p> | <p>760 150</p> |
| <p>IP44</p> | <p>IP44</p> | <p>1,600 Kg / 0,0240 m³ GX53 max 1x15W</p> | <p>2,670 Kg / 0,0269 m³ GX53 max 1x15W</p> | |
| <p>€ 132</p> | <p>€ 132</p> | <p>135755 White 138510 Anthracit. 213071 Coffee</p> | <p>142999 White 135762 Anthracit. 213088 Coffee</p> | |
| <p>4000 K 1000 lm 154008 € 5,00</p> | <p>4000 K 1000 lm 154008 € 5,00</p> | | | |

Marte

Powder coated aluminum body with anthracite finish. White acrylic diffuser.



2,500 Kg / 0,0193 m³

E27 max 1x 25W

€ 160

092225 ■ Anthracit.



4000 K
580 lm


151960

€ 2,00



Mercurio

Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.



1,540 Kg / 0,0057 m³

G9 max 1x 15W

€ 160

114347 ■ Anthracit.



4000 K
530 lm


307879

€ 6,00



Pulsar

Cast aluminum body with powder coating. Satin opal polycarbonate diffuser. Colors: anthracite or coffee.



1,900 Kg / 0,0120 m³

E27 max 1x 42W

€ 200

135908 ■ Anthracit.

246888 ■ Coffee



4000 K
580 lm


151960

€ 2,00



Acqua

Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.



1,500 Kg / 0,0164 m³

G9 max 1x 15W

€ 160

135205 ■ Anthracit.

246918 ■ Coffee



4000 K
530 lm

307879

€ 6,00





Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.




LED source 3000/4000 K, 25.000 h life.

322261

269160

246932



1,100 Kg / 0,0103 m³
LED 9,5W / 1000/1100 lm

€ 127

| | | |
|--------|--------------|-------|
| 246932 | ■ Anthracit. | 3000K |
| 172439 | ■ Anthracit. | 4000K |
| 322261 | ■ Black | 3000K |
| 322278 | ■ Black | 4000K |
| 269160 | ■ Coffee | 3000K |
| 246956 | ■ Coffee | 4000K |





Torre

Turned powder painted aluminum body with anthracite, white, coffee, grey or black. Plastic diffuser with opal effect.



321950 158891 186979 321981




2,600 Kg / 0,0307 m³
E27 max 1x15W

€ 180

321851 Grey
321882 Anthracit.
321639 Black
321868 Coffee

4000 K
580 lm

151960 € 2,00




2,100 Kg / 0,0224 m³
E27 max 1x15W

€ 168

321905 Grey
162492 Anthracit.
186955 Black
321929 Coffee

4000 K
580 lm

151960 € 2,00



0,870 Kg / 0,0054 m³
E27 max 1x15W

€ 144

321950 Grey
158891 Anthracit.
186979 Black
321981 Coffee

4000 K
580 lm

151960 € 2,00



Cosmo

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.


LED Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



187877

187884

187891



IP55

2,150 Kg / 0,0220 m³
GX53 max 1x10W

€ 115

187877 White
187884 Grey
187891 Black

4000 K
1000 lm



154008

€ 5,00



Clio


Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.



1,360 Kg / 0,0087 m³
E27 max 1x42W

€ 95


249469 White
249476 Grey
249452 Anthracit.
249483 Black
328829 Coffee



7,250 Kg / 0,0384 m³
E27 max 2x42W

€ 285


249506 White
249513 Grey
249490 Anthracit.
249520 Black
328836 Coffee



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White




0,610 Kg / 0,0231 m³

€ 40

145020 White



4000 K
580 lm
151960 € 2,00



4000 K
580 lm
151960 € 2,00



Cima

Totally die-cast aluminum frame.
Anthracite, coffee or black and gold
finish. Transparent acrylic diffuser.




246833



024097



246840



IP43

3,340 Kg / 0,1467 m³
E27 max 2 x 52W

€ 330

246833 ■ Anthracit.
024097 ■ Black
246840 ■ Coffee

4000 K
980 lm
153964 € 3,50



P. 857



Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.


LED Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.



120454



101514



2,500 Kg / 0,0446 m³
E27 max 1x 23W

€ 85


120454 ■ White
101514 ■ Black

4000 K
980 lm

153964 € 3,50



P. 857













Spotlights

Outdoors

Alphabetical index

| | |
|-----------|-----|
| Elio | 926 |
| Inside | 927 |
| Koala | 920 |
| Litio | 926 |
| O-Zone | 916 |
| Sirio | 924 |
| Starlight | 918 |
| Terra | 925 |
| Thor | 914 |
| Ulex | 922 |

Typology index

| | | |
|--|---|---|
| <small>new</small>  | <small>new</small>  | <small>new</small>  |
| Thor 914 | O-zone 916 | Starlight 918 |
| <small>new</small>  |  |  |
| Koala 920 | Ulex 922 | Sirio 924 |
|  |  |  |
| Terra 925 | Elio 926 | Litio 926 |
|  | | |
| Inside 927 | | |

Thor


Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser, 24 Vdc power supply DC, IP65 protection index, IK06 impact resistance. SMD LED technology; CCT 3000 K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50. Optionally available with anti-glare visor.



High-tech product with high quality materials, intended for professional use.

| | | | |
|-------------------|-----------|------------------|----------|
| Source | LED SMD | LED life | 50.000 h |
| Power | 20W / 40W | Insulation class | III |
| Driver included | No | IP | 65 |
| Drivers available | On/Off | Material | Aluminum |
| MacAdam | SDCM 3 | | |
| CCT | 3000 K | | |
| CRI | ≥90 | | |


LED SMD OSRAM Driver not included



1,490 Kg/0,0057 m³
Cable lenght 500 mm

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|------------|--|--------|-----|
| 20 W | 28° | 1600 lm | 3000 K | Anthracite | | 261331 | 215 |

LED SMD OSRAM Driver not included



2,460 Kg/0,0108 m³
Cable lenght 500 mm

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|------------|--|--------|-----|
| 40 W | 28° | 2300 lm | 3000 K | Anthracite | | 261355 | 325 |

OPTIONAL Not included



| | | Finish | | Code | € |
|-------|-----|------------|--|--------|----|
| Visor | 18W | Anthracite | | 261362 | 18 |
| | 40W | Anthracite | | 261379 | 29 |

ON/OFF DRIVER Not included/Required

| Power | Output | Measure | Code | € |
|-------|--------|------------------|--------|-----|
| 40 W | 24 Vdc | 171 x 37 x 61 mm | 272108 | 100 |
| 100 W | 24 Vdc | 220 x 39 x 68 mm | 226200 | 190 |
| 185 W | 24 Vdc | 220 x 39 x 68 mm | 226217 | 210 |



P. 932






O-zone ^{new}

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED LED source 3000 K, 50.000 h life.




325019



1,250 Kg / 0,0060 m³
LED 19W / 1700 lm

€ 200

337531 ■ Black



0,800 Kg / 0,0060 m³
LED 13W / 1150 lm

€ 135

^{new} 325019 ■ Black



0,090 Kg / 0,0012 m³

€ 10

^{new} 345673 ■ Black ^{new}



Starlight


Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

PRO

High-tech product with high quality materials, intended for professional use.

| | | | |
|-------------------|----------------|------------------|----------|
| Source | LED COB | LED life | 50.000 h |
| Power | 5,5W / 10W | Insulation class | III |
| Driver included | No | IP | 68 |
| Drivers available | On/Off | Material | Aluminum |
| MacAdam | SDCM 3 | | |
| CCT | 3000 K/ 4000 K | | |
| CRI | ≥90 | | |


LED COB BRIDGELUX Driver not included



0,280 Kg/0,0005 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|-----------|--|--------|-----|
| 5,5 W | 30° | 500 lm | 3000 K | Dark Gray | | 248394 | 120 |
| | | 600 lm | 4000 K | Dark Gray | | 245041 | 120 |

LED COB BRIDGELUX Driver not included



0,950 Kg/0,0014 m³

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|-----------|--|--------|-----|
| 10 W | 30° | 930 lm | 3000 K | Dark Gray | | 248387 | 250 |
| | | 1000 lm | 4000 K | Dark Gray | | 245072 | 250 |

OPTIONAL Not included




| | | Finish | | Code | € |
|-------|------|-----------|--|--------|----|
| Visor | 5,5W | Dark Gray | | 245096 | 34 |
| | 10W | Dark Gray | | 245102 | 34 |
| | | Finish | | Code | € |
| Peg | | Dark Gray | | 245089 | 17 |

ON/OFF DRIVER Not included/Required

| Power | Output | Measure | Code | € |
|-------|--------|------------------|--------|-----|
| 20 W | 24 Vdc | 118 x 26 x 35 mm | 226187 | 75 |
| 40 W | 24 Vdc | 148 x 30 x 40 mm | 226194 | 80 |
| 100 W | 24 Vdc | 220 x 39 x 68 mm | 226200 | 190 |
| 185 W | 24 Vdc | 220 x 39 x 68 mm | 226217 | 210 |






331355 / 345666

349596

Koala ^{new}

Powder coated die-cast aluminum body. Clear tempered glass diffuser. Available with base for wall and floor fixing and with strap for trees and poles fixing. Color: black.

LED LED source 3000 K, 35.000 h life.




■ IP65

0,600 Kg / 0,0014 m³
LED 7 W / 570 lm

€ 75

331386 ■ Black




■ IP65

0,600 Kg / 0,0014 m³
LED 7 W / 570 lm

€ 75

new 349596 ■ Black




■ IP65

0,640 Kg / 0,0014 m³
LED 7 W / 570 lm

€ 80

new 345666 ■ Black



■ IP65

0,520 Kg / 0,0014 m³
LED 3 W / 300 lm

€ 65

new 331355 ■ Black new


Ulex

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.

PRO

High-tech product with high quality materials, intended for professional use.


| | | | |
|-------------------|------------|------------------|----------|
| Source | LED SMD | Insulation class | I |
| Power | 8,5W / 15W | IP | 65 |
| Driver included | On/Off | Material | Aluminum |
| Drivers available | No | | |
| CCT | 3000 K | | |
| CRI | ≥90 | | |
| LED life | 50.000 h | | |



0,660 Kg/0,0025 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|--------|--------|------------|---|--------|-----|
| 8,5 W | 30° | 600 lm | 3000 K | Anthracite | ■ | 261287 | 145 |



1,190 Kg/0,0042 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included

| Power | Beam | Lumen | CCT | Finish | | Code | € |
|-------|------|---------|--------|------------|---|--------|-----|
| 15 W | 30° | 1200 lm | 3000 K | Anthracite | ■ | 261294 | 220 |

OPTIONAL Not included



| | | Finish | | Code | € |
|-----|-------|------------|---|--------|----|
| Box | 8,5 W | Anthracite | ■ | 268156 | 32 |
| | 15 W | Anthracite | ■ | 268187 | 49 |



| | | Finish | | Code | € |
|-----|-------|------------|---|--------|----|
| Peg | 8,5 W | Anthracite | ■ | 268163 | 14 |
| | 15 W | Anthracite | ■ | 268194 | 17 |




| | | Finish | | Code | € |
|-------|-------|------------|---|--------|----|
| Visor | 8,5 W | Anthracite | ■ | 268170 | 17 |
| | 15 W | Anthracite | ■ | 268200 | 25 |





Sirio new

Adjustable powder-coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



 IP65

1,070 Kg / 0,0021 m³
GX53 max 1x9W

€ 110

| | | |
|--------|------------|--|
| 345628 | White | new |
| 345642 | Grey | new |
| 318233 | Anthracite | new |
| 345659 | Black | new |
| 345635 | Coffee | new |



345628

345635

345642

345659

318233



P. 841



P. 886



4000 K
1000 lm

154008

€ 5,00



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



106205




033037



163727



046211



1,230 Kg / 0,0086 m³
E27 max 1x42W


€ 90

033044 Anthracit.
321622 Coffee

4000 K
580 lm

151960

€ 2,00



0,520 Kg / 0,0038 m³
GU10 max 1x28W

€ 52

106205 White
033037 Anthracit.
046211 Black
163727 Coffee

4000 K
430 lm

253497

€ 3,00




P. 822

Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED

Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,360 Kg / 0,0027 m³
GU10 max 1x6W

€ 82

120218 White
120201 Black



4000 K
430 lm



253497

€ 3,00


P. 820



120218



120201




Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED

Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



0,730 Kg / 0,0044 m³
GX53 max 1x10W

€ 90

145310 White
145334 Grey
145358 Black



4000 K
1000 lm



154008

€ 5,00

P. 821



145310



145334



145358





Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.


115412



115429



247045



IP54

0,370 Kg / 0,0015 m³
G9 max 1x 15W

€ 36

115412 ■ Anthracit.
115429 ■ Black
247045 ■ Coffee

4000 K
530 lm

307879

€ 6,00














Downlights

Outdoors

Alphabetical index

| | |
|------------------|-----|
| Bit | 930 |
| Floor | 933 |
| Gravity | 937 |
| Indio | 931 |
| Landing | 938 |
| Park | 936 |
| Rocket | 941 |
| Rocket-Mini | 940 |
| Rocket-Ultramini | 941 |
| Taurus | 934 |
| Thor | 932 |
| Way | 939 |
| Wire | 930 |


Typology index

| | | | |
|---|---|---|---|
|  |  |  |  new |
| Bit 930 | Wire 930 | Indio 931 | Thor 932 |
|  |  |  |  |
| Floor 933 | Taurus 934 | Park Round 936 | Park Square 936 |
|  |  |  |  |
| Gravity Round 937 | Gravity Square 937 | Landing 938 | Way 939 |
|  |  |  |  |
| Way 939 | Way 939 | Rocket Mini 940 | Rocket Mini 940 |
|  |  |  |  new |
| Rocket Mini 940 | Rocket 941 | Rocket 941 | Rocket Ultramini 941 |
|  new | | | |
| Rocket Ultramini 941 | | | |

Bit

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 35.000 h life.



IP65

0,300 Kg / 0,0006 m³
LED 3W / 450 lm

€ 55

269023 White
269009 Anthracit.

Driver
Not included
Required

€ 12

276205




269023

269009

Wire

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 20.000 h life.



IP65

0,460 Kg / 0,0018 m³
LED 4W / 180 lm

€ 56

268989 White
255514 Anthracit.

IP65

0,220 Kg / 0,0009 m³
LED 1,5W / 90 lm

€ 38

268996 White
255521 Anthracit.



268996

255521



Indio

Recessed body made of powder coated die-cast aluminum.
Tempered white screen-printed glass diffuser.

LED LED source 3000 K, 35.000 h life.

| | |
|---|---|
| | |
| 190 | 105 |
| 75 | 70 |
| 4 | 4 |
| 80 | 80 |
| | |
| 1,090 Kg / 0,0023 m³ LED 8W / 920 lm | 0,540 Kg / 0,0011 m³ LED 5W / 420 lm |
| € 144 | € 95 |
| 255804 White | 255781 White |




Thor new

Linear projector for floor recessed installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, IP67 protection index, IK08 impact resistance, formwork included. Optical block adjustable by $\pm 20^\circ$ for asymmetric light effect. SMD LED technology; CCT 3000K, CRI ≥ 90 , SDCM ≤ 3 ; LED useful life 50.000 h L70B50.




LED source 3000 K, 50.000 h life.



3,100 Kg / 0,0115 m³
LED 19W / 1800 lm

€ 415

351285 Steel



2,000 Kg / 0,0075 m³
LED 10W / 900 lm

€ 250

new 351278 Steel new















P. 914



Floor

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80; protection degree IP 67; IK10.

LED LED source 3000 K, 25.000 h life.

| | | |
|--|--|--|
|  |  |  |
|  |  |  |
|  IP67 |  IP67 |  IP67 |
| 0,960 Kg / 0,0049 m³ LED 12W / 1340 Lm | 0,640 Kg / 0,0015 m³ LED 6W / 670 Lm | 0,390 Kg / 0,0010 m³ LED 3,5W / 330 Lm |
| € 106 | € 73 | € 55 |
| 255682  Steel | 255668  Steel | 255651  Steel |


Taurus

Recessed projector for floor, wall or ceiling installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, walkable (IP67, IK10), formwork included. Light modules individually adjustable +/- 30° using an external pin to narrow or direct the light beam. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

S316


Item made of stainless steel 316.

| | | | |
|-------------------|----------|------------------|----------|
| Source | LED SMD | Insulation class | I |
| Power | 6W / 21W | IP | 67 |
| Driver included | On/Off | Material | Aluminum |
| Drivers available | No | | |
| CCT | 3000 K | | |
| CRI | ≥90 | | |
| LED life | 50.000 h | | |




LED SMD OSRAM Driver ON/OFF included

| Power | Lumen | CCT | Finish | Code | € |
|-------|--------|--------|--------|--------|-----|
| 6 W | 400 lm | 3000 K | Steel | 277004 | 210 |




LED SMD OSRAM Driver ON/OFF included

| Power | Lumen | CCT | Finish | Code | € |
|-------|--------|--------|--------|--------|-----|
| 11 W | 790 lm | 3000 K | Steel | 277011 | 320 |



LED SMD OSRAM Driver ON/OFF included

| Power | Lumen | CCT | Finish | Code | € |
|-------|---------|--------|--------|--------|-----|
| 12 W | 1200 lm | 3000 K | Steel | 277028 | 405 |



LED SMD OSRAM Driver ON/OFF included

| Power | Lumen | CCT | Finish | Code | € |
|-------|---------|--------|--------|--------|-----|
| 20 W | 1800 lm | 3000 K | Steel | 277035 | 530 |






Park

Recessed spotlight. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass.

| | | |
|---------------------------------------|--|--------------------------------------|
| | | |
| | | |
| 1,210 Kg / 0,0066 m³ E27 max 1x28W | 0,580 Kg / 0,0032 m³ GU10 max 1x20W | 0,900 Kg / 0,0032 m³ G9 max 1x15W |
| € 80 | € 57 | € 80 |
| 032825 Steel | 032832 Steel | 117881 Steel |
| 4000 K 980 lm | 4000 K 430 lm | 4000 K 530 lm |
| 153964 € 3,50 | 253497 € 3,00 | 307879 € 6,00 |



Gravity

High performance resin body:
resistant to corrosion caused by both
atmospheric agents and chemical
fertilizers, colors stabilized during
UV rays treatment, thermal shock
resistance from -60° to +90°C.
Resistant to 5000 kg impact.

LED

Bulbs LED GU10 3,5W and LED GX53
10W included. Settable CCT.

| | | | |
|---|--|---|--|
| | | | |
| <p>IP67</p> <p>0,670 Kg / 0,0043 m³ GX53 max 1x 10W</p> <p>€ 85</p> <p>120324 ■ Black</p> | <p>IP67</p> <p>0,270 Kg / 0,0019 m³ GU10 max 1x 6W</p> <p>€ 58</p> <p>120249 ■ Black</p> | <p>IP67</p> <p>0,700 Kg / 0,0043 m³ GX53 max 1x 10W</p> <p>€ 85</p> <p>120386 ■ Black</p> | <p>IP67</p> <p>0,270 Kg / 0,0019 m³ GU10 max 1x 6W</p> <p>€ 58</p> <p>120317 ■ Black</p> |
| <p>4000 K 1000 lm</p> <p>154008 € 5,00</p> | <p>4000 K 430 lm</p> <p>253497 € 3,00</p> | <p>4000 K 1000 lm</p> <p>154008 € 5,00</p> | <p>4000 K 430 lm</p> <p>253497 € 3,00</p> |



Landing


High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.



120362



120287



IP67


0,740 Kg / 0,0043 m³
GX53 max 1x 10W

€ 125

120362 ■ Black

4000 K
1000 lm

154008 € 5,00



IP67

0,260 Kg / 0,0020 m³
GU10 max 1x 6W

€ 85


120287 ■ Black

4000 K
430 lm

253497 € 3,00

LED

Bulbs LED GU10 3,5W and LED GX53
10W included. Settable CCT.




Way

Walkable recessed lamp. High-performance resin body and diffuser: resistant to corrosion, UV and to temperatures between -60° and +90°. Color: black.

LED


Bulbs LED G9 2W 3000/4000 K included. Cod. **270104/270111**



0,100 Kg / 0,0007 m³
G9 max 1x1,7W

€ 31


269726 ■ B 3000K
269733 ■ B 4000K



0,080 Kg / 0,0007 m³
G9 max 1x1,7W

€ 31

269504 ■ B 3000K
269696 ■ B 4000K



0,080 Kg / 0,0007 m³
G9 max 1x1,7W





€ 31

269702 ■ B 3000K
269719 ■ B 4000K



Rocket Mini

Clear tempered glass diffuser.
Walkable. Integrated LED source.
Absence of visible screws. Available
versions with 1 or 2 lights close to
the ground or with a unique central
accent light.



LED LED source 4000 K, 50.000 h life.

IP68 Protection degree IP68.

S316 Item made of stainless steel 316.

IP68

0,280 Kg / 0,0008 m³
LED 2W / 200 lm

€ 100

212623 Steel
212647 Steel

IP68

0,330 Kg / 0,0008 m³
LED 2W / 200 lm

€ 130 / 150

222820 Steel
222837 Steel

Driver
Not included
Required

€ 75 / 80

226187 20W
226194 40W

Driver
Not included
Required



€ 190 / 210

226200 100W
226217 185W

Rocket

Walkable recessed fitting. Brushed steel body. Tempered glass diffuser.

LED LED source 3000/4000 K, 30.000 h life.



IP65

IP65

0,560 Kg / 0,0034 m³
LED 3W / 260/280 lm

0,560 Kg / 0,0034 m³
LED 3W / 260/280 lm

€ 135

€ 135

247144 Steel
122014 Steel

3000K 247151 Steel
4000K 122021 Steel




3000K
4000K



Rocket Ultramini new

Aluminum body. Clear tempered glass diffuser. Color: brushed steel.

LED LED source 3000 K, 35.000 h life.



IP67

IP67

0,210 Kg / 0,0006 m³
LED 2,5W / 150 lm

0,210 Kg / 0,0006 m³
LED 1,3W / 80 lm

Driver
Not included
Required

€ 65

€ 45

€ 10/12

325156 Steel

new

325132 Steel

new

276205 1W

325163 2.4W

new























Light bulbs* and accessories






| | | | | |
|---|---|---|---|---|
|  |  |  | | |
| E14 946 | E27 948 | Nikita 948 | | |
|  |  |  |  |  |
| G4 954 | G9 954 | GX53 955 | R7s 955 | GU10 956 |
|  | | | | |
| Kit Emergency 957 | | | | |
|  |  |  |  | |
| Ceiling Cups 958 | Bulb Holders 960 | Cables 960 | Cables Holders 960 | |

* No further promotions can be applied to bulbs recommended prices.

Bulbs E14

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|---|---|-------------|-------|--------|--------|-----|----------|----------|----------|--------|------|
|  |  | E14 | 4 W | 480 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 101200 | 2,00 |
| | | E14 | 4 W | 380 lm | 3000 K | 80 | | 15.000 h | 10 | 188935 | 2,50 |
| | | E14 | 4 W | 520 lm | 4000 K | 80 | | 25.000 h | 10 | 153926 | 2,00 |
| | | E14 | 4 W | 420 lm | 3000 K | 90 | | 25.000 h | 10 | 271620 | 2,00 |
|  |  | E14 | 4 W | 300 lm | 2200 K | 80 | TRIAC | 15.000 h | 10 | 151656 | 2,00 |
|  |  | E14 | 4 W | 420 lm | 3000 K | 80 | | 25.000 h | 10 | 101217 | 2,00 |
| | | E14 | 3,7 W | 340 lm | 3000 K | 80 | | 25.000 h | 10 | 289229 | 2,50 |
| | | E14 | 4 W | 470 lm | 4000 K | 80 | | 25.000 h | 10 | 253411 | 2,00 |
| | | E14 | 4 W | 340 lm | 3000 K | 90 | | 25.000 h | 10 | 289212 | 2,00 |
|  |  | E14 | 6 W | 550 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 151731 | 2,00 |
| | | E14 | 6 W | 580 lm | 4000 K | 80 | | 25.000 h | 10 | 151946 | 2,00 |
|  |  | E14 | 3,5 W | 370 lm | 3000 K | 80 | | 25.000 h | 10 | 101262 | 2,00 |
|  |  | E14 | 4 W | 300 lm | 3000 K | 80 | | 25.000 h | 10 | 101255 | 2,50 |
| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|  |  | E14 | 4 W | 430 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 101248 | 2,00 |
| | | E14 | 4 W | 420 lm | 3000 K | 80 | | 15.000 h | 10 | 188911 | 2,50 |
| | | E14 | 4 W | 460 lm | 4000 K | 80 | | 25.000 h | 10 | 153940 | 2,00 |
|  |  | E14 | 4 W | 400 lm | 2200 K | 80 | TRIAC | 15.000 h | 10 | 151663 | 2,00 |
|  |  | E14 | 4 W | 380 lm | 3000 K | 80 | | 25.000 h | 10 | 151793 | 2,00 |

Bulbs E14

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|---|--|-------------|-------|--------|--------|-----|----------|----------|----------|--------|------|
|  | | E14 | 4W | 450 lm | 2700 K | 80 | | 25.000 h | 10 | 270944 | 2,00 |
| | | E14 | 4W | 470 lm | 3000 K | 80 | | 25.000 h | 10 | 101224 | 2,00 |
| | | E14 | 4W | 430 lm | 3000 K | 90 | | 25.000 h | 10 | 271644 | 2,00 |
| | | E14 | 3,7W | 320 lm | 3000 K | 80 | TRIAC | 15.000 h | 10 | 188928 | 2,50 |
| | | E14 | 4W | 490 lm | 4000 K | 80 | | 25.000 h | 10 | 153933 | 2,00 |
|  | | E14 | 4W | 370 lm | 2200 K | 80 | | 15.000 h | 10 | 151649 | 2,00 |
|  | | E14 | 4W | 370 lm | 3000 K | 80 | | 25.000 h | 10 | 101231 | 2,00 |
|  | | E14 | 4W | 430 lm | 3000 K | 80 | | 15.000 h | 10 | 326610 | 2,00 |
|  | | E14 | 6W | 540 lm | 3000 K | 80 | | 25.000 h | 10 | 151748 | 2,00 |
| | | E14 | 6W | 560 lm | 4000 K | 80 | | 25.000 h | 10 | 151953 | 2,00 |



Plastic 151731



Glass 101217



Glass 151793





















Plastic 151748









Glass satin 326610

Bulbs E27

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|---|---|-------------|-------|---------|--------|-----|----------|----------|----------|--------|----------|
|  |  | E27 | 4 W | 490 lm | 2700 K | 80 | TRIAC | 25.000 h | 10 | 271637 | 2,00 |
| | | E27 | 4 W | 430 lm | 3000 K | 80 | | 25.000 h | 10 | 101279 | 2,00 |
| | | E27 | 3,9 W | 340 lm | 3000 K | 80 | | 15.000 h | 10 | 188942 | 2,50 |
| | | E27 | 4 W | 490 lm | 4000 K | 80 | | 25.000 h | 10 | 153957 | 2,00 |
|  |  | E27 | 4 W | 380 lm | 2200 K | 80 | | 15.000 h | 10 | 151861 | 2,50 |
|  |  | E27 | 4 W | 340 lm | 3000 K | 80 | | 25.000 h | 10 | 101286 | 2,00 |
|  |  | E27 | 6 W | 550 lm | 3000 K | 80 | | 25.000 h | 10 | 151755 | 2,00 |
| | | E27 | 6 W | 580 lm | 4000 K | 80 | | 25.000 h | 10 | 151960 | 2,00 |
|  |  | E27 | 4 W | 480 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 101293 | 2,00 |
| | | E27 | 4,3 W | 520 lm | 4000 K | 80 | | 25.000 h | 10 | 253428 | 2,00 |
| | | E27 | 8 W | 930 lm | 2700 K | 80 | | 25.000 h | 10 | 270951 | 3,50 |
| | | E27 | 8 W | 910 lm | 3000 K | 80 | | 25.000 h | 10 | 119571 | 3,50 |
| | | E27 | 8 W | 680 lm | 3000 K | 80 | | 15.000 h | 10 | 188973 | 5,00 |
| | | E27 | 8,3 W | 980 lm | 4000 K | 80 | | 25.000 h | 10 | 153964 | 3,50 |
| | | E27 | 8 W | 880 lm | 3000 K | 90 | | 25.000 h | 10 | 271613 | 3,50 |
| | | E27 | 10 W | 1300 lm | 3000 K | 80 | | 25.000 h | 10 | 256528 | 4,50 |
| | | E27 | 10 W | 1380 lm | 4000 K | 80 | | 25.000 h | 10 | 270920 | 4,50 |
| | | E27 | 10 W | 1150 lm | 2700 K | 90 | | 25.000 h | 10 | 342870 | 4,50 new |
|  |  | E27 | 4 W | 530 lm | 3000 K | 80 | | 25.000 h | 10 | 335261 | 2,50 new |
|  |  | E27 | 4 W | 370 lm | 2200 K | 80 | | 15.000 h | 10 | 151687 | 2,50 |
|  |  | E27 | 8 W | 900 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 123899 | 3,50 |
| | | E27 | 7,8 W | 860 lm | 3000 K | 80 | | 25.000 h | 10 | 252209 | 5,00 |
| | | E27 | 8 W | 1030 lm | 4000 K | 80 | | 25.000 h | 10 | 253459 | 3,50 |
|  |  | E27 | 9 W | 970 lm | 3000 K | 80 | | 25.000 h | 10 | 151762 | 2,00 |
| | | E27 | 9 W | 1020 lm | 4000 K | 80 | | 25.000 h | 10 | 151991 | 2,00 |

















Bulbs E27

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|---|---|-------------|-------|---------|--------|-----|----------|----------|----------|--------|-----------|
|  |  | E27 | 8 W | 900 lm | 3000 K | 80 | | 25.000 h | 10 | 305622 | 5,00 |
| | | E27 | 10 W | 1150 lm | 3000 K | 80 | | 25.000 h | 10 | 305639 | 4,50 |
|  |  | E27 | 8 W | 770 lm | 3000 K | 80 | | 25.000 h | 10 | 123882 | 3,50 |
| | | | | | | | | | | | |
|  |  | E27 | 14 W | 1250 lm | 2700 K | 90 | | 25.000 h | | 345857 | 15,50 new |
| | | E27 | 14 W | 1500 lm | 3000 K | 90 | | 25.000 h | | 337135 | 15,50 new |
| | | E27 | 14 W | 1550 lm | 4000 K | 90 | | 25.000 h | | 345864 | 15,50 new |



Glass 101286 Plastic 151755 Glass 123899 Plastic 151762 Glass 335261 Satin 305622

Bulbs E27

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|---|---|-------------|-------|---------|--------|-----|----------|----------|----------|--------|----------|
|  |  | E27 | 8 W | 1050 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 101323 | 4,50 |
| | | E27 | 8 W | 860 lm | 3000 K | 90 | | 25.000 h | 10 | 271606 | 4,50 |
| | | E27 | 8 W | 680 lm | 3000 K | 80 | | 15.000 h | 10 | 188966 | 7,00 |
| | | E27 | 8 W | 1120 lm | 4000 K | 80 | | 25.000 h | 10 | 153971 | 4,50 |
|  |  | E27 | 4 W | 550 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 345840 | 6,00 new |
|  |  | E27 | 4 W | 500 lm | 2200 K | 80 | | 15.000 h | 10 | 151717 | 3,00 |
| | | E27 | 3,8 W | 330 lm | 2200 K | 80 | | 15.000 h | 10 | 223933 | 8,00 |
|  |  | E27 | 8 W | 950 lm | 3000 K | 80 | | 25.000 h | 10 | 101330 | 4,50 |
| | | E27 | 7,8 W | 860 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 252186 | 7,00 |
| | | E27 | 8 W | 1050 lm | 4000 K | 80 | | 25.000 h | 10 | 253442 | 4,50 |
|  |  | E27 | 14 W | 1630 lm | 3000 K | 80 | | 25.000 h | 10 | 151779 | 4,00 |
| | | E27 | 14 W | 1820 lm | 4000 K | 80 | | 25.000 h | 10 | 151977 | 4,00 |
|  |  | E27 | 8 W | 900 lm | 3000 K | 80 | TRIAC | 15.000 h | 10 | 277790 | 7,00 |
|  |  | E27 | 7,9 W | 1050 lm | 3000 K | 80 | | 25.000 h | 10 | 157597 | 7,00 |
|  |  | E27 | 8 W | 900 lm | 3000 K | 80 | | 25.000 h | 10 | 135526 | 4,50 |



Glass 101323 Glass 345840 Plastic 101330 Plastic 151779 Glass satin 77790 Glass satin 135526

Bulbs E27



| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|-------------|-------|---------|--------|-----|----------|----------|----------|--------|----------|
| E27 | 8 W | 1050lm | 3000 K | 80 | | 25.000 h | 10 | 101347 | 6,00 |
| E27 | 8,2 W | 860 lm | 3000 K | 90 | | 25.000 h | 10 | 271590 | 6,00 |
| E27 | 8,2 W | 680 lm | 3000 K | 80 | TRIAC | 15.000 h | 10 | 188959 | 7,00 |
| E27 | 8 W | 1070 lm | 4000 K | 80 | | 25.000 h | 10 | 153988 | 6,00 |
| E27 | 4 W | 480 lm | 2200 K | 80 | | 15.000 h | 10 | 151724 | 6,00 |
| E27 | 3,8 W | 330 lm | 2200 K | 80 | TRIAC | 15.000 h | 10 | 223926 | 7,00 |
| E27 | 8 W | 900 lm | 2700 K | 90 | | 25.000 h | 10 | 342863 | 6,00 new |
| E27 | 8 W | 950 lm | 3000 K | 80 | | 25.000 h | 10 | 101354 | 6,00 |
| E27 | 8 W | 1030 lm | 4000 K | 80 | | 25.000 h | 10 | 253435 | 6,00 |
| E27 | 18 W | 2210 lm | 3000 K | 80 | | 25.000 h | 10 | 151786 | 6,00 |
| E27 | 18 W | 2300 lm | 4000 K | 80 | | 25.000 h | 10 | 152004 | 6,00 |
| E27 | 8 W | 900 lm | 3000 K | 80 | TRIAC | 15.000 h | 10 | 277813 | 9,50 |
| E27 | 7,8 W | 1050 lm | 3000 K | 80 | | 25.000 h | 10 | 157580 | 9,50 |



Glass 101347



Glass 101354



Plastic 151786










Glass satin 277813















Glass satin 157580

Bulbs E27

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|--|---|-------------|-------|--------|--------|-----|----------|----------|----------|--------|-------|
|  |  | E27 | 4 W | 330 lm | 2200 K | 80 | | 15.000 h | 10 | 151700 | 4,00 |
| |  | E27 | 4 W | 440 lm | 2200 K | 80 | | 15.000 h | 10 | 151694 | 4,00 |
| | | E27 | 3,8 W | 330 lm | 2200 K | 80 | TRIAC | 15.000 h | 10 | 223919 | 5,00 |
| |  | E27 | 5,1 W | 360 lm | 1800 K | 80 | | 15.000 h | 10 | 201283 | 5,00 |
| |  | E27 | 5,5 W | 360 lm | 1800 K | 80 | | 15.000 h | 10 | 201269 | 9,50 |
| |  | E27 | 4 W | 360 lm | 1800 K | 80 | | 15.000 h | 10 | 201290 | 10,00 |
| |  | E27 | 5,4 W | 360 lm | 1800 K | 80 | | 15.000 h | 10 | 201276 | 10,00 |



Bulbs E27

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|---|---|-------------|-------|--------|--------|-----|----------|----------|----------|--------|-------|
|  |  | E27 | 7,5 W | 600 lm | 1800 K | 80 | | 15.000 h | 10 | 201252 | 11,00 |
|  |  | E27 | 6 W | 320 lm | 1800 K | 80 | | 15.000 h | 1 | 130170 | 33,00 |
|  |  | E27 | 4 W | 320 lm | 1800 K | 80 | | 15.000 h | 1 | 129877 | 33,00 |
| | | E27 | 3,8 W | 330 lm | 2200 K | 80 | TRIAC | 15.000 h | 1 | 223940 | 33,00 |
|  |  | E27 | 4,1 W | 400 lm | 2200 K | 80 | | 25.000 h | 1 | 130187 | 25,00 |
| | | E27 | 3,9 W | 330 lm | 2200 K | 80 | TRIAC | 15.000 h | 1 | 223834 | 30,00 |
|  |  | E27 | 4,1 W | 360 lm | 2200 K | 80 | | 25.000 h | 1 | 237251 | 22,50 |
|  |  | E27 | 8 W | 700 lm | 2200 K | 80 | | 25.000 h | 1 | 130163 | 25,00 |



201252

130170

129877

130187

237251

130163



Nikita new

Bulb with clear glass, opal shaded in the upper part. Unique central linear filament. Glass color: white, smoked.



Bulbs LED E27.
CCT: 2200 K, CRI: ≥90



345826



345819




0,237 Kg / 0,0099 m³
LED 3W / 230lm / 100lm
€ 30

345802 White new 345826 White new
333915 Smok.Gra new



0,160 Kg / 0,0028 m³
LED 3W / 180lm / 80lm
€ 30



345826 White new 345819 Smok.Gra new



0,280 Kg / 0,0091 m³
LED 3W / 180lm / 80lm
€ 30




333922 White new 345833 Smok.Gra new

Bulbs G4



| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|-------------|-------|--------|--------|-----|-----------|----------|----------|--------|------|
| G4 | 1,5 W | 160 lm | 3000 K | 80 | | 15.000 h | 20 | 188980 | 4,50 |
| G4 | 2 W | 200 lm | 3000 K | 80 | | 20.000 h | 20 | 222257 | 4,00 |
| G4 | 2 W | 200 lm | 3000 K | 80 | Phase-cut | 20.000 h | 20 | 266282 | 5,00 |

Bulbs G9





| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|-------------|-------|--------|--------|-----|----------|----------|----------|--------|----------|
| G9 | 2,5 W | 170 lm | 3000 K | 80 | | 25.000 h | 20 | 122168 | 3,50 |
| G9 | 2,5 W | 180 lm | 4000 K | 80 | | 25.000 h | 20 | 253381 | 3,50 |
| G9 | 3 W | 350 lm | 2700 K | 80 | | 15.000 h | 20 | 270968 | 3,50 |
| G9 | 3 W | 370 lm | 3000 K | 80 | | 15.000 h | 20 | 209043 | 3,50 |
| G9 | 3 W | 350 lm | 3000 K | 80 | TRIAC | 25.000 h | 20 | 288215 | 5,00 |
| G9 | 3 W | 390 lm | 4000 K | 80 | | 15.000 h | 20 | 209036 | 3,50 |
| G9 | 3,5 W | 310 lm | 3000 K | 90 | | 15.000 h | 20 | 288208 | 3,50 |
| G9 | 4 W | 470 lm | 2700 K | 90 | | 15.000 h | 20 | 342887 | 6,00 new |
| G9 | 4 W | 510 lm | 3000 K | 80 | | 15.000 h | 20 | 305486 | 6,00 |
| G9 | 3,5 W | 420 lm | 3000 K | 80 | TRIAC | 15.000 h | 20 | 305431 | 8,50 |
| G9 | 4 W | 530 lm | 4000 K | 80 | | 15.000 h | 20 | 307879 | 6,00 |
| G9 | 3,5 W | 440 lm | 4000 K | 80 | TRIAC | 15.000 h | 20 | 307886 | 8,50 |

Bulbs GX53

101385

123936





| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|-------------|-------|---------|--------|-----|----------|----------|----------|--------|---|
| GX53 | 7 W | 730 lm | 3000 K | 80 | | 25.000 h | 10 | 101385 | 5,00 |
| GX53 | 7 W | 760 lm | 4000 K | 80 | | 25.000 h | 10 | 253404 | 5,00 |
| GX53 | 9 W | 910 lm | 3000 K | 80 | | 25.000 h | 10 | 123936 | 5,00 |
| GX53 | 9 W | 890 lm | 3000 K | 80 | TRIAC | 25.000 h | 10 | 252551 | 9,00 |
| GX53 | 9 W | 1000 lm | 4000 K | 80 | | 25.000 h | 10 | 154008 | 5,00 |
| GX53 | 9 W | 900 lm | 4000 K | 80 | TRIAC | 25.000 h | 10 | 252568 | 9,00 |
| GX53 | 9 W | 880 lm | 2700 K | 90 | | 25.000 h | 10 | 342900 | 5,00 new |
| GX53 | 9 W | 940 lm | 3000 K | 90 | | 25.000 h | 10 | 288383 | 5,00 |

Bulbs R7s

















189109

307862



| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Min Qty. | Code | € |
|-------------|--------|---------|--------|-----|----------|----------|----------|--------|-------|
| R7s | 6,9W | 560 lm | 3000 K | 80 | | 20.000 h | 10 | 189109 | 13,00 |
| R7s | 5,9 W | 450 lm | 3000 K | 80 | TRIAC | 20.000 h | 10 | 266770 | 15,00 |
| R7s | 6,9 W | 580 lm | 4000 K | 80 | | 20.000 h | 10 | 272375 | 13,00 |
| R7s | 5,9 W | 480 lm | 4000 K | 80 | TRIAC | 20.000 h | 10 | 272382 | 15,00 |
| R7s | 12,9 W | 760 lm | 3000 K | 80 | | 20.000 h | 10 | 189093 | 17,00 |
| R7s | 7,9 W | 580 lm | 3000 K | 80 | TRIAC | 20.000 h | 10 | 266763 | 18,00 |
| R7s | 12,9 W | 830 lm | 4000 K | 80 | | 20.000 h | 10 | 253480 | 17,00 |
| R7s | 7,9 W | 640 lm | 4000 K | 80 | TRIAC | 20.000 h | 10 | 266756 | 18,00 |
| R7s | 13,5 W | 1700 lm | 3000 K | 80 | | 15.000 h | 10 | 307862 | 12,50 |
| R7s | 14 W | 1600 lm | 3000 K | 80 | TRIAC | 15.000 h | 10 | 307855 | 13,50 |
| R7s | 13,5 W | 1700 lm | 4000 K | 80 | | 15.000 h | 10 | 296869 | 12,50 |
| R7s | 14 W | 1650 lm | 4000 K | 80 | TRIAC | 15.000 h | 10 | 296876 | 13,50 |

Bulbs GU10

|  |  | Lamp socket | Power | Flux | CCT | CRI | Beam | Dimm. | Life | Min Qty. | Code | € |
|---|---|-------------|-------|--------|--------|-----|------|-------|----------|----------|--------|-----------------------|
| | | | | | | | | | | | | |
|  |  | GU10 | 4 W | 340 lm | 3000 K | 90 | 62° | | 25.000 h | 10 | 339771 | 3,00 new |
| | | GU10 | 5 W | 430 lm | 3000 K | 90 | 50° | TRIAC | 25.000 h | 10 | 266251 | 4,50 |
|  |  | GU10 | 5 W | 430 lm | 4000 K | 90 | 50° | | 25.000 h | 10 | 253497 | 3,00 |
| | | GU10 | 5 W | 450 lm | 4000 K | 90 | 50° | TRIAC | 25.000 h | 10 | 285566 | 4,50 |
|  |  | GU10 | 7 W | 540 lm | 3000 K | 90 | 50° | | 25.000 h | 10 | 123943 | 3,50 |
| | | GU10 | 7 W | 460 lm | 3000 K | 90 | 50° | TRIAC | 25.000 h | 10 | 288239 | 5,00 |
|  |  | GU10 | 7 W | 620 lm | 3000 K | 90 | 108° | | 25.000 h | 10 | 101378 | 3,50 |
| | | GU10 | 7 W | 650 lm | 4000 K | 90 | 108° | | 25.000 h | 10 | 117652 | 3,50 |
|  |  | GU10 | 8 W | 580 lm | 3000 K | 90 | 56° | | 25.000 h | 10 | 189062 | 3,50 |
| | | GU10 | 8 W | 620 lm | 4000 K | 90 | 56° | | 25.000 h | 10 | 270975 | 3,50 |
|  |  | GU10 | 5 W | 380 lm | 2700 K | 95 | 50° | | 25.000 h | 10 | 307619 | 3,00 |
| | | GU10 | 5 W | 410 lm | 3000 K | 90 | 50° | | 25.000 h | 10 | 108292 | 3,00 |
|  |  | GU10 | 7 W | 540 lm | 4000 K | 90 | 50° | | 25.000 h | 10 | 224367 | 3,50 |
| | | GU10 | 7 W | 600 lm | 2700 K | 95 | 108° | | 25.000 h | 10 | 307626 | 3,50 |



108292



101378



189062









307619



307626

Bulbs GU10

| | Lamp socket | Power | Flux | CCT | CRI | Beam | Dimm. | Life | Min Qty. | Code | € | |
|---|-------------|-------|---------|--------|-----|------|-------|----------|----------|--------|-------|-----|
|   | GU10 | 12 W | 930 lm | 3000 K | 90 | 20° | | 25.000 h | 10 | 327037 | 13,50 | new |
| | GU10 | 12 W | 900 lm | 3000 K | 90 | 22° | TRIAC | 25.000 h | 10 | 326290 | 15,00 | new |
| | GU10 | 12 W | 1190 lm | 4000 K | 90 | 20° | | 25.000 h | 10 | 327051 | 14,00 | new |
|   | GU10 | 12 W | 980 lm | 2700 K | 90 | 38° | | 25.000 h | 10 | 342894 | 14,00 | new |
| | GU10 | 12 W | 1120 lm | 3000 K | 90 | 40° | | 25.000 h | 10 | 327044 | 13,50 | new |
| | GU10 | 12 W | 1000 lm | 3000 K | 90 | 40° | TRIAC | 25.000 h | 10 | 327075 | 18,00 | new |
| | GU10 | 12 W | 1120 lm | 4000 K | 90 | 40° | | 25.000 h | 10 | 327068 | 14,00 | new |
|   | GU10 | 10 W | 750 lm | 3000 K | 80 | 22° | | 15.000 h | 10 | 189031 | 15,00 | |
| | GU10 | 10 W | 720 lm | 3000 K | 80 | 22° | TRIAC | 15.000 h | 10 | 288543 | 18,00 | |
| | GU10 | 10 W | 780 lm | 4000 K | 80 | 22° | | 15.000 h | 10 | 253398 | 15,00 | |



242040



183794



189031

Kit emergency


Emergency kit for LED modules.
Includes inverter and battery.
From two to three hours autonomy
and recharging time respectively
of 12 and 24 hours. It operates for
emergency only or as continuous
light (continuous light combined
with electronic power supply and
dimmable electronic power supply).
Insulation class II.

€ 135

221595 White



INVERTER





IP20

0,185 Kg / 0,0009 m³

52 mm

GROUP BATTERY




0,305 Kg / 0,0010 m³

65 mm

For further information please contact the technical office.


Ceiling roses

Magnetic Ceiling roses




1 cable

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 244235 € 13,00 | 244259 € 13,00 | 249315 € 15,00 | 249308 € 15,00 | 244242 € 13,00 |




1 cable

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 311265 € 14,00 | 328683 € 14,00 | 328706 € 16,00 | 328690 € 16,00 | 311272 € 14,00 |



6 cables


| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 303390 € 14,50 | 303406 € 14,50 | 307091 € 21,00 | 307084 € 21,00 | 307077 € 14,50 |



8 cables


| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 272429 € 16,50 | 272436 € 16,50 | 272443 € 23,50 | 272450 € 23,50 | 272467 € 16,50 |

Standard Ceiling roses




1 cable

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 122823 € 10,00 | 122830 € 10,00 | 249278 € 11,00 | 249261 € 11,00 | 123295 € 10,00 |



3 cables

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 285580 € 33,00 | 285597 € 33,00 | 285627 € 50,00 | 285610 € 50,00 | 285603 € 33,00 |




5 cables

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| | | | | |
| 285634 € 60,00 | 285641 € 60,00 | 285672 € 80,00 | 285665 € 80,00 | 285658 € 60,00 |

Ceiling roses


Recessed Ceiling roses



1 cable


| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| 301594 € 5,00 | 307107 € 5,00 | 307138 € 5,00 | 307121 € 5,00 | 307114 € 5,00 |

All in linear ceiling roses



4 cables


| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| 304038 € 60,00 | 328713 € 60,00 | 328744 € 70,00 | 328737 € 70,00 | 328720 € 60,00 |



6 cables


| | | | | |
|--|--|---|--|--|
|  |  |  |  |  |
| 328751 € 90,00 | 304045 € 90,00 | 328782 € 110,00 | 328775 € 110,00 | 328768 € 90,00 |

Standard linear ceiling roses



3 cables

| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| 122854 € 33,00 | 122861 € 33,00 | 249292 € 55,00 | 249285 € 55,00 | 123301 € 33,00 |




5 cables


| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| 285689 € 60,00 | 285696 € 60,00 | 285726 € 75,00 | 285719 € 75,00 | 285702 € 60,00 |

Accessories

Bulb holders



| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 249186 € 13,00 | 249193 € 13,00 | 249223 € 13,00 | 249216 € 13,00 | 249209 € 13,00 |



| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 242569 € 5,00 | 249230 € 5,00 | 249254 € 5,00 | 249247 € 5,00 | 242576 € 5,00 |

Cables

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 301624 € 11,00 | 301662* € 15,00 | 301655 € 12,00 | 301648 € 12,00 | 301631 € 11,00 |

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 301679 € 22,00 | 301716* € 30,00 | 301709 € 24,00 | 301693 € 24,00 | 301686 € 22,00 |

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| 303062 € 30,00 | 306421 € 30,00 | 303093 € 32,00 | 303086 € 32,00 | 303079 € 30,00 |

Cable holders



| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 143200 € 5,00 | 143224 € 5,00 | 249339 € 5,00 | 249322 € 5,00 | 143217 € 5,00 |



| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 285887 € 5,00 | 285894 € 5,00 | 285924 € 5,00 | 285917 € 5,00 | 285900 € 5,00 |































Topico

Pag 534

















































































Families' index

| | | | | |
|---------|---|---|---|---|
| |  |  |  | |
| Angolo |  334 |  476 |  500 | |
| |  |  |  |  |
| Arizona |  156 |  156 |  278 |  278 |
| |  |  |  |  |
| Axel |  478 |  526 | Binomio |  |
| |  |  |  |  |
| Birds |  105 |  327 |  421 |  473 |
| |  |  | | |
| Bubble |  812 |  854 | | |
| |  |  |  |  |
| Candy |  158 |  158 |  280 |  469 |
| |  |  | | |
| Cantina |  137 |  426 | | |

Families' index

Indoor, outdoor

| | | | | | | |
|---------|---|---|---|---|---|---|
| |  |  |  |  |  | |
| Carlton |  203 |  203 |  355 |  355 |  439 | |
| |  |  |  |  |  |  |
| Carta |  170 |  170 |  170 |  170 |  282 |  282 |
| |  |  |  |  |  |  |
| |  385 |  385 |  468 |  468 |  519 |  519 |
| |  |  |  |  |  | |
| Chalet |  234 |  234 |  234 |  444 |  484 | |
| |  |  | | | | |
| Cima |  857 |  910 | | | | |
| |  |  |  |  |  | |
| Clio |  806 |  806 |  856 |  908 |  908 | |
| |  |  |  |  | | |
| Corte |  215 |  215 |  215 |  441 | | |
| |  |  |  |  |  |  |
| Cotton |  159 |  159 |  159 |  281 |  281 |  281 |



Craft

091 374 510



Cylinder

190 532



Dafne

857 857 911




Desk

090 090 090 374



Diamond

102 102 102 466



Diesis

126 459 511



Driftwood

235 235 484 526 526

































































Dubai

208 208 353 353 353 439

Families' index

Indoor, outdoor

| | | | | | | | | | |
|----------|---|---|---|--|---|---|---|---|---|
| Dynamite |  |  |  | | | Easy |  |  | |
| |  |  |  | | | |  |  | |
| Edison |  |  | | | | | Elio |  |  |
| |  |  | | | | | |  |  |
| Equinoxe |  |  |  |  |  |  | | | |
| |  |  |  |  |  |  | | | |
| Essence |  |  | | | | | | | |
| |  |  | | | | | | | |
| Etere |  |  |  | | | | | | |
| |  |  |  | | | | | | |
| Filo |  |  |  |  |  |  | | | |
| |  |  |  |  |  |  | | | |
| Firenze |  |  |  |  |  | | | | |
| |  |  |  |  |  | | | | |



Florian

220

220

220

442



Frame

076

076

076

247

247

247



501



Frida

120

419



Futura

460

514



Gas

823

891



Gemini

060

060

060

060

272

272



272



Gioconda

224

224

224

443



Glory

155

155

155

276

276

276

Families' index

Indoor, outdoor



Gun

810

834

834



Harem

233

233

446



Igor

101

420



Kepler

111

111

422



King

200

200

346

346

346



Koala

920

920

920

920



Lana

153

298

298



Linus

375

624



Litio

821

926



Lika

311 784 784 784 784 784



784 784 792



Lingotto

100 100 100 335 335 335



477 477



London

479 479 529



Look

078 078 300 300 300 300



381 506 698

Lumiere

































































178































































178 178 341 341 465 496

Families' index

Indoor, outdoor

| | | | | | | |
|----------|---|---|---|---|---|---|
| |  |  |  |  |  | |
| Luna |  804 |  804 |  878 |  878 |  878 | |
| |  |  |  |  |  |  |
| Mapa |  168 |  168 |  168 |  168 |  168 |  168 |
| |  |  |  |  |  |  |
| |  282 |  384 |  384 |  384 |  384 |  470 |
| |  |  |  | | | |
| |  470 |  470 |  470 | | | |
| |  |  |  | | | |
| Maracas |  330 |  330 |  424 | | | |
| |  |  | | | | |
| Martinez |  202 |  354 | | | | |
| |  |  |  | | | |
| Mix Up |  130 |  290 |  508 | | | |
| |  |  |  |  | | |
| Mouse |  316 |  412 |  412 |  694 | | |

| | | | | | | | |
|----------|---|---|---|---|---|---|---|
| Negresco |  |  |  | | |  |  |
| |  218 |  218 |  442 | Newton | |  426 |  516 |
| Ninfea |  |  |  |  |  | | |
| |  339 |  339 |  431 |  431 |  471 | | |
| Nodi |  |  |  | | | | |
| |  175 |  175 |  322 | | | | |
| Nordik |  |  |  |  |  | | |
| |  189 |  189 |  436 |  480 |  532 | | |
| Oak |  |  | | | | | |
| |  082 |  310 | | | | | |
| Oby |  |  |  |  | | | |
| |  317 |  317 |  415 |  415 | | | |
| Opera |  |  |  |  | | | |
| |  198 |  198 |  198 |  440 | | | |
| |  |  | | | | | |
| |  486 |  534 | | | | | |

Families' index

Indoor, outdoor



Oracle Slim

068 068 068 068 074 074



074 242 242 242



Ovalino

157 157 284 284 382



Oz

064 064 244 362 452



O-Zone

818 916 Pan 191 430



Pashà

205 205 205



438 345 345 345



Pegaso

212 212 212 441 489 489




Penta

340 340 431




Perlage

106 106 106 106 106 324



324 324 324 423 423 473



473 498



Ping Pong

336 336 428 428 472 505



Pure

864 864



Queen

488 488 488 534

































































































































Rain

201 352 352

Families' index

Indoor, outdoor

| | | | | | | |
|-------------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Roma |  438 |  486 |  344 |  344 |  344 |  344 |
| |  |  |  |  | | |
| Rudy |  318 |  318 |  413 |  413 | | |
| |  |  |  | | | |
| Set Up |  192 - 194 - 196 |  192 - 194 - 196 |  192 - 194 - 196 | | | |
| |  |  |  | | | |
| |  292 - 294 - 296 |  292 - 294 - 296 |  292 - 294 - 296 | | | |
| |  |  |  |  |  | |
| |  434 |  434 |  482 |  482 |  530 | |
| |  |  |  |  |  | |
| |  192 |  292 |  434 |  482 |  530 | |
| |  |  | | |  |  |
| Set Up Slim |  194 |  294 | | | | |
| |  |  |  |  | | |
| Sirio |  841 |  886 |  886 |  924 | | |

| | | | | | | |
|----------|---|---|---|---|---|---|
| |  |  |  |  |  | |
| Sky |  |  |  |  |  | |
| |  |  |  |  |  |  |
| Smarties |  |  |  |  |  |  |
| |  |  |  |  |  | |
| |  |  |  |  |  | |
| |  |  | | | | |
| Snow |  |  | | | | |
| |  |  |  |  |  |  |
| Sole |  |  |  |  |  |  |
| |  |  | | |  |  |
| |  |  | | |  |  |
| |  |  |  |  | | |
| Spot |  |  |  |  | | |
| |  |  |  |  | | |
| Strauss |  |  |  |  | | |

Families' index

Indoor, outdoor

| | | | | | | |
|---------|---|---|---|---|---|---|
| Style |  |  |  | | | |
| |  826 |  826 |  884 | | | |
| Swan |  |  |  | | | |
| |  199 |  199 |  440 | | | |
| Terra |  |  |  |  | | |
| |  822 |  822 |  925 |  925 | | |
| Thor |  |  |  |  | | |
| |  914 |  914 |  932 |  932 | | |
| Toffee |  |  |  |  |  |  |
| |  837 |  866 |  866 |  866 |  866 |  866 |
| Topico |  |  |  | | | |
| |  148 |  283 |  283 | | | |
| Triumph |  |  |  |  | | |
| |  098 |  326 |  424 |  424 | | |
| Tronco |  |  |  |  | | |
| |  828 |  898 |  898 |  898 | | |



Wally

463

517



Winery

315

416



Yoko

089

457

503



Code index



Code index

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| SKU | Pag | 020846 | 444 | 035666 | 143 | 059259 | 489 | 081526 | 216 | 092447 | 851 |
| | | 020853 | 485 | 035680 | 143 | 059266 | 489 | 082059 | 175 | 092836 | 420 |
| 000206 | 470 | 020877 | 535 | 035697 | 143 | 059679 | 152 | 082073 | 175 | 092911 | 206 |
| 000657 | 344 | 022222 | 350 | 035710 | 143 | 059808 | 384 | 082158 | 205 | 092942 | 101 |
| 002880 | 535 | 022239 | 350 | 035727 | 153 | 059815 | 384 | 082172 | 205 | 093086 | 438 |
| 003528 | 516 | 023021 | 139 | 035826 | 199 | 059822 | 384 | 082196 | 205 | 093093 | 344 |
| 004716 | 828 | 023038 | 139 | 035840 | 199 | 059839 | 282 | 082240 | 852 | 093659 | 134 |
| 004723 | 898 | 024097 | 910 | 035864 | 440 | 060491 | 443 | 082257 | 205 | 093697 | 134 |
| 004730 | 898 | 024134 | 857 | 035949 | 437 | 060507 | 224 | 082264 | 438 | 093963 | 284 |
| 005386 | 396 | 025438 | 190 | 035956 | 437 | 060514 | 224 | 082288 | 438 | 093994 | 231 |
| 005881 | 215 | 026473 | 386 | 038025 | 382 | 060620 | 382 | 082783 | 351 | 094007 | 231 |
| 005898 | 215 | 026480 | 386 | 041742 | 522 | 061115 | 518 | 082790 | 351 | 094014 | 284 |
| 005911 | 232 | 026558 | 387 | 041827 | 209 | 061122 | 518 | 083070 | 794 | 094137 | 172 |
| 007021 | 396 | 026787 | 140 | 043562 | 168 | 061139 | 518 | 083087 | 794 | 094182 | 381 |
| 007045 | 396 | 026954 | 898 | 044255 | 226 | 061160 | 463 | 083117 | 794 | 094229 | 172 |
| 007960 | 298 | 026961 | 898 | 044279 | 270 | 061191 | 463 | 083124 | 794 | 094236 | 172 |
| 007977 | 298 | 026978 | 828 | 044286 | 270 | 061450 | 830 | 083131 | 794 | 094649 | 351 |
| 007984 | 298 | 026985 | 898 | 044293 | 270 | 061467 | 830 | 083148 | 794 | 094663 | 351 |
| 007991 | 298 | 026992 | 898 | 044422 | 227 | 061474 | 830 | 083179 | 794 | 094786 | 232 |
| 008363 | 201 | 027005 | 828 | 044453 | 227 | 061580 | 847 | 083186 | 794 | 095226 | 156 |
| 008370 | 352 | 027081 | 388 | 044491 | 487 | 061597 | 847 | 083193 | 794 | 095998 | 381 |
| 008455 | 352 | 027098 | 388 | 044590 | 475 | 066448 | 212 | 083223 | 794 | 096018 | 381 |
| 008608 | 299 | 027104 | 388 | 044606 | 475 | 066868 | 847 | 083230 | 794 | 096476 | 820 |
| 008615 | 299 | 027852 | 426 | 044767 | 207 | 068138 | 298 | 083247 | 794 | 096483 | 820 |
| 008622 | 299 | 027876 | 426 | 044774 | 207 | 068145 | 298 | 083254 | 796 | 096667 | 853 |
| 009087 | 168 | 028460 | 441 | 044910 | 443 | 068169 | 153 | 086736 | 158 | 096674 | 853 |
| 009131 | 470 | 030326 | 140 | 044927 | 224 | 068268 | 440 | 086743 | 158 | 096681 | 853 |
| 009148 | 168 | 030784 | 350 | 044934 | 224 | 068275 | 534 | 086781 | 280 | 096698 | 853 |
| 009155 | 470 | 031361 | 369 | 045030 | 464 | 068299 | 198 | 086804 | 469 | 096704 | 853 |
| 009223 | 277 | 031460 | 401 | 045047 | 464 | 068305 | 486 | 087368 | 447 | 096711 | 853 |
| 009537 | 367 | 031477 | 401 | 045115 | 161 | 073187 | 346 | 087375 | 447 | 096728 | 853 |
| 009933 | 368 | 031743 | 187 | 045122 | 161 | 073255 | 346 | 087757 | 442 | 096735 | 853 |
| 009940 | 368 | 031750 | 187 | 045191 | 418 | 073262 | 346 | 087764 | 218 | 097183 | 398 |
| 009957 | 368 | 031996 | 154 | 045214 | 418 | 073521 | 412 | 087771 | 218 | 097190 | 398 |
| 010861 | 275 | 032009 | 154 | 045627 | 389 | 073545 | 412 | 087818 | 180 | 097206 | 398 |
| 012865 | 230 | 032016 | 154 | 045634 | 389 | 073569 | 412 | 087863 | 344 | 097664 | 215 |
| 012872 | 230 | 032023 | 277 | 046167 | 822 | 073583 | 316 | 087870 | 344 | 097671 | 215 |
| 012889 | 485 | 032030 | 277 | 046181 | 822 | 073712 | 322 | 087979 | 200 | 098616 | 156 |
| 012902 | 444 | 032047 | 277 | 046211 | 925 | 074139 | 157 | 088013 | 200 | 100364 | 847 |
| 013046 | 447 | 032078 | 469 | 046471 | 522 | 074245 | 141 | 088020 | 200 | 100371 | 847 |
| 013060 | 447 | 032122 | 168 | 046723 | 522 | 074313 | 141 | 088266 | 369 | 100388 | 834 |
| 013657 | 464 | 032139 | 168 | 049229 | 369 | 074337 | 141 | 088273 | 369 | 100395 | 834 |
| 014166 | 369 | 032368 | 479 | 049236 | 369 | 074702 | 474 | 089805 | 527 | 100746 | 345 |
| 014609 | 528 | 032375 | 479 | 051406 | 487 | 074726 | 474 | 090481 | 157 | 100784 | 345 |
| 014814 | 385 | 032382 | 529 | 051444 | 370 | 075150 | 220 | 091006 | 270 | 100791 | 345 |
| 015286 | 516 | 032825 | 936 | 051741 | 525 | 075181 | 220 | 091013 | 270 | 100807 | 345 |
| 016399 | 426 | 032832 | 936 | 051765 | 525 | 075211 | 445 | 091129 | 369 | 100937 | 160 |
| 016863 | 186 | 033013 | 834 | 051840 | 387 | 075389 | 346 | 091136 | 369 | 100944 | 160 |
| 017297 | 396 | 033020 | 834 | 051857 | 387 | 075402 | 346 | 091518 | 823 | 100951 | 160 |
| 017303 | 396 | 033037 | 925 | 051864 | 387 | 075419 | 346 | 091525 | 823 | 101125 | 155 |
| 017310 | 396 | 033044 | 925 | 051963 | 368 | 077734 | 488 | 092188 | 848 | 101132 | 276 |
| 017327 | 397 | 033532 | 209 | 051970 | 368 | 077741 | 488 | 092195 | 848 | 101200 | 944 |
| 017334 | 397 | 033662 | 161 | 051987 | 368 | 077758 | 488 | 092201 | 848 | 101217 | 944 |
| 017518 | 370 | 033679 | 161 | 052786 | 153 | 077765 | 534 | 092218 | 840 | 101224 | 944 |
| 018508 | 275 | 033952 | 139 | 052809 | 172 | 077796 | 351 | 092225 | 902 | 101231 | 944 |
| 018515 | 840 | 034546 | 366 | 052816 | 172 | 077802 | 351 | 092300 | 834 | 101248 | 944 |
| 018522 | 840 | 035574 | 214 | 052991 | 352 | 077819 | 351 | 092317 | 834 | 101255 | 944 |
| 019734 | 155 | 035581 | 214 | 053004 | 352 | 080338 | 347 | 092324 | 810 | 101262 | 944 |
| 019741 | 155 | 035604 | 220 | 057187 | 215 | 080345 | 347 | 092355 | 847 | 101279 | 946 |
| 019758 | 276 | 035611 | 220 | 057194 | 215 | 080352 | 347 | 092393 | 850 | 101286 | 946 |
| 019765 | 276 | 035628 | 220 | 057200 | 441 | 080932 | 351 | 092409 | 850 | 101293 | 946 |
| 020228 | 823 | 035635 | 220 | 059211 | 441 | 081434 | 270 | 092416 | 851 | 101323 | 946 |
| 020822 | 230 | 035642 | 442 | 059235 | 212 | 081441 | 270 | 092423 | 851 | 101330 | 946 |
| 020839 | 230 | 035659 | 442 | 059242 | 212 | 081519 | 216 | 092430 | 851 | 101347 | 946 |

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| 101354 | 946 | 114170 | 216 | 120898 | 184 | 129877 | 946 | 140933 | 307 | 150130 | 792 |
| 101378 | 956 | 114187 | 216 | 120904 | 184 | 129921 | 210 | 141794 | 78 | 150284 | 798 |
| 101385 | 955 | 114279 | 209 | 121130 | 396 | 130163 | 946 | 141800 | 78 | 150291 | 792 |
| 101491 | 857 | 114293 | 844 | 121147 | 396 | 130170 | 946 | 141817 | 78 | 150307 | 792 |
| 101514 | 911 | 114347 | 902 | 121154 | 396 | 130187 | 946 | 141855 | 78 | 150420 | 310 |
| 101552 | 857 | 114620 | 486 | 121161 | 396 | 131924 | 162 | 142241 | 403 | 150437 | 310 |
| 101606 | 113 | 114729 | 209 | 121178 | 396 | 132365 | 150 | 142258 | 403 | 150635 | 82 |
| 101613 | 113 | 114736 | 209 | 121338 | 396 | 132389 | 150 | 142265 | 395 | 151649 | 944 |
| 102047 | 134 | 114743 | 209 | 121352 | 401 | 133393 | 323 | 142272 | 395 | 151656 | 944 |
| 103174 | 185 | 115061 | 886 | 121406 | 527 | 134826 | 235 | 142289 | 395 | 151663 | 944 |
| 103204 | 437 | 115078 | 886 | 121437 | 527 | 134833 | 235 | 142296 | 395 | 151687 | 946 |
| 103983 | 186 | 115085 | 886 | 121963 | 831 | 134840 | 235 | 142302 | 842 | 151694 | 946 |
| 104928 | 78 | 115092 | 886 | 122014 | 941 | 134871 | 136 | 142579 | 403 | 151700 | 946 |
| 104935 | 78 | 115108 | 886 | 122021 | 941 | 135205 | 903 | 142586 | 403 | 151717 | 946 |
| 104942 | 78 | 115115 | 886 | 122045 | 858 | 135250 | 812 | 142692 | 400 | 151724 | 946 |
| 105710 | 383 | 115290 | 844 | 122083 | 120 | 135526 | 946 | 142708 | 400 | 151731 | 944 |
| 105727 | 383 | 115306 | 844 | 122106 | 120 | 135755 | 901 | 142906 | 86 | 151748 | 944 |
| 106205 | 925 | 115313 | 844 | 122168 | 954 | 135762 | 901 | 142913 | 86 | 151755 | 946 |
| 108094 | 462 | 115320 | 844 | 122557 | 185 | 135908 | 903 | 142999 | 901 | 151762 | 946 |
| 108117 | 462 | 115337 | 844 | 122564 | 185 | 135991 | 802 | 143200 | 960 | 151779 | 946 |
| 108292 | 956 | 115344 | 844 | 122663 | 810 | 136004 | 802 | 143217 | 960 | 151786 | 946 |
| 109138 | 898 | 115351 | 846 | 122687 | 810 | 136011 | 802 | 143224 | 960 | 151793 | 944 |
| 109145 | 898 | 115368 | 846 | 122823 | 958 | 136028 | 893 | 144238 | 806 | 151861 | 946 |
| 110233 | 529 | 115375 | 846 | 122830 | 958 | 136035 | 893 | 144245 | 806 | 151946 | 944 |
| 110240 | 529 | 115382 | 858 | 122854 | 958 | 136042 | 893 | 144252 | 806 | 151953 | 944 |
| 110356 | 524 | 115412 | 927 | 122861 | 958 | 136059 | 893 | 144276 | 831 | 151960 | 946 |
| 110363 | 524 | 115429 | 927 | 123080 | 831 | 136073 | 806 | 144283 | 830 | 151977 | 946 |
| 110417 | 122 | 115481 | 412 | 123295 | 958 | 136318 | 177 | 144917 | 397 | 151991 | 946 |
| 110424 | 122 | 115498 | 234 | 123301 | 958 | 136325 | 177 | 145020 | 908 | 152004 | 946 |
| 110431 | 122 | 115504 | 234 | 123745 | 849 | 137391 | 832 | 145068 | 908 | 153162 | 890 |
| 110448 | 479 | 115511 | 444 | 123769 | 849 | 137681 | 133 | 145228 | 856 | 153179 | 890 |
| 110455 | 479 | 115580 | 797 | 123776 | 849 | 137827 | 527 | 145303 | 821 | 153193 | 890 |
| 110462 | 122 | 115597 | 797 | 123783 | 849 | 138237 | 90 | 145310 | 926 | 153209 | 890 |
| 110530 | 479 | 115610 | 797 | 123882 | 946 | 138251 | 374 | 145327 | 821 | 153926 | 944 |
| 110554 | 479 | 115962 | 446 | 123899 | 946 | 138305 | 172 | 145334 | 926 | 153933 | 944 |
| 110745 | 142 | 115979 | 233 | 123936 | 955 | 138374 | 416 | 145341 | 821 | 153940 | 944 |
| 110752 | 142 | 116006 | 233 | 123943 | 956 | 138510 | 901 | 145358 | 926 | 153957 | 946 |
| 111452 | 532 | 116112 | 275 | 123974 | 776 | 138596 | 264 | 146775 | 856 | 153964 | 946 |
| 111841 | 180 | 116228 | 206 | 123981 | 776 | 138602 | 264 | 146782 | 856 | 153971 | 946 |
| 111858 | 180 | 116235 | 206 | 123998 | 776 | 138619 | 264 | 146799 | 856 | 153988 | 946 |
| 111865 | 180 | 116457 | 121 | 124001 | 776 | 138633 | 266 | 147642 | 454 | 154008 | 955 |
| 111872 | 214 | 116464 | 121 | 124018 | 776 | 138640 | 266 | 147659 | 454 | 155142 | 315 |
| 111896 | 214 | 116716 | 908 | 124025 | 776 | 138657 | 266 | 147666 | 776 | 155227 | 315 |
| 111902 | 172 | 117652 | 956 | 124070 | 644 | 138978 | 794 | 147673 | 776 | 155722 | 798 |
| 111919 | 172 | 117737 | 203 | 124087 | 644 | 139012 | 792 | 147680 | 776 | 155791 | 310 |
| 111957 | 112 | 117867 | 366 | 124117 | 644 | 139029 | 792 | 147765 | 832 | 155869 | 310 |
| 112268 | 112 | 117881 | 936 | 125503 | 343 | 139098 | 133 | 147772 | 832 | 155968 | 115 |
| 112305 | 184 | 118659 | 828 | 125510 | 343 | 139425 | 120 | 147796 | 832 | 156026 | 115 |
| 112312 | 184 | 118666 | 831 | 125831 | 136 | 139432 | 120 | 147819 | 832 | 156033 | 115 |
| 112336 | 184 | 119427 | 417 | 126883 | 381 | 139470 | 891 | 148151 | 116 | 156682 | 86 |
| 112343 | 184 | 119465 | 417 | 126890 | 381 | 140179 | 299 | 148175 | 116 | 156699 | 86 |
| 112626 | 426 | 119502 | 417 | 126906 | 83 | 140186 | 299 | 148502 | 116 | 156705 | 412 |
| 112695 | 426 | 119571 | 946 | 126913 | 83 | 140193 | 299 | 148847 | 806 | 156712 | 316 |
| 112701 | 137 | 120201 | 926 | 128207 | 484 | 140230 | 162 | 148854 | 806 | 156729 | 412 |
| 112732 | 137 | 120218 | 926 | 129082 | 122 | 140599 | 443 | 148861 | 806 | 156736 | 412 |
| 113302 | 120 | 120249 | 937 | 129099 | 122 | 140605 | 225 | 148878 | 806 | 156743 | 412 |
| 113319 | 120 | 120287 | 938 | 129433 | 833 | 140612 | 225 | 148908 | 416 | 156774 | 316 |
| 113753 | 844 | 120317 | 937 | 129457 | 833 | 140629 | 225 | 148939 | 526 | 156781 | 316 |
| 113760 | 844 | 120324 | 937 | 129464 | 824 | 140711 | 166 | 149585 | 172 | 157580 | 946 |
| 113791 | 845 | 120362 | 938 | 129471 | 824 | 140728 | 166 | 149592 | 172 | 157597 | 946 |
| 113975 | 234 | 120386 | 937 | 129488 | 824 | 140759 | 166 | 149622 | 323 | 157856 | 888 |
| 113982 | 796 | 120423 | 857 | 129570 | 484 | 140841 | 307 | 149738 | 842 | 158242 | 436 |
| 113999 | 796 | 120430 | 857 | 129600 | 235 | 140872 | 307 | 149745 | 842 | 158723 | 78 |
| 114019 | 796 | 120454 | 911 | 129709 | 210 | 140902 | 307 | 150116 | 792 | 158815 | 95 |

Code index

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| SKU | Pag | 165004 | 345 | 179308 | 378 | 189727 | 670 | 192505 | 626 | 198149 | 335 |
| | | 165011 | 198 | 179315 | 378 | 189734 | 670 | 192550 | 626 | 198156 | 335 |
| 158822 | 847 | 166247 | 203 | 179322 | 378 | 189741 | 670 | 192567 | 626 | 198620 | 900 |
| 158860 | 95 | 166285 | 354 | 179643 | 427 | 189758 | 670 | 192604 | 626 | 198637 | 900 |
| 158891 | 906 | 166360 | 202 | 179681 | 389 | 189765 | 670 | 192628 | 626 | 198644 | 900 |
| 158907 | 854 | 166889 | 217 | 179858 | 176 | 189772 | 670 | 192642 | 626 | 199375 | 229 |
| 159010 | 328 | 167121 | 414 | 180298 | 416 | 189789 | 670 | 192666 | 626 | 199382 | 229 |
| 159256 | 190 | 167152 | 414 | 180304 | 416 | 189796 | 670 | 192673 | 626 | 199405 | 229 |
| 159423 | 389 | 167244 | 222 | 180922 | 235 | 189802 | 670 | 192697 | 626 | 199412 | 229 |
| 159508 | 389 | 167251 | 222 | 180946 | 526 | 189819 | 670 | 192703 | 626 | 200118 | 108 |
| 159522 | 389 | 167268 | 222 | 180953 | 880 | 189826 | 670 | 192710 | 626 | 200125 | 108 |
| 159812 | 190 | 167398 | 222 | 182179 | 198 | 189833 | 670 | 192741 | 626 | 200132 | 425 |
| 159836 | 813 | 167404 | 222 | 186955 | 906 | 189840 | 670 | 192758 | 626 | 200149 | 425 |
| 159843 | 119 | 167411 | 222 | 186979 | 906 | 189857 | 670 | 193458 | 770 | 200194 | 321 |
| 159850 | 119 | 167497 | 116 | 187006 | 422 | 189864 | 670 | 193465 | 770 | 200200 | 321 |
| 159867 | 119 | 168036 | 811 | 187327 | 888 | 189871 | 670 | 193472 | 770 | 200217 | 321 |
| 159942 | 228 | 168050 | 811 | 187365 | 369 | 189888 | 670 | 193519 | 770 | 200231 | 321 |
| 159973 | 228 | 168111 | 811 | 187662 | 86 | 189895 | 670 | 193526 | 770 | 200248 | 321 |
| 159997 | 415 | 168135 | 811 | 187877 | 907 | 189901 | 670 | 193533 | 770 | 200255 | 321 |
| 160214 | 424 | 168753 | 219 | 187884 | 907 | 189918 | 670 | 193946 | 463 | 200330 | 424 |
| 160245 | 424 | 168777 | 219 | 187891 | 907 | 189925 | 670 | 193991 | 463 | 200354 | 330 |
| 160269 | 98 | 168906 | 227 | 187976 | 708 | 189932 | 670 | 194172 | 86 | 200361 | 330 |
| 160313 | 326 | 168913 | 439 | 187983 | 708 | 189949 | 670 | 194189 | 86 | 200484 | 322 |
| 160856 | 171 | 168920 | 355 | 187990 | 708 | 189956 | 670 | 194196 | 86 | 200491 | 175 |
| 160863 | 171 | 168937 | 355 | 188003 | 708 | 189963 | 670 | 194202 | 86 | 200996 | 353 |
| 161327 | 166 | 169576 | 708 | 188010 | 708 | 189970 | 670 | 194257 | 708 | 201016 | 353 |
| 161334 | 166 | 169583 | 708 | 188027 | 708 | 189987 | 670 | 194301 | 708 | 201023 | 439 |
| 161648 | 189 | 169590 | 708 | 188058 | 708 | 189994 | 670 | 194677 | 129 | 201252 | 946 |
| 161662 | 189 | 169606 | 708 | 188065 | 708 | 190006 | 670 | 194684 | 129 | 201269 | 946 |
| 161686 | 480 | 169613 | 708 | 188072 | 708 | 190013 | 670 | 194806 | 78 | 201276 | 946 |
| 161716 | 532 | 169620 | 708 | 188089 | 708 | 190020 | 670 | 195483 | 876 | 201283 | 946 |
| 161754 | 879 | 169637 | 708 | 188096 | 708 | 190037 | 670 | 195490 | 876 | 201290 | 946 |
| 161761 | 879 | 169644 | 708 | 188102 | 708 | 190044 | 670 | 195506 | 876 | 202396 | 742 |
| 161778 | 879 | 169705 | 708 | 188119 | 708 | 190051 | 670 | 195704 | 364 | 202921 | 812 |
| 161785 | 370 | 169712 | 708 | 188126 | 708 | 190068 | 670 | 195711 | 364 | 202945 | 812 |
| 161792 | 370 | 169729 | 708 | 188195 | 708 | 190075 | 670 | 195728 | 364 | 203072 | 652 |
| 162201 | 111 | 169736 | 708 | 188911 | 944 | 190082 | 670 | 195735 | 364 | 203089 | 652 |
| 162478 | 111 | 169972 | 708 | 188928 | 944 | 190099 | 670 | 195742 | 364 | 203102 | 652 |
| 162492 | 906 | 169989 | 708 | 188935 | 944 | 190105 | 670 | 195759 | 364 | 203126 | 652 |
| 162737 | 211 | 170145 | 708 | 188942 | 946 | 190181 | 670 | 195766 | 364 | 203171 | 398 |
| 162751 | 211 | 170152 | 708 | 188959 | 946 | 191171 | 626 | 195773 | 364 | 203188 | 398 |
| 163321 | 419 | 170589 | 78 | 188966 | 946 | 191188 | 626 | 196190 | 274 | 203195 | 398 |
| 163338 | 419 | 170923 | 369 | 188973 | 946 | 191508 | 626 | 196206 | 274 | 204581 | 652 |
| 163536 | 847 | 172408 | 829 | 188980 | 954 | 191577 | 878 | 196220 | 274 | 204598 | 652 |
| 163543 | 847 | 172439 | 904 | 189031 | 956 | 191584 | 878 | 196688 | 415 | 204611 | 652 |
| 163550 | 847 | 172804 | 343 | 189062 | 956 | 191607 | 878 | 196695 | 415 | 204635 | 652 |
| 163598 | 848 | 172828 | 343 | 189093 | 955 | 191614 | 877 | 196701 | 317 | 204888 | 460 |
| 163604 | 834 | 173245 | 90 | 189109 | 955 | 191621 | 877 | 196718 | 317 | 204895 | 460 |
| 163611 | 834 | 173252 | 374 | 189536 | 670 | 191638 | 877 | 196770 | 124 | 204949 | 514 |
| 163628 | 834 | 174204 | 151 | 189574 | 670 | 191997 | 626 | 196787 | 124 | 204956 | 514 |
| 163635 | 834 | 174211 | 151 | 189581 | 670 | 192277 | 742 | 197319 | 110 | 205281 | 117 |
| 163642 | 810 | 174228 | 151 | 189598 | 670 | 192284 | 742 | 197333 | 110 | 205298 | 117 |
| 163666 | 810 | 174235 | 151 | 189604 | 670 | 192291 | 742 | 197500 | 231 | 205304 | 117 |
| 163727 | 925 | 174396 | 188 | 189611 | 670 | 192307 | 742 | 197524 | 231 | 205311 | 117 |
| 163741 | 898 | 174402 | 188 | 189628 | 670 | 192314 | 742 | 197654 | 187 | 205977 | 302 |
| 163758 | 898 | 174792 | 411 | 189635 | 670 | 192321 | 742 | 197661 | 187 | 205984 | 302 |
| 164823 | 381 | 174808 | 411 | 189642 | 670 | 192338 | 742 | 197708 | 441 | 205991 | 302 |
| 164847 | 381 | 174822 | 411 | 189659 | 670 | 192345 | 742 | 197715 | 212 | 206004 | 302 |
| 164878 | 86 | 174846 | 411 | 189666 | 670 | 192352 | 742 | 197722 | 212 | 206011 | 302 |
| 164953 | 224 | 174921 | 329 | 189673 | 670 | 192376 | 742 | 197739 | 212 | 206028 | 302 |
| 164960 | 224 | 174976 | 329 | 189680 | 670 | 192383 | 742 | 197753 | 489 | 206035 | 302 |
| 164977 | 205 | 177199 | 533 | 189697 | 670 | 192406 | 742 | 198095 | 144 | 206042 | 302 |
| 164984 | 205 | 177205 | 533 | 189703 | 670 | 192437 | 626 | 198125 | 100 | 206196 | 784 |
| 164991 | 345 | 179292 | 378 | 189710 | 670 | 192482 | 626 | 198132 | 335 | 206202 | 784 |

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| 206219 | 784 | 213361 | 893 | 222769 | 612 | 229041 | 413 | 235547 | 97 | 243924 | 307 |
| 206226 | 784 | 213491 | 439 | 222820 | 940 | 229058 | 318 | 236841 | 834 | 243931 | 307 |
| 206233 | 784 | 213507 | 355 | 222837 | 940 | 229065 | 318 | 236858 | 834 | 243948 | 307 |
| 206240 | 784 | 213521 | 203 | 222882 | 612 | 229072 | 318 | 236865 | 810 | 243986 | 780 |
| 206387 | 92 | 213569 | 354 | 222899 | 612 | 229089 | 318 | 236957 | 93 | 243993 | 780 |
| 206394 | 92 | 213583 | 202 | 222912 | 612 | 229461 | 68 | 236964 | 93 | 244013 | 780 |
| 206622 | 232 | 214009 | 876 | 222929 | 612 | 229478 | 68 | 237251 | 946 | 244181 | 782 |
| 206639 | 232 | 214474 | 156 | 222936 | 612 | 229485 | 68 | 237398 | 182 | 244198 | 782 |
| 206806 | 119 | 214481 | 156 | 222943 | 612 | 229492 | 68 | 237428 | 182 | 244204 | 782 |
| 206820 | 119 | 214498 | 278 | 222950 | 612 | 229508 | 68 | 237442 | 182 | 244235 | 958 |
| 206875 | 119 | 214504 | 278 | 222967 | 612 | 229515 | 68 | 237497 | 182 | 244242 | 958 |
| 207155 | 439 | 214511 | 278 | 222974 | 612 | 229676 | 695 | 237510 | 182 | 244259 | 958 |
| 207162 | 353 | 214672 | 380 | 223001 | 612 | 229683 | 695 | 237664 | 118 | 244549 | 644 |
| 207186 | 353 | 214689 | 380 | 223018 | 612 | 229706 | 694 | 237671 | 118 | 244556 | 644 |
| 207216 | 208 | 214696 | 380 | 223025 | 612 | 229720 | 694 | 237794 | 204 | 244563 | 644 |
| 207834 | 99 | 215693 | 437 | 223032 | 612 | 229768 | 694 | 237800 | 204 | 244570 | 644 |
| 207841 | 99 | 215709 | 437 | 223049 | 612 | 229782 | 694 | 237930 | 410 | 244587 | 644 |
| 207858 | 99 | 215761 | 268 | 223056 | 612 | 229997 | 792 | 238104 | 135 | 244594 | 644 |
| 208398 | 174 | 215778 | 268 | 223124 | 612 | 230580 | 792 | 238135 | 135 | 244624 | 96 |
| 208541 | 734 | 215785 | 268 | 223148 | 612 | 230702 | 247 | 238173 | 135 | 244648 | 96 |
| 208558 | 734 | 215969 | 208 | 223155 | 612 | 230726 | 247 | 238210 | 135 | 244662 | 312 |
| 208565 | 734 | 216027 | 734 | 223162 | 612 | 231228 | 121 | 238746 | 183 | 244808 | 758 |
| 208572 | 734 | 216263 | 734 | 223179 | 612 | 231259 | 121 | 238838 | 183 | 244822 | 758 |
| 208589 | 734 | 216270 | 626 | 223186 | 258 | 231273 | 121 | 238920 | 183 | 244846 | 758 |
| 208596 | 734 | 216287 | 626 | 223193 | 258 | 231297 | 121 | 238944 | 432 | 244853 | 758 |
| 208640 | 734 | 216317 | 734 | 223209 | 258 | 231341 | 96 | 238951 | 432 | 244884 | 311 |
| 208657 | 734 | 216324 | 734 | 223216 | 258 | 231372 | 96 | 238975 | 432 | 245041 | 918 |
| 208695 | 734 | 216416 | 626 | 223223 | 258 | 231396 | 96 | 239521 | 436 | 245072 | 918 |
| 208701 | 734 | 216423 | 626 | 223230 | 258 | 231433 | 96 | 239545 | 436 | 245089 | 918 |
| 208725 | 734 | 217253 | 742 | 223247 | 258 | 231471 | 312 | 239576 | 436 | 245096 | 918 |
| 208732 | 734 | 219875 | 188 | 223742 | 652 | 231495 | 312 | 239590 | 436 | 245102 | 918 |
| 208794 | 430 | 220826 | 626 | 223759 | 652 | 231556 | 128 | 239606 | 436 | 245331 | 481 |
| 208817 | 191 | 221489 | 129 | 223766 | 652 | 231563 | 128 | 240367 | 264 | 245348 | 481 |
| 209036 | 954 | 221496 | 129 | 223834 | 946 | 231570 | 128 | 240374 | 266 | 245393 | 481 |
| 209043 | 954 | 221502 | 826 | 223919 | 946 | 231587 | 128 | 241012 | 175 | 246390 | 782 |
| 209845 | 826 | 221519 | 826 | 223926 | 946 | 231594 | 128 | 241036 | 175 | 246451 | 708 |
| 209852 | 826 | 221595 | 957 | 223933 | 946 | 231600 | 128 | 241050 | 322 | 246468 | 708 |
| 209906 | 884 | 222097 | 74 | 223940 | 946 | 231631 | 698 | 241296 | 353 | 246499 | 708 |
| 211381 | 74 | 222103 | 74 | 224275 | 612 | 231662 | 698 | 241517 | 146 | 246505 | 708 |
| 211398 | 74 | 222110 | 74 | 224367 | 956 | 232041 | 133 | 241524 | 146 | 246512 | 708 |
| 211404 | 74 | 222257 | 954 | 224541 | 145 | 232690 | 125 | 241968 | 624 | 246529 | 708 |
| 211459 | 82 | 222509 | 662 | 224930 | 394 | 232713 | 125 | 241975 | 624 | 246536 | 708 |
| 211466 | 82 | 222523 | 662 | 224954 | 394 | 232720 | 125 | 241982 | 624 | 246543 | 708 |
| 211701 | 82 | 222530 | 662 | 224985 | 394 | 232744 | 125 | 241999 | 624 | 246550 | 708 |
| 211718 | 82 | 222547 | 662 | 224992 | 394 | 232966 | 314 | 242002 | 624 | 246567 | 708 |
| 211787 | 734 | 222554 | 662 | 225005 | 394 | 232980 | 314 | 242019 | 375 | 246574 | 708 |
| 211794 | 734 | 222561 | 662 | 225029 | 394 | 233031 | 314 | 242569 | 960 | 246581 | 708 |
| 211817 | 734 | 222578 | 662 | 225364 | 662 | 233062 | 300 | 242576 | 960 | 246598 | 708 |
| 211824 | 734 | 222585 | 662 | 226026 | 170 | 233079 | 300 | 242705 | 708 | 246604 | 708 |
| 212623 | 940 | 222592 | 662 | 226033 | 170 | 233192 | 300 | 243160 | 410 | 246611 | 708 |
| 212647 | 940 | 222608 | 662 | 226040 | 170 | 233215 | 300 | 243238 | 708 | 246628 | 708 |
| 213071 | 901 | 222615 | 662 | 226187 | 940 | 233321 | 300 | 243245 | 708 | 246796 | 813 |
| 213088 | 901 | 222622 | 662 | 226194 | 940 | 233352 | 300 | 243252 | 708 | 246819 | 857 |
| 213095 | 823 | 222639 | 662 | 226200 | 940 | 233666 | 375 | 243269 | 708 | 246826 | 857 |
| 213101 | 891 | 222646 | 662 | 226217 | 940 | 233765 | 301 | 243283 | 708 | 246833 | 910 |
| 213194 | 804 | 222653 | 662 | 227580 | 708 | 233772 | 301 | 243450 | 307 | 246840 | 910 |
| 213200 | 804 | 222660 | 662 | 227597 | 708 | 233826 | 301 | 243498 | 353 | 246857 | 826 |
| 213217 | 850 | 222677 | 662 | 227672 | 708 | 233833 | 301 | 243528 | 208 | 246864 | 826 |
| 213262 | 886 | 222684 | 662 | 227689 | 708 | 233840 | 375 | 243566 | 353 | 246871 | 884 |
| 213279 | 886 | 222691 | 662 | 227825 | 246 | 233970 | 301 | 243597 | 208 | 246888 | 903 |
| 213323 | 844 | 222707 | 662 | 227832 | 246 | 234007 | 301 | 243665 | 626 | 246895 | 708 |
| 213330 | 846 | 222714 | 662 | 229010 | 413 | 235455 | 97 | 243818 | 794 | 246901 | 708 |
| 213347 | 844 | 222745 | 612 | 229027 | 413 | 235486 | 97 | 243825 | 794 | 246918 | 903 |
| 213354 | 844 | 222752 | 612 | 229034 | 413 | 235516 | 97 | 243849 | 794 | 246925 | 829 |

Code index

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| SKU | Pag | 249230 | 960 | 252568 | 955 | 257792 | 558 | 260136 | 192 | 266282 | 954 |
| | | 249247 | 960 | 252971 | 734 | 257839 | 558 | 260235 | 192 | 266497 | 764 |
| 246932 | 904 | 249254 | 960 | 252988 | 734 | 257846 | 558 | 260242 | 192 | 266503 | 764 |
| 246949 | 829 | 249261 | 958 | 252995 | 734 | 257877 | 558 | 260327 | 434 | 266510 | 764 |
| 246956 | 904 | 249278 | 958 | 253008 | 734 | 257990 | 558 | 260334 | 434 | 266527 | 764 |
| 246963 | 886 | 249285 | 958 | 253015 | 734 | 258027 | 558 | 260341 | 434 | 266534 | 764 |
| 246970 | 886 | 249292 | 958 | 253381 | 954 | 258140 | 558 | 260358 | 434 | 266541 | 764 |
| 246987 | 888 | 249308 | 958 | 253398 | 956 | 258171 | 558 | 260433 | 482 | 266558 | 764 |
| 246994 | 888 | 249315 | 958 | 253404 | 955 | 258232 | 558 | 260440 | 482 | 266565 | 764 |
| 247007 | 708 | 249322 | 960 | 253411 | 944 | 258256 | 558 | 260457 | 192 | 266572 | 764 |
| 247045 | 927 | 249339 | 960 | 253428 | 946 | 258270 | 778 | 260464 | 192 | 266589 | 764 |
| 247083 | 842 | 249452 | 908 | 253435 | 946 | 258287 | 313 | 260471 | 192 | 266596 | 764 |
| 247144 | 941 | 249469 | 908 | 253442 | 946 | 258300 | 648 | 260488 | 192 | 266602 | 764 |
| 247151 | 941 | 249476 | 908 | 253459 | 946 | 258751 | 74 | 260600 | 402 | 266657 | 764 |
| 247229 | 60 | 249483 | 908 | 253480 | 955 | 258768 | 74 | 260617 | 402 | 266671 | 764 |
| 247236 | 60 | 249490 | 908 | 253497 | 956 | 258775 | 74 | 260624 | 402 | 266688 | 764 |
| 247243 | 60 | 249506 | 908 | 253558 | 662 | 258874 | 503 | 260631 | 402 | 266701 | 764 |
| 247250 | 60 | 249513 | 908 | 253589 | 76 | 258881 | 457 | 260648 | 402 | 266725 | 764 |
| 247267 | 60 | 249520 | 908 | 253596 | 76 | 258898 | 89 | 260655 | 402 | 266732 | 764 |
| 247274 | 60 | 249629 | 708 | 253664 | 64 | 258904 | 503 | 260662 | 402 | 266756 | 955 |
| 247281 | 60 | 249711 | 782 | 253671 | 64 | 258911 | 457 | 260679 | 402 | 266763 | 955 |
| 247618 | 708 | 249728 | 782 | 253688 | 244 | 258928 | 89 | 260853 | 558 | 266770 | 955 |
| 247625 | 708 | 249827 | 799 | 253695 | 362 | 259048 | 433 | 260860 | 558 | 267128 | 634 |
| 247779 | 342 | 249834 | 799 | 253886 | 644 | 259062 | 433 | 261164 | 276 | 267135 | 634 |
| 247847 | 782 | 250106 | 405 | 253893 | 644 | 259154 | 68 | 261188 | 276 | 267142 | 634 |
| 247854 | 782 | 250113 | 405 | 254272 | 248 | 259161 | 68 | 261195 | 176 | 267159 | 634 |
| 247939 | 662 | 250120 | 405 | 254289 | 248 | 259178 | 68 | 261287 | 922 | 267203 | 558 |
| 247946 | 662 | 250304 | 172 | 254319 | 882 | 259185 | 68 | 261294 | 922 | 267210 | 558 |
| 247953 | 662 | 250311 | 172 | 254388 | 882 | 259192 | 68 | 261331 | 914 | 267227 | 558 |
| 247960 | 662 | 250328 | 172 | 254944 | 612 | 259208 | 68 | 261355 | 914 | 267234 | 558 |
| 247977 | 662 | 250335 | 172 | 255019 | 247 | 259222 | 477 | 261362 | 914 | 267241 | 558 |
| 247984 | 662 | 250342 | 172 | 255514 | 930 | 259239 | 78 | 261379 | 914 | 267258 | 558 |
| 247991 | 662 | 250359 | 172 | 255521 | 930 | 259260 | 300 | 263434 | 84 | 267692 | 782 |
| 248165 | 780 | 250403 | 678 | 255651 | 933 | 259277 | 300 | 263441 | 84 | 267777 | 678 |
| 248172 | 780 | 250410 | 678 | 255668 | 933 | 259345 | 365 | 263519 | 284 | 267784 | 678 |
| 248189 | 780 | 250427 | 678 | 255682 | 933 | 259352 | 365 | 263632 | 146 | 267791 | 678 |
| 248196 | 780 | 250434 | 678 | 255781 | 931 | 259376 | 558 | 263649 | 146 | 267807 | 678 |
| 248257 | 898 | 250441 | 678 | 255804 | 931 | 259765 | 434 | 263656 | 146 | 267869 | 784 |
| 248264 | 898 | 250458 | 678 | 255934 | 268 | 259772 | 434 | 263663 | 84 | 267876 | 784 |
| 248271 | 898 | 250854 | 858 | 255941 | 268 | 259796 | 434 | 263670 | 84 | 267883 | 784 |
| 248288 | 898 | 250946 | 845 | 255996 | 708 | 259802 | 434 | 263687 | 84 | 267890 | 784 |
| 248295 | 898 | 250953 | 892 | 256030 | 708 | 259819 | 434 | 263700 | 84 | 267906 | 784 |
| 248370 | 780 | 250977 | 892 | 256047 | 708 | 259826 | 434 | 264523 | 152 | 267913 | 784 |
| 248387 | 918 | 251103 | 100 | 256061 | 708 | 259833 | 434 | 264547 | 152 | 267920 | 780 |
| 248394 | 918 | 251110 | 100 | 256078 | 708 | 259857 | 434 | 265278 | 463 | 267937 | 780 |
| 248530 | 311 | 251127 | 477 | 256085 | 708 | 259864 | 482 | 265285 | 463 | 267944 | 780 |
| 248554 | 182 | 251226 | 891 | 256092 | 708 | 259871 | 482 | 265292 | 517 | 267951 | 780 |
| 248592 | 780 | 251257 | 891 | 256115 | 708 | 259895 | 482 | 265575 | 390 | 267968 | 742 |
| 248608 | 780 | 251295 | 891 | 256122 | 708 | 259901 | 482 | 265643 | 390 | 267975 | 742 |
| 248783 | 768 | 251516 | 808 | 256146 | 708 | 259918 | 482 | 265803 | 279 | 267982 | 784 |
| 248790 | 768 | 251523 | 808 | 256528 | 946 | 259925 | 482 | 265827 | 279 | 268002 | 784 |
| 249018 | 768 | 251530 | 808 | 257235 | 365 | 259949 | 482 | 265841 | 279 | 268071 | 375 |
| 249025 | 768 | 251547 | 808 | 257242 | 365 | 259956 | 482 | 265896 | 558 | 268088 | 778 |
| 249032 | 768 | 251554 | 808 | 257617 | 558 | 259963 | 530 | 265957 | 68 | 268095 | 375 |
| 249049 | 768 | 251561 | 808 | 257624 | 558 | 259970 | 530 | 265971 | 242 | 268101 | 313 |
| 249056 | 135 | 251578 | 808 | 257631 | 558 | 259994 | 530 | 265988 | 242 | 268118 | 624 |
| 249063 | 135 | 251592 | 808 | 257648 | 558 | 260006 | 530 | 265995 | 242 | 268149 | 624 |
| 249070 | 135 | 252025 | 795 | 257655 | 558 | 260013 | 192 | 266008 | 242 | 268156 | 922 |
| 249087 | 135 | 252032 | 795 | 257662 | 558 | 260020 | 192 | 266015 | 242 | 268163 | 922 |
| 249186 | 960 | 252049 | 795 | 257686 | 558 | 260044 | 192 | 266022 | 242 | 268170 | 922 |
| 249193 | 960 | 252056 | 795 | 257709 | 558 | 260051 | 192 | 266121 | 558 | 268187 | 922 |
| 249209 | 960 | 252186 | 946 | 257716 | 558 | 260068 | 482 | 266145 | 558 | 268194 | 922 |
| 249216 | 960 | 252209 | 946 | 257730 | 558 | 260075 | 482 | 266183 | 558 | 268200 | 922 |
| 249223 | 960 | 252551 | 955 | 257747 | 558 | 260082 | 482 | 266251 | 956 | 268217 | 624 |

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| 268231 | 624 | 270296 | 248 | 272375 | 955 | 277790 | 946 | 283036 | 558 | 285184 | 152 |
| 268293 | 845 | 270302 | 248 | 272382 | 955 | 277813 | 946 | 283043 | 558 | 285191 | 152 |
| 268309 | 845 | 270319 | 248 | 272429 | 958 | 277912 | 626 | 283050 | 700 | 285207 | 284 |
| 268316 | 845 | 270326 | 248 | 272436 | 958 | 277929 | 626 | 283067 | 700 | 285214 | 300 |
| 268354 | 858 | 270333 | 248 | 272443 | 958 | 277967 | 498 | 283104 | 558 | 285238 | 308 |
| 268422 | 882 | 270340 | 248 | 272450 | 958 | 278704 | 308 | 283111 | 558 | 285283 | 376 |
| 268439 | 882 | 270357 | 248 | 272467 | 958 | 279596 | 728 | 283258 | 700 | 285290 | 376 |
| 268989 | 930 | 270364 | 248 | 272474 | 644 | 279602 | 728 | 283333 | 459 | 285306 | 376 |
| 268996 | 930 | 270371 | 248 | 272481 | 644 | 279626 | 728 | 283524 | 700 | 285313 | 376 |
| 269009 | 930 | 270388 | 248 | 272498 | 644 | 279633 | 728 | 283531 | 700 | 285320 | 399 |
| 269023 | 930 | 270395 | 248 | 272504 | 644 | 279640 | 728 | 283548 | 700 | 285337 | 511 |
| 269115 | 812 | 270401 | 248 | 272511 | 644 | 279671 | 728 | 283555 | 700 | 285344 | 511 |
| 269122 | 812 | 270449 | 652 | 272528 | 644 | 279688 | 728 | 283562 | 700 | 285351 | 678 |
| 269139 | 826 | 270463 | 652 | 272535 | 644 | 279695 | 728 | 283579 | 700 | 285368 | 678 |
| 269146 | 826 | 270517 | 652 | 272542 | 644 | 279718 | 728 | 283586 | 700 | 285375 | 678 |
| 269153 | 829 | 270524 | 652 | 273167 | 742 | 279725 | 728 | 283593 | 700 | 285382 | 678 |
| 269160 | 904 | 270531 | 652 | 273174 | 742 | 279770 | 126 | 283609 | 700 | 285399 | 678 |
| 269221 | 845 | 270548 | 652 | 273631 | 327 | 279794 | 126 | 283616 | 700 | 285405 | 678 |
| 269313 | 842 | 270586 | 248 | 273648 | 105 | 279800 | 511 | 283623 | 700 | 285412 | 742 |
| 269320 | 842 | 270593 | 248 | 273655 | 421 | 280233 | 728 | 283630 | 700 | 285429 | 742 |
| 269337 | 76 | 270661 | 247 | 273662 | 497 | 280240 | 728 | 283647 | 700 | 285436 | 742 |
| 269351 | 76 | 270678 | 247 | 273679 | 473 | 280998 | 404 | 283654 | 700 | 285443 | 742 |
| 269375 | 76 | 270692 | 626 | 273693 | 333 | 281001 | 404 | 283661 | 700 | 285450 | 819 |
| 269382 | 76 | 270715 | 248 | 273709 | 333 | 281568 | 132 | 283678 | 700 | 285467 | 819 |
| 269399 | 362 | 270876 | 626 | 273914 | 376 | 281582 | 132 | 283685 | 700 | 285474 | 819 |
| 269405 | 362 | 270883 | 626 | 273945 | 376 | 282084 | 526 | 283692 | 700 | 285481 | 819 |
| 269412 | 244 | 270920 | 946 | 274508 | 696 | 282091 | 478 | 283708 | 700 | 285498 | 819 |
| 269429 | 244 | 270937 | 626 | 274515 | 696 | 282107 | 105 | 283715 | 700 | 285504 | 819 |
| 269436 | 64 | 270944 | 944 | 274768 | 756 | 282114 | 105 | 283722 | 700 | 285511 | 819 |
| 269443 | 64 | 270951 | 946 | 274775 | 756 | 282121 | 378 | 283739 | 700 | 285528 | 819 |
| 269450 | 64 | 270968 | 954 | 274782 | 756 | 282138 | 378 | 283746 | 700 | 285535 | 819 |
| 269467 | 64 | 270975 | 956 | 275178 | 108 | 282244 | 873 | 283753 | 700 | 285566 | 956 |
| 269474 | 452 | 271002 | 248 | 275215 | 108 | 282251 | 873 | 283760 | 700 | 285580 | 958 |
| 269481 | 452 | 271187 | 640 | 275369 | 89 | 282633 | 558 | 283777 | 700 | 285597 | 958 |
| 269498 | 452 | 271194 | 640 | 275376 | 89 | 282640 | 558 | 283784 | 423 | 285603 | 958 |
| 269504 | 939 | 271200 | 640 | 275543 | 181 | 282657 | 558 | 283791 | 106 | 285610 | 958 |
| 269696 | 939 | 271217 | 640 | 275567 | 181 | 282664 | 558 | 283807 | 106 | 285627 | 958 |
| 269702 | 939 | 271293 | 147 | 275581 | 181 | 282671 | 558 | 283814 | 106 | 285634 | 958 |
| 269719 | 939 | 271309 | 147 | 276182 | 686 | 282688 | 558 | 283821 | 106 | 285641 | 958 |
| 269726 | 939 | 271316 | 147 | 276205 | 930 | 282695 | 558 | 283920 | 678 | 285658 | 958 |
| 269733 | 939 | 271385 | 106 | 276243 | 686 | 282701 | 558 | 283937 | 678 | 285665 | 958 |
| 269825 | 247 | 271392 | 106 | 276267 | 700 | 282718 | 558 | 283944 | 678 | 285672 | 958 |
| 269832 | 60 | 271408 | 106 | 276274 | 700 | 282725 | 558 | 284002 | 94 | 285689 | 958 |
| 269849 | 60 | 271422 | 106 | 276281 | 700 | 282749 | 558 | 284019 | 94 | 285696 | 958 |
| 269856 | 68 | 271439 | 423 | 276304 | 634 | 282756 | 558 | 284286 | 334 | 285702 | 958 |
| 269863 | 68 | 271446 | 678 | 276311 | 634 | 282770 | 558 | 284309 | 500 | 285719 | 958 |
| 269870 | 68 | 271453 | 678 | 276328 | 558 | 282787 | 558 | 284316 | 476 | 285726 | 958 |
| 269986 | 434 | 271538 | 313 | 276335 | 626 | 282824 | 558 | 284330 | 334 | 285887 | 960 |
| 270005 | 482 | 271545 | 313 | 276342 | 626 | 282848 | 558 | 284354 | 500 | 285894 | 960 |
| 270012 | 192 | 271590 | 946 | 276366 | 612 | 282862 | 558 | 284361 | 476 | 285900 | 960 |
| 270029 | 192 | 271606 | 946 | 277004 | 934 | 282879 | 558 | 284460 | 91 | 285917 | 960 |
| 270036 | 434 | 271613 | 946 | 277011 | 934 | 282886 | 558 | 284477 | 374 | 285924 | 960 |
| 270043 | 192 | 271620 | 944 | 277028 | 934 | 282893 | 558 | 284484 | 510 | 285993 | 558 |
| 270050 | 192 | 271637 | 946 | 277035 | 934 | 282909 | 558 | 285061 | 68 | 286006 | 558 |
| 270173 | 634 | 271644 | 944 | 277219 | 378 | 282916 | 558 | 285078 | 68 | 286051 | 558 |
| 270180 | 634 | 271712 | 634 | 277226 | 378 | 282923 | 558 | 285085 | 88 | 286068 | 558 |
| 270197 | 634 | 271750 | 634 | 277233 | 378 | 282930 | 558 | 285092 | 88 | 286075 | 558 |
| 270203 | 634 | 272030 | 399 | 277240 | 378 | 282947 | 558 | 285108 | 390 | 286082 | 558 |
| 270210 | 634 | 272078 | 460 | 277257 | 378 | 282954 | 558 | 285115 | 390 | 286099 | 558 |
| 270241 | 248 | 272085 | 514 | 277288 | 292 | 282961 | 558 | 285122 | 126 | 286105 | 558 |
| 270258 | 248 | 272108 | 914 | 277370 | 108 | 282978 | 558 | 285139 | 132 | 286112 | 558 |
| 270265 | 248 | 272139 | 170 | 277387 | 108 | 282985 | 558 | 285146 | 132 | 286129 | 558 |
| 270272 | 248 | 272238 | 478 | 277394 | 108 | 282992 | 558 | 285153 | 132 | 286167 | 558 |
| 270289 | 248 | 272245 | 526 | 277417 | 308 | 283029 | 558 | 285160 | 132 | 286204 | 558 |

Code index

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| SKU | Pag | 287874 | 728 | 292953 | 644 | 301631 | 960 | 303697 | 558 | 305813 | 784 |
| | | 287881 | 728 | 293004 | 434 | 301648 | 960 | 303703 | 558 | 305837 | 784 |
| 286211 | 558 | 287898 | 728 | 293172 | 889 | 301655 | 960 | 303710 | 558 | 305844 | 760 |
| 286228 | 558 | 287904 | 728 | 293189 | 894 | 301662 | 960 | 303727 | 558 | 305851 | 760 |
| 286259 | 558 | 287911 | 728 | 293196 | 894 | 301679 | 960 | 303741 | 558 | 306421 | 960 |
| 286266 | 558 | 287928 | 728 | 293202 | 894 | 301686 | 960 | 303789 | 558 | 306452 | 512 |
| 286297 | 558 | 287935 | 728 | 293646 | 431 | 301693 | 960 | 303796 | 558 | 306469 | 512 |
| 286303 | 558 | 287942 | 728 | 293653 | 339 | 301709 | 960 | 303802 | 558 | 306537 | 108 |
| 286310 | 558 | 287959 | 644 | 293660 | 339 | 301716 | 960 | 303819 | 558 | 306544 | 108 |
| 286327 | 558 | 287966 | 644 | 293769 | 286 | 302225 | 395 | 303826 | 558 | 306551 | 108 |
| 286334 | 558 | 288147 | 728 | 293776 | 286 | 302232 | 395 | 303833 | 558 | 306575 | 248 |
| 286341 | 558 | 288208 | 954 | 293783 | 286 | 302256 | 648 | 303895 | 60 | 306582 | 248 |
| 286358 | 558 | 288215 | 954 | 293790 | 286 | 302263 | 648 | 304038 | 958 | 306599 | 248 |
| 286365 | 558 | 288239 | 956 | 294001 | 889 | 302270 | 648 | 304045 | 958 | 306605 | 248 |
| 286372 | 558 | 288260 | 338 | 294025 | 889 | 302287 | 648 | 304113 | 482 | 306612 | 248 |
| 286389 | 558 | 288277 | 338 | 294049 | 889 | 302294 | 648 | 304120 | 192 | 306629 | 248 |
| 286396 | 558 | 288338 | 558 | 294766 | 413 | 302348 | 612 | 304137 | 335 | 306636 | 248 |
| 286402 | 558 | 288383 | 955 | 294803 | 413 | 302355 | 612 | 304144 | 100 | 306643 | 248 |
| 286419 | 558 | 288390 | 130 | 294810 | 318 | 302362 | 612 | 304151 | 477 | 306650 | 248 |
| 286426 | 558 | 288406 | 130 | 294827 | 318 | 302379 | 612 | 304168 | 520 | 306667 | 248 |
| 286433 | 558 | 288420 | 130 | 295213 | 504 | 302539 | 678 | 304366 | 68 | 306674 | 248 |
| 286440 | 558 | 288437 | 130 | 295473 | 511 | 302546 | 678 | 304373 | 68 | 306681 | 248 |
| 286495 | 558 | 288444 | 130 | 295497 | 511 | 302553 | 678 | 304380 | 68 | 306698 | 248 |
| 286501 | 558 | 288451 | 130 | 295503 | 511 | 302560 | 678 | 304397 | 68 | 306780 | 894 |
| 286518 | 558 | 288475 | 130 | 295510 | 458 | 302577 | 678 | 304403 | 68 | 306797 | 894 |
| 286525 | 558 | 288543 | 956 | 295534 | 458 | 302584 | 678 | 304410 | 68 | 306803 | 894 |
| 286532 | 558 | 289151 | 455 | 295541 | 458 | 302591 | 678 | 304427 | 68 | 306810 | 408 |
| 286549 | 558 | 289168 | 455 | 296302 | 558 | 302607 | 678 | 304434 | 68 | 306827 | 408 |
| 286594 | 686 | 289212 | 944 | 296333 | 692 | 302614 | 678 | 304441 | 68 | 306834 | 889 |
| 286600 | 686 | 289229 | 944 | 296340 | 692 | 302621 | 678 | 304458 | 68 | 306841 | 889 |
| 286662 | 522 | 289281 | 558 | 296357 | 692 | 302744 | 678 | 304465 | 68 | 306858 | 889 |
| 286679 | 522 | 289298 | 558 | 296364 | 692 | 302751 | 678 | 304472 | 68 | 306872 | 889 |
| 286686 | 522 | 289304 | 558 | 296678 | 512 | 302768 | 678 | 304489 | 362 | 306940 | 431 |
| 286716 | 870 | 289489 | 331 | 296685 | 512 | 302942 | 686 | 304496 | 362 | 306957 | 339 |
| 286723 | 870 | 289496 | 331 | 296746 | 106 | 302959 | 686 | 304502 | 362 | 306964 | 339 |
| 286730 | 870 | 289786 | 164 | 296753 | 106 | 302966 | 686 | 304519 | 244 | 306988 | 498 |
| 286747 | 870 | 289861 | 164 | 296869 | 955 | 302973 | 686 | 304526 | 244 | 306995 | 105 |
| 287072 | 378 | 289878 | 164 | 296876 | 955 | 302980 | 686 | 304533 | 244 | 307008 | 105 |
| 287300 | 409 | 289908 | 164 | 297101 | 285 | 302997 | 686 | 304540 | 64 | 307015 | 372 |
| 287317 | 409 | 289915 | 164 | 297149 | 285 | 303000 | 686 | 304557 | 64 | 307022 | 372 |
| 287560 | 371 | 289939 | 164 | 297743 | 281 | 303017 | 686 | 304564 | 64 | 307039 | 372 |
| 287577 | 371 | 290614 | 558 | 297750 | 281 | 303062 | 960 | 304571 | 64 | 307046 | 372 |
| 287584 | 371 | 290959 | 499 | 297767 | 159 | 303079 | 960 | 304588 | 64 | 307053 | 372 |
| 287591 | 372 | 290966 | 499 | 297781 | 159 | 303086 | 960 | 304595 | 64 | 307060 | 372 |
| 287607 | 372 | 291093 | 459 | 298597 | 881 | 303093 | 960 | 304601 | 434 | 307077 | 958 |
| 287614 | 372 | 291109 | 459 | 298610 | 881 | 303314 | 306 | 304618 | 482 | 307084 | 958 |
| 287621 | 372 | 291345 | 75 | 299402 | 302 | 303321 | 306 | 304625 | 192 | 307091 | 958 |
| 287638 | 372 | 291376 | 75 | 299419 | 302 | 303390 | 958 | 304632 | 192 | 307107 | 958 |
| 287645 | 372 | 291406 | 75 | 299617 | 501 | 303406 | 958 | 304649 | 520 | 307114 | 958 |
| 287652 | 395 | 291789 | 408 | 299624 | 501 | 303499 | 558 | 304694 | 60 | 307121 | 958 |
| 287669 | 395 | 291796 | 408 | 300504 | 558 | 303505 | 558 | 304700 | 60 | 307138 | 958 |
| 287676 | 395 | 292205 | 248 | 300528 | 558 | 303512 | 558 | 304717 | 60 | 307145 | 652 |
| 287683 | 825 | 292236 | 248 | 300535 | 558 | 303529 | 558 | 304724 | 60 | 307152 | 652 |
| 287690 | 825 | 292250 | 248 | 300641 | 873 | 303574 | 558 | 304731 | 60 | 307169 | 825 |
| 287706 | 825 | 292403 | 423 | 300658 | 873 | 303598 | 558 | 304748 | 60 | 307176 | 825 |
| 287713 | 825 | 292410 | 423 | 300764 | 558 | 303604 | 558 | 304915 | 506 | 307206 | 286 |
| 287720 | 825 | 292441 | 473 | 300801 | 84 | 303611 | 558 | 304922 | 506 | 307213 | 286 |
| 287737 | 825 | 292458 | 473 | 300818 | 84 | 303628 | 558 | 305431 | 954 | 307244 | 248 |
| 287768 | 388 | 292465 | 473 | 300825 | 84 | 303635 | 558 | 305486 | 954 | 307404 | 130 |
| 287775 | 388 | 292472 | 473 | 301051 | 502 | 303642 | 558 | 305592 | 514 | 307411 | 130 |
| 287782 | 388 | 292830 | 290 | 301068 | 502 | 303659 | 558 | 305608 | 558 | 307428 | 130 |
| 287843 | 728 | 292847 | 290 | 301075 | 502 | 303666 | 558 | 305615 | 558 | 307510 | 558 |
| 287850 | 728 | 292922 | 558 | 301594 | 958 | 303673 | 558 | 305622 | 946 | 307527 | 558 |
| 287867 | 728 | 292939 | 644 | 301624 | 960 | 303680 | 558 | 305639 | 946 | 307534 | 558 |


































| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| 307541 | 558 | 313252 | 428 | 317243 | 108 | 320618 | 558 | 322322 | 678 | 323657 | 720 |
| 307558 | 558 | 313283 | 336 | 317250 | 108 | 320625 | 558 | 322339 | 678 | 323671 | 720 |
| 307565 | 558 | 313290 | 336 | 317267 | 114 | 320717 | 558 | 322346 | 678 | 323688 | 720 |
| 307572 | 558 | 313313 | 505 | 317274 | 114 | 320724 | 558 | 322353 | 884 | 323718 | 720 |
| 307589 | 558 | 313320 | 472 | 317281 | 114 | 320731 | 558 | 322360 | 678 | 323725 | 720 |
| 307596 | 558 | 313412 | 843 | 317489 | 308 | 320748 | 558 | 322377 | 678 | 323732 | 720 |
| 307602 | 558 | 313429 | 843 | 317496 | 308 | 321042 | 80 | 322384 | 884 | 323763 | 720 |
| 307619 | 956 | 313436 | 843 | 317502 | 308 | 321059 | 80 | 322391 | 678 | 323770 | 720 |
| 307626 | 956 | 313443 | 843 | 317564 | 845 | 321172 | 104 | 322421 | 891 | 323794 | 720 |
| 307695 | 60 | 313450 | 843 | 317571 | 845 | 321189 | 837 | 322438 | 884 | 323800 | 720 |
| 307701 | 60 | 313467 | 838 | 317793 | 106 | 321196 | 837 | 322452 | 884 | 323817 | 720 |
| 307756 | 760 | 313474 | 838 | 317809 | 423 | 321202 | 837 | 322476 | 558 | 323831 | 720 |
| 307855 | 955 | 313481 | 838 | 317816 | 498 | 321462 | 138 | 322483 | 884 | 323961 | 720 |
| 307862 | 955 | 313498 | 838 | 317823 | 473 | 321479 | 138 | 322490 | 558 | 323985 | 720 |
| 307879 | 954 | 313504 | 838 | 317908 | 286 | 321509 | 413 | 322506 | 884 | 324005 | 720 |
| 307886 | 954 | 313511 | 836 | 317953 | 558 | 321516 | 318 | 322513 | 558 | 324807 | 720 |
| 308227 | 894 | 313528 | 836 | 317960 | 558 | 321523 | 318 | 322537 | 884 | 324814 | 720 |
| 308234 | 894 | 313535 | 836 | 317977 | 558 | 321530 | 413 | 322544 | 884 | 324821 | 720 |
| 309262 | 324 | 313542 | 836 | 317984 | 558 | 321547 | 371 | 322551 | 884 | 324838 | 720 |
| 309279 | 324 | 313559 | 836 | 317991 | 558 | 321554 | 371 | 322568 | 884 | 324845 | 720 |
| 309286 | 324 | 313566 | 836 | 318103 | 808 | 321561 | 371 | 322575 | 884 | 324852 | 720 |
| 309798 | 179 | 313771 | 114 | 318110 | 808 | 321585 | 514 | 322582 | 884 | 324869 | 720 |
| 309804 | 179 | 313788 | 114 | 318127 | 808 | 321615 | 286 | 322599 | 884 | 324876 | 720 |
| 309811 | 179 | 314099 | 414 | 318134 | 808 | 321622 | 925 | 322605 | 848 | 324883 | 720 |
| 310107 | 456 | 314105 | 414 | 318141 | 808 | 321639 | 906 | 322612 | 884 | 324890 | 720 |
| 310114 | 456 | 314129 | 414 | 318196 | 841 | 321646 | 845 | 322629 | 826 | 324906 | 720 |
| 310121 | 456 | 314136 | 414 | 318202 | 841 | 321653 | 558 | 322636 | 826 | 324913 | 720 |
| 310138 | 392 | 314143 | 178 | 318219 | 841 | 321660 | 266 | 322643 | 826 | 324920 | 720 |
| 310145 | 392 | 314167 | 178 | 318226 | 841 | 321684 | 264 | 322650 | 826 | 324937 | 720 |
| 310152 | 392 | 314174 | 178 | 318233 | 924 | 321691 | 845 | 322667 | 338 | 325019 | 916 |
| 310589 | 127 | 314198 | 496 | 318264 | 260 | 321707 | 266 | 322674 | 338 | 325132 | 941 |
| 310596 | 127 | 314204 | 465 | 318325 | 471 | 321714 | 558 | 322681 | 826 | 325156 | 941 |
| 310602 | 127 | 314228 | 341 | 318691 | 884 | 321738 | 264 | 322698 | 338 | 325163 | 941 |
| 310664 | 429 | 314235 | 341 | 318707 | 884 | 321745 | 266 | 322704 | 826 | 325750 | 558 |
| 310671 | 337 | 314334 | 431 | 318820 | 877 | 321752 | 264 | 322711 | 302 | 325767 | 558 |
| 310688 | 337 | 314716 | 320 | 318837 | 802 | 321769 | 266 | 322728 | 850 | 325804 | 67 |
| 310787 | 384 | 314723 | 320 | 319568 | 302 | 321776 | 264 | 322735 | 850 | 325828 | 67 |
| 310800 | 168 | 314815 | 340 | 319575 | 302 | 321783 | 86 | 322742 | 423 | 325835 | 67 |
| 310817 | 470 | 314822 | 340 | 319582 | 302 | 321806 | 558 | 322759 | 473 | 325934 | 644 |
| 310886 | 308 | 314921 | 66 | 319650 | 742 | 321813 | 86 | 322766 | 106 | 325941 | 644 |
| 310893 | 308 | 314938 | 66 | 319667 | 742 | 321844 | 558 | 322773 | 106 | 325958 | 644 |
| 311265 | 958 | 314945 | 145 | 319674 | 742 | 321851 | 906 | 322780 | 106 | 325965 | 644 |
| 311272 | 958 | 314952 | 145 | 319681 | 742 | 321868 | 906 | 322797 | 106 | 325972 | 644 |
| 311319 | 429 | 314969 | 145 | 319797 | 302 | 321882 | 906 | 322803 | 138 | 325989 | 644 |
| 311340 | 332 | 315805 | 348 | 319803 | 302 | 321905 | 906 | 322810 | 558 | 326214 | 855 |
| 311357 | 332 | 315812 | 348 | 320373 | 296 | 321929 | 906 | 322841 | 558 | 326221 | 855 |
| 311364 | 332 | 316048 | 890 | 320434 | 558 | 321950 | 906 | 322858 | 558 | 326238 | 805 |
| 311661 | 864 | 316055 | 890 | 320441 | 558 | 321967 | 558 | 322889 | 760 | 326245 | 805 |
| 311678 | 864 | 316307 | 558 | 320458 | 558 | 321981 | 906 | 322919 | 760 | 326290 | 956 |
| 311685 | 864 | 316680 | 338 | 320465 | 558 | 321998 | 558 | 322971 | 760 | 326351 | 108 |
| 311708 | 864 | 316697 | 338 | 320472 | 558 | 322056 | 558 | 323008 | 760 | 326368 | 108 |
| 311715 | 866 | 316789 | 372 | 320489 | 558 | 322070 | 558 | 323237 | 872 | 326610 | 944 |
| 311760 | 393 | 316871 | 859 | 320496 | 558 | 322087 | 686 | 323244 | 872 | 326627 | 842 |
| 311777 | 393 | 316895 | 859 | 320502 | 558 | 322094 | 686 | 323251 | 872 | 326634 | 842 |
| 311784 | 393 | 316901 | 859 | 320519 | 558 | 322100 | 686 | 323527 | 720 | 326658 | 515 |
| 312323 | 288 | 317007 | 338 | 320526 | 558 | 322124 | 686 | 323534 | 720 | 326665 | 515 |
| 312330 | 288 | 317090 | 385 | 320533 | 558 | 322193 | 829 | 323541 | 720 | 326672 | 515 |
| 312347 | 288 | 317106 | 385 | 320540 | 558 | 322209 | 829 | 323558 | 720 | 326689 | 882 |
| 312354 | 288 | 317113 | 282 | 320557 | 558 | 322216 | 884 | 323589 | 720 | 326696 | 882 |
| 312361 | 288 | 317120 | 282 | 320564 | 558 | 322230 | 884 | 323596 | 558 | 326702 | 882 |
| 312378 | 288 | 317137 | 519 | 320571 | 558 | 322261 | 904 | 323602 | 720 | 326719 | 882 |
| 312491 | 269 | 317144 | 519 | 320588 | 558 | 322278 | 904 | 323619 | 720 | 326726 | 882 |
| 313191 | 742 | 317151 | 468 | 320595 | 558 | 322285 | 858 | 323633 | 720 | 326733 | 882 |
| 313207 | 742 | 317168 | 468 | 320601 | 558 | 322308 | 858 | 323640 | 720 | 326740 | 882 |

Code index

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| SKU | Pag | 327914 | 469 | 328614 | 866 | 332406 | 271 | 336787 | 406 | 340609 | 558 |
| | | 327921 | 414 | 328621 | 859 | 332413 | 271 | 336794 | 406 | 340623 | 558 |
| 326757 | 882 | 327938 | 414 | 328638 | 859 | 332420 | 271 | 336800 | 406 | 340647 | 558 |
| 326788 | 856 | 327945 | 393 | 328645 | 859 | 332451 | 558 | 336817 | 406 | 340791 | 686 |
| 326795 | 806 | 328010 | 272 | 328652 | 843 | 332468 | 538 | 337135 | 946 | 340807 | 686 |
| 326801 | 806 | 328027 | 272 | 328669 | 843 | 332475 | 538 | 337142 | 742 | 340814 | 686 |
| 326849 | 842 | 328034 | 272 | 328676 | 843 | 332482 | 538 | 337371 | 714 | 340821 | 686 |
| 326856 | 842 | 328041 | 272 | 328683 | 958 | 332499 | 538 | 337388 | 714 | 340838 | 678 |
| 326863 | 825 | 328058 | 272 | 328690 | 958 | 332505 | 538 | 337395 | 714 | 340845 | 678 |
| 326870 | 825 | 328065 | 272 | 328706 | 958 | 332512 | 538 | 337401 | 714 | 340852 | 678 |
| 326887 | 808 | 328072 | 272 | 328713 | 958 | 332529 | 538 | 337418 | 714 | 340869 | 678 |
| 326894 | 808 | 328089 | 272 | 328720 | 958 | 332536 | 538 | 337425 | 714 | 340876 | 678 |
| 326917 | 890 | 328096 | 272 | 328737 | 958 | 332543 | 538 | 337517 | 694 | 340883 | 678 |
| 326924 | 890 | 328102 | 114 | 328744 | 958 | 332581 | 538 | 337524 | 696 | 340890 | 678 |
| 326955 | 844 | 328119 | 114 | 328751 | 958 | 332628 | 538 | 337531 | 916 | 340906 | 678 |
| 326962 | 828 | 328126 | 114 | 328768 | 958 | 332635 | 538 | 337548 | 818 | 340913 | 678 |
| 326979 | 846 | 328133 | 114 | 328775 | 958 | 332659 | 538 | 337579 | 686 | 340920 | 678 |
| 326986 | 844 | 328140 | 288 | 328782 | 958 | 332703 | 538 | 339047 | 172 | 340937 | 678 |
| 326993 | 844 | 328157 | 288 | 328799 | 308 | 332710 | 538 | 339054 | 172 | 340944 | 678 |
| 327037 | 956 | 328164 | 508 | 328812 | 308 | 332734 | 538 | 339061 | 172 | 340951 | 678 |
| 327044 | 956 | 328171 | 508 | 328829 | 908 | 332758 | 538 | 339252 | 192 | 340968 | 678 |
| 327051 | 956 | 328188 | 320 | 328836 | 908 | 332765 | 538 | 339269 | 192 | 340975 | 678 |
| 327068 | 956 | 328195 | 320 | 328942 | 272 | 332772 | 538 | 339276 | 192 | 340982 | 678 |
| 327075 | 956 | 328201 | 332 | 328959 | 272 | 332789 | 538 | 339283 | 194 | 340999 | 390 |
| 327242 | 896 | 328218 | 332 | 328966 | 272 | 332796 | 538 | 339290 | 194 | 341002 | 390 |
| 327259 | 896 | 328225 | 332 | 328973 | 272 | 332802 | 538 | 339306 | 194 | 341019 | 390 |
| 327266 | 896 | 328232 | 336 | 328980 | 272 | 332819 | 538 | 339313 | 196 | 341026 | 390 |
| 327402 | 164 | 328249 | 336 | 329260 | 272 | 332826 | 538 | 339320 | 196 | 341033 | 88 |
| 327419 | 164 | 328256 | 336 | 329444 | 598 | 332833 | 538 | 339337 | 196 | 341040 | 88 |
| 327426 | 164 | 328263 | 336 | 329451 | 598 | 332840 | 538 | 339368 | 538 | 341057 | 84 |
| 327433 | 164 | 328270 | 428 | 329468 | 598 | 332857 | 538 | 339375 | 538 | 341064 | 84 |
| 327440 | 164 | 328287 | 428 | 329475 | 598 | 332864 | 538 | 339382 | 538 | 341071 | 84 |
| 327457 | 164 | 328294 | 472 | 329505 | 598 | 332871 | 538 | 339399 | 538 | 341088 | 84 |
| 327471 | 760 | 328300 | 472 | 329512 | 598 | 332888 | 538 | 339405 | 538 | 341095 | 84 |
| 327488 | 760 | 328317 | 505 | 329529 | 598 | 332895 | 538 | 339412 | 538 | 341101 | 84 |
| 327495 | 760 | 328324 | 505 | 329536 | 598 | 332901 | 538 | 339429 | 538 | 341118 | 502 |
| 327501 | 784 | 328331 | 127 | 329574 | 598 | 332918 | 538 | 339726 | 86 | 341125 | 502 |
| 327518 | 784 | 328348 | 127 | 329581 | 598 | 332925 | 538 | 339733 | 86 | 341132 | 502 |
| 327525 | 558 | 328355 | 127 | 329598 | 598 | 332932 | 538 | 339740 | 86 | 341149 | 248 |
| 327532 | 558 | 328362 | 269 | 329604 | 598 | 332949 | 538 | 339757 | 86 | 341156 | 248 |
| 327549 | 558 | 328379 | 324 | 329635 | 598 | 333007 | 283 | 339771 | 956 | 341163 | 248 |
| 327556 | 558 | 328386 | 324 | 329642 | 598 | 333014 | 283 | 339788 | 652 | 341170 | 248 |
| 327563 | 260 | 328393 | 324 | 329666 | 598 | 333045 | 148 | 339795 | 652 | 341187 | 248 |
| 327570 | 260 | 328409 | 324 | 329673 | 598 | 333915 | 946 | 339863 | 558 | 341194 | 248 |
| 327600 | 260 | 328416 | 324 | 329703 | 598 | 333922 | 946 | 339887 | 700 | 341200 | 248 |
| 327686 | 260 | 328423 | 324 | 329710 | 598 | 334974 | 467 | 339894 | 700 | 341217 | 248 |
| 327693 | 260 | 328430 | 337 | 330358 | 598 | 334981 | 467 | 340005 | 700 | 341224 | 248 |
| 327716 | 431 | 328447 | 337 | 330365 | 598 | 334998 | 467 | 340012 | 700 | 341231 | 248 |
| 327754 | 742 | 328454 | 337 | 330730 | 558 | 335001 | 467 | 340029 | 700 | 341248 | 248 |
| 327761 | 742 | 328461 | 337 | 330754 | 558 | 335018 | 467 | 340036 | 700 | 341255 | 248 |
| 327778 | 392 | 328478 | 429 | 331225 | 798 | 335025 | 467 | 340043 | 558 | 341309 | 247 |
| 327785 | 392 | 328485 | 333 | 331256 | 754 | 335261 | 946 | 340067 | 558 | 341316 | 247 |
| 327792 | 392 | 328492 | 348 | 331263 | 754 | 336008 | 308 | 340081 | 558 | 341323 | 247 |
| 327808 | 324 | 328508 | 864 | 331355 | 920 | 336176 | 90 | 340104 | 558 | 341330 | 742 |
| 327815 | 324 | 328515 | 864 | 331386 | 920 | 336183 | 90 | 340180 | 558 | 341347 | 742 |
| 327822 | 324 | 328522 | 836 | 331690 | 395 | 336190 | 90 | 340197 | 558 | 341354 | 742 |
| 327839 | 100 | 328539 | 836 | 332062 | 558 | 336206 | 90 | 340241 | 558 | 341361 | 742 |
| 327846 | 100 | 328546 | 836 | 332079 | 558 | 336220 | 512 | 340265 | 558 | 341378 | 742 |
| 327853 | 335 | 328553 | 836 | 332086 | 558 | 336510 | 372 | 340364 | 558 | 341385 | 742 |
| 327860 | 335 | 328560 | 836 | 332093 | 558 | 336534 | 428 | 340388 | 558 | 341392 | 742 |
| 327877 | 477 | 328577 | 836 | 332109 | 558 | 336626 | 697 | 340401 | 558 | 341408 | 742 |
| 327884 | 159 | 328584 | 838 | 332116 | 558 | 336664 | 428 | 340425 | 558 | 341415 | 742 |
| 327891 | 281 | 328591 | 838 | 332239 | 644 | 336671 | 428 | 340562 | 558 | 341422 | 742 |
| 327907 | 469 | 328607 | 838 | 332246 | 644 | 336770 | 406 | 340586 | 558 | 341439 | 272 |

| | | | | | | | | | | | |
|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|--------|-----|
| 341446 | 272 | 342184 | 68 | 343310 | 78 | 345307 | 512 | 346137 | 196 | 346892 | 868 |
| 341453 | 272 | 342191 | 68 | 343457 | 102 | 345314 | 515 | 346144 | 196 | 346908 | 868 |
| 341460 | 272 | 342221 | 362 | 343464 | 102 | 345321 | 425 | 346151 | 196 | 346915 | 868 |
| 341477 | 272 | 342238 | 362 | 343471 | 102 | 345338 | 425 | 346168 | 196 | 346922 | 868 |
| 341484 | 272 | 342245 | 362 | 343488 | 466 | 345345 | 108 | 346175 | 196 | 346939 | 868 |
| 341491 | 272 | 342252 | 362 | 343501 | 598 | 345352 | 108 | 346182 | 196 | 347738 | 837 |
| 341507 | 272 | 342269 | 362 | 343518 | 598 | 345369 | 108 | 346199 | 196 | 347745 | 866 |
| 341514 | 272 | 342276 | 362 | 343525 | 598 | 345376 | 108 | 346205 | 196 | 347752 | 866 |
| 341521 | 60 | 342283 | 244 | 343532 | 598 | 345383 | 108 | 346212 | 652 | 347769 | 866 |
| 341538 | 60 | 342290 | 244 | 343617 | 164 | 345390 | 108 | 346229 | 652 | 347776 | 866 |
| 341545 | 60 | 342306 | 244 | 343624 | 164 | 345406 | 108 | 346236 | 652 | 347783 | 866 |
| 341552 | 60 | 342313 | 244 | 343631 | 164 | 345413 | 108 | 346243 | 652 | 347790 | 866 |
| 341569 | 60 | 342320 | 244 | 343648 | 164 | 345420 | 108 | 346250 | 652 | 347806 | 866 |
| 341576 | 60 | 342337 | 244 | 344751 | 558 | 345437 | 108 | 346267 | 652 | 347813 | 866 |
| 341583 | 60 | 342344 | 64 | 344768 | 558 | 345468 | 308 | 346274 | 652 | 347820 | 866 |
| 341590 | 60 | 342351 | 64 | 344775 | 494 | 345475 | 308 | 346281 | 652 | 347837 | 866 |
| 341606 | 60 | 342368 | 64 | 344782 | 558 | 345482 | 406 | 346298 | 652 | 347844 | 866 |
| 341613 | 60 | 342375 | 64 | 344799 | 558 | 345499 | 406 | 346304 | 652 | 347851 | 866 |
| 341620 | 60 | 342382 | 64 | 344805 | 760 | 345505 | 406 | 346328 | 644 | 347868 | 866 |
| 341637 | 60 | 342399 | 64 | 344812 | 760 | 345512 | 80 | 346335 | 644 | 347875 | 874 |
| 341644 | 784 | 342405 | 64 | 344829 | 760 | 345611 | 841 | 346342 | 644 | 347882 | 874 |
| 341668 | 784 | 342412 | 64 | 344836 | 760 | 345628 | 924 | 346359 | 644 | 347899 | 874 |
| 341675 | 784 | 342429 | 64 | 344843 | 754 | 345635 | 924 | 346366 | 644 | 347905 | 874 |
| 341682 | 784 | 342436 | 64 | 344850 | 754 | 345642 | 924 | 346373 | 644 | 348193 | 192 |
| 341705 | 784 | 342443 | 64 | 344867 | 754 | 345659 | 924 | 346380 | 644 | 348209 | 192 |
| 341712 | 784 | 342450 | 64 | 344874 | 754 | 345666 | 920 | 346397 | 644 | 348216 | 192 |
| 341729 | 784 | 342467 | 452 | 344881 | 648 | 345673 | 916 | 346403 | 644 | 348223 | 192 |
| 341736 | 784 | 342474 | 452 | 344898 | 648 | 345765 | 644 | 346410 | 644 | 348230 | 192 |
| 341743 | 784 | 342481 | 452 | 344904 | 648 | 345772 | 644 | 346427 | 644 | 348247 | 192 |
| 341750 | 784 | 342498 | 452 | 344911 | 648 | 345789 | 644 | 346434 | 644 | 348254 | 192 |
| 341767 | 784 | 342504 | 452 | 344928 | 648 | 345796 | 644 | 346441 | 644 | 348261 | 192 |
| 341774 | 784 | 342511 | 452 | 344935 | 648 | 345802 | 946 | 346458 | 644 | 348278 | 294 |
| 341781 | 302 | 342566 | 264 | 344942 | 697 | 345819 | 946 | 346465 | 644 | 348285 | 499 |
| 341798 | 302 | 342573 | 266 | 344966 | 714 | 345826 | 946 | 346472 | 644 | 348292 | 499 |
| 341842 | 780 | 342580 | 264 | 344973 | 714 | 345833 | 946 | 346489 | 644 | 348308 | 678 |
| 341859 | 780 | 342597 | 266 | 344980 | 598 | 345840 | 946 | 346496 | 644 | 348315 | 678 |
| 341866 | 780 | 342603 | 264 | 344997 | 598 | 345857 | 946 | 346502 | 644 | 348322 | 678 |
| 341873 | 780 | 342610 | 266 | 345000 | 598 | 345864 | 946 | 346519 | 644 | 348339 | 874 |
| 341880 | 242 | 342627 | 264 | 345017 | 598 | 345871 | 434 | 346526 | 471 | 348346 | 874 |
| 341897 | 242 | 342634 | 266 | 345024 | 598 | 345888 | 482 | 346533 | 431 | 348353 | 874 |
| 341903 | 242 | 342641 | 378 | 345031 | 598 | 345895 | 192 | 346540 | 166 | 348360 | 874 |
| 341910 | 242 | 342658 | 378 | 345048 | 598 | 345901 | 192 | 346557 | 166 | 348377 | 868 |
| 341927 | 242 | 342665 | 378 | 345055 | 598 | 345918 | 192 | 346564 | 166 | 348384 | 634 |
| 341934 | 242 | 342689 | 808 | 345062 | 598 | 345925 | 192 | 346571 | 166 | 348391 | 634 |
| 341941 | 242 | 342696 | 808 | 345079 | 598 | 345932 | 192 | 346588 | 166 | 348407 | 634 |
| 341958 | 242 | 342702 | 808 | 345086 | 598 | 345949 | 434 | 346595 | 166 | 348414 | 634 |
| 341965 | 242 | 342719 | 808 | 345093 | 598 | 345956 | 482 | 346601 | 166 | 348674 | 164 |
| 341972 | 242 | 342726 | 808 | 345130 | 395 | 345963 | 192 | 346618 | 166 | 348681 | 164 |
| 341989 | 242 | 342740 | 686 | 345147 | 395 | 345970 | 194 | 346625 | 166 | 348698 | 164 |
| 341996 | 242 | 342757 | 558 | 345154 | 372 | 345987 | 194 | 346632 | 166 | 349060 | 742 |
| 342009 | 68 | 342788 | 302 | 345161 | 372 | 345994 | 194 | 346656 | 896 | 349077 | 742 |
| 342016 | 68 | 342795 | 302 | 345178 | 372 | 346007 | 194 | 346663 | 896 | 349084 | 742 |
| 342023 | 68 | 342801 | 714 | 345185 | 372 | 346014 | 194 | 346670 | 896 | 349121 | 678 |
| 342030 | 68 | 342818 | 714 | 345192 | 372 | 346021 | 194 | 346687 | 896 | 349138 | 678 |
| 342047 | 68 | 342825 | 714 | 345208 | 372 | 346038 | 194 | 346694 | 896 | 349145 | 678 |
| 342054 | 68 | 342832 | 714 | 345215 | 58 | 346045 | 194 | 346700 | 896 | 349596 | 920 |
| 342061 | 68 | 342849 | 714 | 345222 | 58 | 346052 | 194 | 346717 | 896 | 351278 | 932 |
| 342078 | 68 | 342856 | 714 | 345239 | 58 | 346069 | 194 | 346724 | 896 | 351285 | 932 |
| 342108 | 68 | 342863 | 946 | 345246 | 58 | 346076 | 194 | 346731 | 896 | 351346 | 558 |
| 342115 | 68 | 342870 | 946 | 345253 | 58 | 346083 | 194 | 346762 | 652 | | |
| 342122 | 68 | 342887 | 954 | 345260 | 58 | 346090 | 196 | 346779 | 652 | | |
| 342139 | 68 | 342894 | 956 | 345277 | 58 | 346106 | 196 | 346847 | 192 | | |
| 342160 | 68 | 342900 | 955 | 345284 | 58 | 346113 | 196 | 346854 | 78 | | |
| 342177 | 68 | 342993 | 104 | 345291 | 58 | 346120 | 196 | 346861 | 78 | | |

List of finishes

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Clear | White | Opal | Iridescent | Fade Chrome | Steel | Silver |
|  |  |  |  |  |  |  |
| Chrome | Concrete | Aluminum | Grey | Nickel | Smoky Grey | Shaded Smoky Gray |
|  |  |  |  | | | |
| Granite | Lead | Anthracite | Black | | | |
| | | | | | | |
|  |  |  |  |  |  |  |
| Ivory | Amber | Shaded Amber | Alabaster | Beige | Canvas | Wood |
|  |  |  |  |  |  |  |
| Dove Grey | Rope | Gold | Brass | Copper | Coffee | Antique Brass |
|  | | | | | | |
| Rust | | | | | | |

Notes

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output, as a consequence the items classified under the same finish can present some differences concerning color perception.

Technical icons



Class I Electrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.



Class II Electrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.



Class III Electrical safety guaranteed by very low power supply (less than 50 Volt). Earthing excluded.



Item not appropriate for direct or recessed installation on normally flammable surfaces.



Mark of conformity to European Community Safety regulations.

Symbols



Bulb included.



Items with LED lights: very low consumption, highly bright and focused light, strength and durability.



Integrated switch button.



Lamp with touch switch: switching on and dimming by touching the base with a finger.



Luminaire with dimmer.



Lamp with integrated USB socket.



Up-light included.



High-tech product with high quality materials, intended for professional use.



Product with UGR.



Item suitable for painting and varnishing.



Protection degree.



Item made of stainless steel 316.



Lamp with presence detector included PIR (Passive InfraRed).



Lamp with rechargeable battery included

Notes

-The indicated prices are public prices VAT excluded.

-Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website (www.ideal-lux.com).

-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.

-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.

-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check

photometry files for the actual Lumen of the single lighting fittings. For further information and updates.

-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.

-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.

Ideal Lux s.r.l.

Headquarter

Via Taglio Destro, 32
30035 Mirano — Venezia
P.I. / C.F. 02420040277
8.00 - 12.00 / 13.30 - 17.30

Warehouse

Via delle Industrie, 8/D
30036 Santa Maria di Sala — Venezia
8.00 - 12.00 / 13.00 - 17.00

E info@ideal-lux.com

T +39 041 5790500

F +39 041 8872349

📧 [ideal.lux](https://www.ideal-lux.com)

📘 Ideal Lux

www.ideal-lux.com

Community Design Pending Nr. 001996372 002194993 002621862 002943449 003734342 004558609 006083655

Copyright 2025 © IDEAL LUX S.r.l. — All rights reserved — Tutti i diritti sono riservati



